# CHEREY-NAGE



# Safety Data Sheet

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 645020	ExTh MN 645, 30x80 mm	Page: 1/8
Printing date: 13.01.2023	Date of issue: 18.07.2022	Version: 2.2.2.2

## SECTION 1: Identification of the substance/mixture and of the company

0_01		
1.1	Product identifier REF Product name	645020 ExTh MN 645, 30x80 mm
	the substance or its use is excluded	see SECTION 3.1/3.2 or ance(s) does not exist because the annual tonnage does not require registration or d from registration. nade from pure cellulose MN 645
1.2	Relevant identified uses Product for analytical use.	e substance or mixture and uses advised against according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0 ted into sections 1-16.
1.3	Details of the supplier of the s Manufactured by: MACHEREY-NAGEL GmbH & Co. Valencienner Str. 11, 52355 Düren, Phone: +49 2421 969 0	KG
1.4	Emergency telephone number Information not necessary.	
	You find our current versions of SDS in Inter	net: <http: sds="" www.mn-net.com=""></http:>
SECT	ON 2: Hazard identification	n

#### 2.0 Classification of the complete product according to Regulation (EC) 1272/2008

2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

Extraction thimbles made from pure cellulose MN 645

Do not need labelling as hazardous Signal word

No hazard class

List of H phrases: see section 16.2

2.2 Label elements according regulation (EC) 1272/2008

> Extraction thimbles made from pure cellulose MN 645 Do not need labelling as hazardous

Signal word: -

### Label elements of the complete product

#### 2.3 Other hazards

### Possible hazards from physicochemical properties

According to our current status of knowledge and experience we state, that this product does not contain any substances, which - in accordance with EC regulations 1272/2008/EC, 1907/2006/EC and German Regulations for Hazardous goods - have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit. An individual package has considerably less hazardous potential. Less hazardous potential from dust. Cellulose is exempt from registration (REACh Art. 2 (7)a and Annex IV). This product is an article, which do not emit any hazards.



DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
- US Tel.: +1 888 321 62 24 sales-us@mn-net.com



# Safety Data Sheet

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 645020	ExTh MN 645, 30x80 mm	Page: 2/8
Printing date: 13.01.2023	Date of issue: 18.07.2022	Version: 2.2.2.2

According to REACh no Safety data sheet is necessary.

Information pertaining to particular risks to human and possible symptoms

Information pertaining to particular risks to the environment

Possible endocrine disrupting effects no data available

## **SECTION 3: Composition / information on ingredients**

#### 3.1 Substances or 3.2 Mixtures

Extraction thimbles made from pure cellulose MN 645 cellulose paper

9004-34-6

Substance	name:
CAS No.:	

Substance rating: No criteria for classification or naming of chemical not required. Formula: (C 6 H 10 O 5) n REACH Reg. No.: exempt, Annex IV EC No.: 232-674-9 Concentration: 90 - <100 % acc. CLP (GHS): The criteria for classification are not fulfilled.

#### 3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.List of H and P phrases: see section 16.2.

### SECTION 4: First aid measures

4.1	<b>Description of first aid measures</b> Place insured person out of danger zone to fresh air immediately.
4.1.1	After SKIN Contact Remove dust with wetted tissue.
4.1.2	After EYE Contact Rub dust with teardrops from eyes
4.1.3	After INHALATION of vapours After inhalation of dust fresh air should be inhaled
4.1.4	After ORAL Intake

#### 4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed No additionally recommendations. ---

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### 5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used. Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

#### 5.1.2 Unsuitable extinguishing media no data available



DE Tel.: +49 24 21 969-0 info@mn-net.com

- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
  - FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
  - US Tel.: +1 888 321 62 24 sales-us@mn-net.com

# **MACHEREY-NAGEL**



# Safety Data Sheet

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 645020	ExTh MN 645, 30x80 mm	Page: 3/8
Printing date: 13.01.2023	Date of issue: 18.07.2022	Version: 2.2.2.2

- 5.2 Special hazards arising from the substance or mixture None.
- 5.3 Advice for firefighters
   No, for listed product.Product package burns like paper or plastic.
- 5.4 Additional information

## **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures
- 6.2 Environmental precautions not necessary
- 6.3 Methods and material for containment and cleaning up Clean working area with water. Flush used water into drains.
- 6.4 Reference to other sections

## **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

7.2	Conditions for safe storage, including any incompatibilities	
	Safe storage is guaranteed in the original packaging	. Storage class (German chemical industry): see chapter 12.1
	Storage class (VCI):	Ĭ1
	Water hazard class (DE):	nwg

- 7.2.1 Requirements for stock rooms and containers Keep original product packages tightly closed during handling and storage.
- 7.3 Specific end use(s) Product for analytical use.

# **SECTION 8: Exposure controls /personal protection**

### 8.1 Control parameters

Extraction thimbles mad Chemical: cellulose pa	e from pure cellulose MN 645 aper	CAS No.: 9004-34-6
TRGS 900 (DE):	Staub 1.25 A / 4 E mg/m <sup>3</sup> A/a aveoles passing, E/e respirable, G total	
SUVA(CH) MAK value: NIOSH: [TWA] Time-weighted a	3 a ppm TWA 10 (total) / 5 (resp) mg/m³ verage to a reference period of 8 hours, [STEL] Short-term exposure limit	related to a 15-minute period
OSHA:	TWA 15 (total) / 5 (resp) mg/m³	

8.2 Exposure controls

Not necessary.

- 8.2.1 Respiratory protection
  - Not necessary.
- 8.2.2 Skin protection / Hand protection Not necessary.
- 8.2.3 Eye / Face Protection
- Not necessary.
- 8.2.4 Skin protection



 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

 FR
 Tel.: +33 388 68 22 68
 sales-fr@mn-net.com

 US
 Tel.: +1 888 321 62 24
 sales-us@mn-net.com



## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 645020 Printing date: 13.01.2023		ExTh MN 645, 30x80 mm	Page: 4/8
		Date of issue: 18.07.2022	Version: 2.2.2.2
	Not necessary.		
8.2.5	Personal hygiene Information not necessary.		
3.2.6	Thermal hazards no data available		
8.3	Limitation and monitoring of environmental exposure Information not necessary.		
SEC	TION 9: Physical and chemical	properties	
9.1	Information on basic physical and chemical properties		
	Extraction thimbles made from pure ( a) State of aggregation: b) Colour: c) Odor: d) Melting point: e) Boiling point: f) Flammability: g) Explosive limits (lower / upper): h) Flash point: i) Flashing temperature: j) Decomposition temperature: k) pH value: l) Kinematic viscosity: m) Solubility in water: n) Dispersion coefficient (o/w) : o) Vapour pressure (20°C): p) Specific gravity: q) Relative vapour density (air=1) : r) Particle size:	cellulose MN 645 solid white odorless no data available no data available	

### 9.2 Other information

Properties relevant to substance groups

## **SECTION 10: Stability and reactivity**

- 10.1 Reactivity None
- 10.2 Chemical stability no known instability.
- 10.3 Possibility of hazardous reactions None.
- 10.4 Conditions to avoid Not known. None.
- 10.5 Incompatible materials

Not known.

### 10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.



FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 645020	ExTh MN 645, 30x80 mm	Page: 5/8
Printing date: 13.01.2023	Date of issue: 18.07.2022	Version: 2.2.2.2

## **SECTION 11: Toxicological information**

#### 11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

Extraction thimbles made	from pure cellulose	MN 645	
Chemical: cellulo	ose paper		CAS No.: 9004-34-6
TSCA Inventory:	listed	California Proposition 65 List:	not listed
Exposure Routes:	inhalation, skin and/	or eye contact	
Target Organs:	Eyes, skin, respirato	ory system	
Symptoms:	irritation eyes, skin,	mucous membrane	
Australia NICNAS:	not listed	Canada CEPA 1999:	DSL yes
Japan CSCL/PRTR:	not listed, Japan PD	SCL: not listed	-
Japan ISHL:	not listed		
South Korea TCCA:	not listed		
Korea Exist.Chem.Inventory	: KE-05339		
LD50 orl rat	> 5000 mg/kg		
LC50 ihl rat :	> 5,800 mg/L/4H		

#### 11.2 Other hazards

Possible endocrine disrupting effects no data available

Other information no additional data available

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Following information is valid for pure substances.

Extraction thimbles	made from pure cellulose MN 645
Chemical:	cellulose paper
Water hazard class (E	DE): nwg
Storage class (VCI):	11

12.2 Persistence and degradability

not necessary

12.3 **Bioaccumulative potential** not necessary

#### 12.4 Mobility in soil not necessary

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

- 12.6 **Endocrine disrupting properties** no data available
- 12.7 Other adverse effects no additional data available

### SECTION 13: Disposal considerations

Not necessary.

#### 13.1 Waste treatment methods

GENERAL: Empty solids into municipal waste, empty liquids diluted into drains.



DE Tel.: +49 24 21 969-0 info@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com

CAS No.: 9004-34-6



## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 645020	ExTh MN 645, 30x80 mm	Page: 6/8
Printing date: 13.01.2023	Date of issue: 18.07.2022	Version: 2.2.2.2

### **SECTION 14: Transport information**

14.1 - 14.4 Not necessary

- 14.5 Environmental hazards
- 14.6 Special precautions for user not necessary
- **14.7** Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable.

### **SECTION 15: Regulatory information**

**15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020 Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017 If necessary, observe other country-specific regulations.

15.2 Chemical safety assessment

## **SECTION 16: Other information**

- 16.1 Changes compared to the last version
- in preparation 16.2 List of H and P phrases
- 16.2.1 List of relevant H phrases
- 16.2.2 List of relevant P phrases
- 16.3 Recommended restriction on use
- None

### 16.4 Sources of key data

KÜHN, BIRETT, Leaflets on hazardous materials, 2021

Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres

SUVA .CH, limit values in the air at work 2009, revised on 01/2009

- Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)
  - Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG

Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP)

Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP)

Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)

Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progressText (11th ATP) Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP) Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP) TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019 Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP) Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP) Regulation 643/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP) Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP) Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP)

### revisions/updates

Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary 2014-04 adjustment according Regulation 487/2013/EU 2016-03 adjustment according Regulation 1221/2015/EU

2017-11 adjustment according the ECHA registration dossier 2022-11 adjustment according Regulation 878/2020/EU



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

- DE Tel.: +49 24 21 969-0 info@mn-net.com
- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
  - FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 645020	ExTh MN 645, 30x80 mm	Page: 7/8
Printing date: 13.01.2023	Date of issue: 18.07.2022	Version: 2.2.2.2

### 16.5 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose. MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

### 16.6 Legend / Abbreviations

Legena	
acc:	according
ADR:	Convention concerning the International Carriage of Dangerous Goods by Road
Act:	acute
BAT:	biological workplace tolerance value
CAO:	Cargo Aircraft Only
Carc:	carcinogen
CAS:	•
	Chemical Abstracts Service
CLP:	Classification, Labelling and Packaging regulation
CMR:	carcinogen, mutagen, reproduction toxic
Corr:	corrosive
COD:	chemical oxigen demand
CSCL:	Chemical Substance Control Law (Jp)
Dam:	damage
DNEL:	Derived No-Effect Level (for workers)
derm:	dermal
dog:	dog
EC10:	Concentration causing a toxic effect in 10% of the test organisms
EC:	European Community
EC-Nr:	Substance number of the EC substance inventory
EmS:	Guide to accident management measures on ships
EU:	European Union
fish:	fish (not spezified)
GHS:	Global Harmonized System of Classification and Labeling of Chemicals
gpg:	guinea pig
ICAO:	International Civil Aviation Organization
ihl:	inhaled
IMDG:	International Maritime Dangerous Goods Code
intrav:	intravenous
ipt:	intraperitonaeal
ISHL:	Industrial Safety and Health Law (Jp)
LC50:	letale concentration 50%
LD50:	letale dosis 50%
leuciscus idus	
MAK:	maximum workplace concentration
Met:	Metall
mus:	mouse
Muta:	mutagen
NIOSH:	National Institute for Occupational Safety and Health (US)
NRD:	Non-rapidly degradable
onchorhynchu	is mykiss: fish, rainbow trout
orl:	oral
OSHA:	Occupational Safety and Health Administration
PAX:	transport on passenger planes allowed
PBT:	persistent, bioaccumulating, toxic substance
pH:	pH value
pimephales p	
	Predicted No Effected Concentration
PNEC:	
PROC 15:	Process category 'for laboratory use'
PRTR:	Law for PRTR and Promotion of Chemical Management (Jp)
PVC:	polyvinyl chloride
quail:	bird, quail
rat:	rat
rbt:	rabbit
RD:	rapidly degradable
RE:	repeated
REACh:	Registration, Evaluation, Authorisation and Restriction of Chemicals
REF:	item number. reference number
Reg.No.:	rRegistration number
1.09.110	





# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 645020	ExTh MN 645, 30x80 mm	Page: 8/8
Printing date: 13.01.2023	Date of issue: 18.07.2022	Version: 2.2.2.2

Repr: Resp: RIP: SDS: SENS: STEL: STOT: SVHC: t/a: TCCA: TCCA: TSCA: TSCA: TWA: TRGS:	harmful to reproduction respiratory REACH Implementations Projects sub cutan safety data sheet sensitisation short term exposure limit Specific Target Organ Toxicity Substance of Very High Concern tons per year Toxic Chemicals Control Act (S. Korea) toxic The Toxic Substances Control Act (US) time weighted average technical regulations (DE)
TRGS: vPvB:	

# 16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
- US Tel.: +1 888 321 62 24 sales-us@mn-net.com