

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931008

VISOCOLOR ECO Ammonium 3

Page: 1/15

Printing date: 12.01.2023

Date of issue: 06.11.2022

Version: 2.2.2.2

SECTION 1: Identification of the substance/mixture and of the company

1.1 Product identifier

REF 931008
Product name VISOCOLOR ECO Ammonium 3

REACH Registration number(s): see SECTION 3.1/3.2 or
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

1 x 30 mL NH₄-1 UFI: AADU-73NS-C20E-U17Y
1 x 2,5 g NH₄-2 UFI: JKDU-R3QY-820W-T205
1 x 10 mL NH₄-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

Uses advised against

not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:
MACHEREY-NAGEL GmbH & Co. KG
Valenciennner Str. 11, 52355 Düren, Germany
Phone: +49 2421 969 0

E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.

DE: Gemeinsames Giftinformationszentrum (GGIZ)

99089 Erfurt tel. +49 361 730 730, <<https://www.ggiz-erfurt.de>>

You find our current versions of SDS in Internet:

<<http://www.mn-net.com/SDS>>

SECTION 2: Hazard identification

2.0 Classification of the complete product according to Regulation (EC) 1272/2008



GHS02



GHS05

Signal word

DANGER

Hazard identification

H226
H290
H314
H412

Hazard classes/categories

Flam. Liq. 3
Met. Corr. 1
Skin Corr. 1B
Aquatic Chronic 3

2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

30 mL NH₄-1



MACHEREY-NAGEL GmbH & Co. KG
Valenciennner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931008

VISOCOLOR ECO Ammonium 3

Page: 2/15

Printing date: 12.01.2023

Date of issue: 06.11.2022

Version: 2.2.2.2



GHS05

Signal word

DANGER

Hazard identification

Hazard classes/categories

H290

Met. Corr. 1

H314

Skin Corr. 1B

10 mL NH₄-3



GHS02



GHS05

Signal word

DANGER

Hazard identification

Hazard classes/categories

H226

Flam. Liq. 3

H314

Skin Corr. 1B

H412

Aquatic Chronic 3

2,5 g NH₄-2

Signal word

Do not need labelling as hazardous

-

No hazard class

List of H phrases: see section 16.2

2.2 Label elements according regulation (EC) 1272/2008

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identifier(s) (EU 1272/2008 Annex I - 1.5.1.2). Harmful chemicals/mixtures with signal word: **WARNING** and highly flammable chemicals/mixtures must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2). Metal corrosive solutions **do not have to** be labelled with GHS symbol, signal word, H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2.1.3).

30 mL NH₄-1



GHS05

Signal word: DANGER

H314

Causes severe skin burns and eye damage.

P260sh, P280sh, P303+361+353, P305+351+338, P310

Do not breathe dust/vapours. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

10 mL NH₄-3



GHS02



GHS05

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931008

VISOCOLOR ECO Ammonium 3

Page: 3/15

Printing date: 12.01.2023

Date of issue: 06.11.2022

Version: 2.2.2.2

Signal word: DANGER

H314

Causes severe skin burns and eye damage.

P260sh, P280sh, P303+361+353, P305+351+338, P310

Do not breathe dust/vapours. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

2,5 g NH₄-2

Do not need labelling as hazardous

Signal word: -

Label elements of the complete product



GHS02



GHS05

Signal word: DANGER

H314

Causes severe skin burns and eye damage.

P260sh, P280sh, P303+361+353, P305+351+338, P310

Do not breathe dust/vapours. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

2.3 Other hazards

Possible hazards from physicochemical properties

Generally in the case of pH values are less than 2 or higher than 11.5 then it is corrosive. Flammable properties. H290 "May be corrosive to metals." has only relevance for higher concentrations and larger amounts. The labelling GHS05 would be creating an "OVERLABELLING" (see GHS Directive 1272/2008/EC Annex I, chapter 1.5.2.1.3., until 125 mL no labelling necessary).

Information pertaining to particular risks to human and possible symptoms

Causes varying degrees of acid burns on the skin, to the eyes and to the mucous membranes and wounds which do not heal quickly depending on the concentration, temperature and the exposure time. Vapours especially which steam from hot liquids and mist can have a severe irritant effect upon the eyes and the respiratory organs.

Information pertaining to particular risks to the environment

Avoid contact of substance/mixture to environment.

PBT: not applicable

vPvB: not applicable

Possible endocrine disrupting effects

no data available

SECTION 3: Composition / information on ingredients

3.1 Substances or 3.2 Mixtures

2,5 g NH₄-2

Substance name: sodium chloride

CAS No.: 7647-14-5

Substance rating: No criteria for classification or naming of chemical not required.

Formula: NaCl

Pseudonym (de): Kochsalz

REACH Reg. No.: exempt, Annex V

EC No.: 231-598-3

Concentration: 80 - <100 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931008

VISOCOLOR ECO Ammonium 3

Page: 4/15

Printing date: 12.01.2023

Date of issue: 06.11.2022

Version: 2.2.2.2

Substance name: *dichloroisocyanuric acid, Na salt*
CAS No.: 2893-78-9

Substance rating: H272, Ox. Liq. 2, H302, Acute Tox. 4 oral, H319, Eye Irrit. 2, H335, STOT SE 3, H410, Aquatic Chronic 1, EUH031, 031 not defined
Formula: $C_3Cl_2N_3NaO_3$
Pseudonym (de): 1,3-Dichlor-5H-(1,3,5)-triazin-2,4,6-trion
REACH Reg. No.: 01-2119489371-33-xxxx
EC No.: 220-767-7
Concentration: 3 - <10 %
acc. CLP (GHS): The criteria for classification are not fulfilled.

Indice No.: 613-030-01-7

10 mL NH₄-3

Substance name: *thymol*
CAS No.: 89-83-8

Substance rating: H302, Acute Tox. 4 oral, H314, Skin Corr. 1B, H411, Aquatic Chronic 2
Formula: $C_{10}H_{14}O$
Pseudonym (de): 1-Methyl-3-hydroxy-4-isopropylbenzol
REACH Reg. No.: 01-2119511177-46-xxxx
EC No.: 201-944-8
Concentration: 5 - <10 %
acc. CLP (GHS): H314, Skin Corr. 1B, H412, Aquatic Chronic 3

Indice No.: 604-032-00-1

Substance name: *sodium nitroprusside*
CAS No.: 13755-38-9

Substance rating: H301, Acute Tox. 3 oral
Formula: $Na_2[Fe(CN)_5NO] \cdot 2H_2O$
Pseudonym (de): Natriumpentacyanonitrosylferrat(II)
EC No.: 238-373-9
Concentration: 1 - <5 %
acc. CLP (GHS): The criteria for classification are not fulfilled.

Substance name: *ethanol*
CAS No.: 64-17-5
(denatured with 1% 2-butanone / 1% 2-propanol)
Substance rating: H225, Flam. Liq. 2
Formula: C_2H_6O ; C_2H_5OH
Pseudonym (de): Äthylalkohol, vergällter Spiritus
REACH Reg. No.: 01-2119457610-43-xxxx
EC No.: 200-578-6
Concentration: 35 - <55 %
acc. CLP (GHS): H226, Flam. Liq. 3

Indice No.: 603-002-00-5

30 mL NH₄-1

Substance name: *sodium hydroxide solution*
CAS No.: 1310-73-2

Substance rating: No criteria for classification or naming of chemical not required.
Formula: $NaOH \cdot H_2O$
Pseudonym (de): Natronlauge
REACH Reg. No.: 01-2119457892-27-xxxx
EC No.: 215-185-5
Concentration: 5 - <10 %
acc. CLP (GHS): H290, Met. Corr. 1, H314, Skin Corr. 1B

Indice No.: 011-002-00-6

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931008

VISOCOLOR ECO Ammonium 3

Page: 5/15

Printing date: 12.01.2023

Date of issue: 06.11.2022

Version: 2.2.2.2

Substance name: *tri-sodium citrate*
CAS No.: 6132-04-3

Substance rating: No criteria for classification or naming of chemical not required.
Formula: $C_6H_5Na_3O_7 \cdot 2H_2O$
Pseudonym (de): Na-citrat, E331
REACH Reg. No.: 01-2119457027-40-xxxx
EC No.: 200-675-3
Concentration: 10 - <20 %
acc. CLP (GHS): The criteria for classification are not fulfilled.

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%. List of H and P phrases: see section 16.2.

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Remove contaminated clothing. Show product package, packing insert and this material safety data sheet to the doctor.

4.1.1 After SKIN Contact

Remove contaminated clothing immediately. Rinse the affected skin or mucous membrane thoroughly for min. 15 minutes under running water. (If possible) use soap. Avoid neutralisation. Then apply a loose bandage.

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open for min. 10 minutes with eye washing bottle, eye douche or running water (protect intact eye). Before (if possible) apply eye drops Proxymetacaine 0.5%, if the opening the eyelid convulsion is painful. Further treatment to be carried out by an eye specialist.

4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. If vomiting and if insensible place patient in recovery position and keep airways free. ---

4.1.4 After ORAL Intake

After oral intake lots of water with activated charcoal supplement should be drunk after it has been ingested. Do not induce vomiting under any circumstances. Do not make any efforts to neutralise it. Contact medical advice for possible consequences.

4.2 Most important symptoms and effects, both acute and delayed

Rapid penetration and destruction of the skin. Especially in the heated form.
Causes severe skin burns and eye damage.

4.3 Indication of any immediate medical attention and special treatment needed

CORROSIVE DAMAGE: After SKIN CONTACT rinse with water for a long time. Efforts to neutralise the substance can frequently make matters worse. Apply glucocorticosteroids following inflammatory reactions. After EYE CONTACT rinse immediately with plenty of water for a long time. Eyelid convulsion measures. Name the corrosive chemical. Further treatment must be carried out by an eye specialist. After INTAKE administer aluminium oxide drug suspensions. Administer a prophylaxis to counter pulmonary oedema following the INGESTION of corrosive aerosols. In the event of RESPIRATORY DISTRESS ensure that the patient inhales oxygen. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.1.2 Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

WARNING: Flammable (GHS regulation). May form explosive vapour-air mixtures. Formation of hazardous and caustic vapour-air mixtures possible.

5.3 Advice for firefighters



MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931008

VISOCOLOR ECO Ammonium 3

Page: 6/15

Printing date: 12.01.2023

Date of issue: 06.11.2022

Version: 2.2.2.2

Product package burns like paper or plastic. Spray any vapours released with water. Retent fire water. Use only acid-resistant safety equipment.

For great amount - if necessary - protective breathing apparatus which is independent of the ambient air (isolated equipment), and sealed protective clothing is necessary in the event of a large-scale formation of toxic substances.

5.4 Additional information

Danger for environment **only in the event of a large-scale leakage** or formation of hazardous substances.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Wear suitable protective gloves (see 8.2.2). Wear eye protection, respectively face protection. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

6.2 Environmental precautions

Avoid contact of substance/mixture to environment.

PBT: not applicable

vPvB: not applicable

6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals.

Clean any contaminated equipment and floors with plenty of water.

Collect small amounts of leaked liquid and flush with water into drains.

6.4 Reference to other sections

see information in section 5.4,7,8 and 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

7.2 Conditions for safe storage, including any incompatibilities

Safe storage is guaranteed in the original packaging . Storage class (German chemical industry): see chapter 12.1

Storage class (VCI): 3

Water hazard class (DE): 3

7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage. Use inbreakable container for transport of glass bottles.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls /personal protection

8.1 Control parameters

2,5 g NH₄-2

Chemical: *sodium chloride*

CAS No.: 7647-14-5

Chemical: *dichloroisocyanuric acid, Na salt*

CAS No.: 2893-78-9

NIOSH: not listed

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

10 mL NH₄-3

Chemical: *thymol*

CAS No.: 89-83-8

Chemical: *sodium nitroprusside*

CAS No.: 13755-38-9

Chemical: *ethanol*

CAS No.: 64-17-5

DNEL: [derm] 343 mg/kg; [inh] 950 mg/m³

DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 0.96 mg/L

PNEC = Predicted No Effect Concentration



MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931008

VISOCOLOR ECO Ammonium 3

Page: 7/15

Printing date: 12.01.2023

Date of issue: 06.11.2022

Version: 2.2.2.2

TRGS 900 (DE): 200 mL/m³ / 380 mg/m³
E/e respirable
Short-term exposure factor: 4 (II), Y
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded
SUVA(CH) MAK value: 500 ppm / 960 mg/m³
NIOSH: [TWA] 1000 ppm / 1900 mg/m³
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period
OSHA: [TWA] 1000 ppm / 1900 mg/m³

30 mL NH₄-1

Chemical: sodium hydroxide solution CAS No.: 1310-73-2

DNEL: [inh] 1 mg/m³
DNEL = Derived No-Effect Level (for workers)

TRGS 900 (DE): 2 mg/m³
E/e respirable

Short-term exposure factor: (=1=, Y)
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 2 e mg/m³

NIOSH: 2 mg/m³
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 2 mg/m³

Chemical: tri-sodium citrate CAS No.: 6132-04-3

8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

8.2.1 Respiratory protection

No additional recommendations.

8.2.2 Skin protection / Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

8.2.3 Eye / Face Protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection or face protection.

8.2.4 Skin protection

Recommended to avoid clothing damage, and to avoid contamination with these hazards.

8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

8.2.6 Thermal hazards

no data available

8.3 Limitation and monitoring of environmental exposure

Do not release product into environment.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

2,5 g NH₄-2

a) State of aggregation:	powder (solid)
b) Colour:	colourless
c) Odor:	chloric
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	5-7
l) Kinematic viscosity:	no data available
m) Solubility in water:	no data available

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931008

VISOCOLOR ECO Ammonium 3

Page: 8/15

Printing date: 12.01.2023

Date of issue: 06.11.2022

Version: 2.2.2.2

n) Dispersion coefficient (o/w) :	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	no data available
q) Relative vapour density (air=1) :	no data available
r) Particle size:	no data available

10 mL NH₄ -3

a) State of aggregation:	liquid
b) Colour:	rose
c) Odor:	organic
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	23 °C
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	6-8
l) Kinematic viscosity:	no data available
m) Solubility in water:	no data available
n) Dispersion coefficient (o/w) :	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	0,9 g/cm ³
q) Relative vapour density (air=1) :	no data available
r) Particle size:	no data available

30 mL NH₄ -1

a) State of aggregation:	liquid
b) Colour:	colourless
c) Odor:	odorless
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	11,5-12,5
l) Kinematic viscosity:	no data available
m) Solubility in water:	no data available
n) Dispersion coefficient (o/w) :	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	no data available
q) Relative vapour density (air=1) :	no data available
r) Particle size:	no data available

9.2 Other information

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required.

Properties relevant to substance groups

Substances are highly corrosive.

SECTION 10: Stability and reactivity

10.1 Reactivity

no further data available.

10.2 Chemical stability

no known instability.



MACHEREY-NAGEL GmbH & Co. KG
Valenciennr Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931008	VISOCOLOR ECO Ammonium 3	Page: 9/15
Printing date: 12.01.2023	Date of issue: 06.11.2022	Version: 2.2.2.2

10.3 Possibility of hazardous reactions

Can react violently with organic material. No further data available.

10.4 Conditions to avoid

No more required.

10.5 Incompatible materials

no additional data available

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

2,5 g NH₄-2

Chemical: *sodium chloride* CAS No.: 7647-14-5
TSCA Inventory: listed
Korea Exist.Chem.Inventory: KE-31387
LD50 orl rat : 3000 mg/kg

Chemical: *dichloroisocyanuric acid, Na salt* CAS No.: 2893-78-9
TSCA Inventory: listed California Proposition 65 List: not listed
Australia NICNAS: not listed Canada CEPA 1999: DSL Yes
Japan CSCL/PRTR: not listed, Japan PDSCL: not listed
Japan ISHL: not listed
South Korea TCCA: not listed
Korea Exist.Chem.Inventory: KE-10215, >25% Toxic 2014-1-688
LD50 orl rat : 550-1600 mg/kg
LC_{Low} orl hmn : 3570 mg/kg

10 mL NH₄-3

Chemical: *thymol* CAS No.: 89-83-8
TSCA Inventory: listed
Korea Exist.Chem.Inventory: KE-24420
LD50 orl rat : 980 mg/kg

Chemical: *sodium nitroprusside* CAS No.: 13755-38-9
TSCA Inventory: listed (CAS 14402-89-2)
Korea Exist.Chem.Inventory: not listed
LD50 orl rat : 99 mg/kg
LC_{Low} orl rat : 20 mg/kg

Chemical: *ethanol* CAS No.: 64-17-5
TSCA Inventory: listed California Proposition 65 List: not listed
ACGIH: 1000 ppm
Exposure Routes: inhalation, ingestion, skin and/or eye contact
Target Organs: Eyes, skin, respiratory system, central nervous system, liver, blood, reproductive system
Symptoms: irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough;
liver damage; anemia; reproductive, teratogenic
Australia NICNAS: not listed Canada CEPA 1999: DSL yes
Japan CSCL/PRTR: not listed, Japan PDSCL: not listed
Japan ISHL: listed ≥0,1%/≥0,1%, Article 57-2 (SDS required)
South Korea TCCA: not listed
Korea Exist.Chem.Inventory: KE-13217
LD50 orl rat : 6200 mg/kg
LC_{Low} ihl gpg : 21,900 mg/L
LC_{Low} orl hmn : 1400 mg/kg
LC50 ihl mus : 123,4 mg/L/4H
LC50 ihl rat : 115,9-133,8 mg/L/4H
LD50 orl mus : 3450 mg/kg



MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931008

VISOCOLOR ECO Ammonium 3

Page: 10/15

Printing date: 12.01.2023

Date of issue: 06.11.2022

Version: 2.2.2.2

TRGS 905 (DE): K5, M5, R F C

30 mL NH 4 -1

Chemical: *sodium hydroxide solution* CAS No.: 1310-73-2
TSCA Inventory: listed California Proposition 65 List: not listed
Exposure Routes: inhalation, ingestion, skin and/or eye contact
Target Organs: Eyes, skin, respiratory system
Symptoms: irritation eyes, skin, mucous membrane; pneumonitis; eye, skin burns; temporary loss of hair
Australia NICNAS: not listed Canada CEPA 1999: DSL Yes
Japan CSCL/PRTR: not listed, Japan PDSCL: not listed
Japan ISHL: listed $\geq 1,0\%$ / $\geq 1,0\%$, Article 57-2 (SDS required)
South Korea TCCA: not listed
Korea Exist.Chem.Inventory: KE-31487
LD50 orl rat : [40%] 1250 / [<25%] >2000 mg/kg
LD50 orl mus : 40 mg/kg

Chemical: *tri-sodium citrate* CAS No.: 6132-04-3
TSCA Inventory: listed (CAS 68-04-2)
Korea Exist.Chem.Inventory: KE-20843
LD50 orl rat : > 8000 mg/kg

11.2 Other hazards

Possible endocrine disrupting effects
no data available

Other information
no additional data available

SECTION 12: Ecological information

12.1 Toxicity

Following information is valid for pure substances.

2,5 g NH 4 -2

Chemical: *sodium chloride* CAS No.: 7647-14-5
Water hazard class (DE): 1
Storage class (VCI): 12-13

Chemical: *dichloroisocyanuric acid, Na salt* CAS No.: 2893-78-9
Water hazard class (DE): 3
Storage class (VCI): 13

10 mL NH 4 -3

Chemical: *thymol* CAS No.: 89-83-8
LC50 pimephales promelas/96h : 3.2 mg/L
EC50 daphnia/48h : 3.2 mg/L
Water hazard class (DE): 2 WGK No.: 1220
Storage class (VCI): 8 A

Chemical: *sodium nitroprusside* CAS No.: 13755-38-9
Water hazard class (DE): 3
Storage class (VCI): 6.1 B

Chemical: *ethanol* CAS No.: 64-17-5
PNEC (fresh water) : 0.96 mg/L
PNEC = Predicted No Effect Concentration
LC50 daphnia magna/48h : >100 mg/L
LC50 pimephales promelas/96h : 13400 - 15100 mg/L
LC50 leuciscus idus/96h : [48h] 8140 mg/L
LC50 fish/96h : 13 g/L
EC50 daphnia/48h : 9.3-14.2 g/L
IC50 scenedesmus quadricauda/72h : [7d] 5000 mg/L
EC10 pseudomonas putida/16h : [EC5] 6500 mg/L
Water hazard class (DE): 1 WGK No.: 0096



MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931008

VISOCOLOR ECO Ammonium 3

Page: 11/15

Printing date: 12.01.2023

Date of issue: 06.11.2022

Version: 2.2.2.2

Dispersion coefficient (o/w) : -0,31
Storage class (VCI): 3

30 mL NH₄-1

Chemical: *sodium hydroxide solution*
LC50 leuciscus idus/96h : 35-189 mg/L
LC50 fish/96h : 45.4 mg/L
EC50 daphnia/48h : >100 mg/L
Water hazard class (DE): 1 WGK No.: 142
Storage class (VCI): 8 B

CAS No.: 1310-73-2

Chemical: *tri-sodium citrate*
LC50 fish/96h : 18-32 g/L
EC50 daphnia/48h : 5.6-10 g/L
EC50 chlorella vulgaris/5d : >18-32 g/L
EC10 pseudomonas putida/16h : EC50 ps. fluorescens/8h : >1.8-3.2 g/L
Water hazard class (DE): 1
Storage class (VCI): 12-13

CAS No.: 6132-04-3

12.2 Persistence and degradability

not necessary

12.3 Bioaccumulative potential

not necessary

12.4 Mobility in soil

not necessary

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

12.6 Endocrine disrupting properties

no data available

12.7 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods

Normally it is possible to empty small amounts (diluted!) into drains. Empty containers of corrosive reagents prior to disposal, rinse with water.

SECTION 14: Transport information

14.1. UN number: 3316

14.2. UN proper shipping name: Chemical Kit

14.3. Class: 9 14.4. Packing group: II

Road transport ADR

Classification code: M11 Tunnel restriction code: E

Limited Quantity: acc. ADR 3.3.1/251: see LQ in Alternative declaration for transportation

Air transport ICAO

PAX: 960 max. weight PAX: 10 KG

CAO: 960 max. weight CAO: 10 KG

Maritime transport IMDG

EmS: F-A, S-P Storage category: A

Or use **Alternative declaration for transportation:**

UN No.: (see below) UN 1993 class 3 III, **Excepted Quantities** ($\leq 30 \text{ mL}/\Sigma \leq 1 \text{ L}$) = ADR/ IATA E1
class 8 II, **Excepted Quantities** ($\leq 30 \text{ mL}/\Sigma \leq 500 \text{ mL}$) = ADR/ IATA E2

or



MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931008	VISOCOLOR ECO Ammonium 3	Page: 12/15
Printing date: 12.01.2023	Date of issue: 06.11.2022	Version: 2.2.2.2

14.1 UN number: 1993 **14.2 UN proper shipping name:** Flammable liquid, n.o.s. (ethanol mixture)
14.3 Class: 3 **14.4 Packing group:** III

Road transport ADR

Classification code: F1

Limited Quantity: 5 L

Excepted Quantity: E 1

Air transport ICAO

Limited Quantity: LQ 7

Excepted Quantity: E 1

PAX: 355

CAO: 366

Maritime transport IMDG

EmS: F-E, S-E

Tunnel restriction code: D/E

Special instructions: 640E

max. weight PAX: 60 L

max. weight CAO: 220 L

Storage category: A

14.1 UN number: 3266 **14.2 UN proper shipping name:** Corrosive liquid, basic, inorganic, n.o.s. (sodium hydroxide solution)
14.3 Class: 8 **14.4 Packing group:** II

Road transport ADR

Classification code: C5

Limited Quantity: 1 L

Excepted Quantity: E 2

Air transport ICAO

Limited Quantity: LQ22

Excepted Quantity: E 2

PAX: 851

CAO: 855

Maritime transport IMDG

EmS: F-A, S-B

Tunnel restriction code: E

max. weight PAX: 1 L

max. weight CAO: 30 L

Storage category: B

14.5 Environmental hazards

none, contains only small quantities of hazardous substances, contains only small amounts of these substances

14.6 Special precautions for user

not necessary

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020

Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017

TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017

TRGS 220, National aspects when preparing safety data sheets, Jan 2017

TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017

TRGS 401, Skin contact hazard - identification, assessment, action, Jun 2008, status: Feb 2011

BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan 2012

TRGS 500, Protective measures, Mai 2008

TRGS 510, Storage of hazardous substances in portable containers from March 2013, status: Oct 2015

Chapter 4, Measures when storing hazardous substances up to 50 kg (small quantity regulation)

Wasserhaushaltsgesetz - WHG, Section 3 Handling substances hazardous to water, Jul 2009, status: Aug 2016

MN leaflet/instructions for use, also at www.mn-net.com

If necessary, observe other country-specific regulations.

15.2 Chemical safety assessment

not necessary for these small amounts



MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931008

VISOCOLOR ECO Ammonium 3

Page: 13/15

Printing date: 12.01.2023

Date of issue: 06.11.2022

Version: 2.2.2.2

SECTION 16: Other information

16.1 Changes compared to the last version

in preparation

16.2 List of H and P phrases

16.2.1 List of relevant H phrases

H226 Flammable liquid and vapour.
H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
H412 Harmful to aquatic life with long lasting effects.

16.2.2 List of relevant P phrases

P260sh Do not breathe dust/vapours.
P280sh Wear protective gloves/eye protection.
P303+361+353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.

16.3 Recommended restriction on use

Only for professional user.

Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!

Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)!

An individual package of this product or test kit has a moderate hazardous potential.

16.4 Sources of key data

KÜHN, BIRETT, Leaflets on hazardous materials, 2021

Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres

SUVA .CH, limit values in the air at work 2009, revised on 01/2009

Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)

Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG

Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP)

Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP)

Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)

Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progressText (11th ATP)

Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP)

Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP)

TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019

Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP)

Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG

Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP)

Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP)

Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP)

revisions/updates

Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary

2014-04 adjustment according Regulation 487/2013/EU

2016-03 adjustment according Regulation 1221/2015/EU

2017-08 adjustment according the Ordinance on Ethanol Denaturation 2016/1867/EU

2017-11 adjustment according the ECHA registration dossier

2022-11 adjustment according Regulation 878/2020/EU

16.5 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931008

VISOCOLOR ECO Ammonium 3

Page: 14/15

Printing date: 12.01.2023

Date of issue: 06.11.2022

Version: 2.2.2.2

16.6 Legend / Abbreviations

acc:	according
ADR:	Convention concerning the International Carriage of Dangerous Goods by Road
Act:	acute
BAT:	biological workplace tolerance value
CAO:	Cargo Aircraft Only
Carc:	carcinogen
CAS:	Chemical Abstracts Service
CLP:	Classification, Labelling and Packaging regulation
CMR:	carcinogen, mutagen, reproduction toxic
Corr:	corrosive
COD:	chemical oxygen demand
CSCL:	Chemical Substance Control Law (Jp)
Dam:	damage
DNEL:	Derived No-Effect Level (for workers)
derm:	dermal
dog:	dog
EC10:	Concentration causing a toxic effect in 10% of the test organisms
EC:	European Community
EC-Nr:	Substance number of the EC substance inventory
EmS:	Guide to accident management measures on ships
EU:	European Union
fish:	fish (not specified)
GHS:	Global Harmonized System of Classification and Labeling of Chemicals
gpg:	guinea pig
ICAO:	International Civil Aviation Organization
ihl:	inhaled
IMDG:	International Maritime Dangerous Goods Code
intrav:	intravenous
ipt:	intraperitoneal
ISHL:	Industrial Safety and Health Law (Jp)
LC50:	lethal concentration 50%
LD50:	lethal dose 50%
leuciscus idus:	fisch, ide, orfe
MAK:	maximum workplace concentration
Met:	Metall
mus:	mouse
Muta:	mutagen
NIOSH:	National Institute for Occupational Safety and Health (US)
NRD:	Non-rapidly degradable
onchorhynchus mykiss:	fish, rainbow trout
orl:	oral
OSHA:	Occupational Safety and Health Administration
PAX:	transport on passenger planes allowed
PBT:	persistent, bioaccumulating, toxic substance
pH:	pH value
pimephales promelas:	fish, fathead minnow
PNEC:	Predicted No Effect Concentration
PROC 15:	Process category 'for laboratory use'
PRTR:	Law for PRTR and Promotion of Chemical Management (Jp)
PVC:	polyvinyl chloride
quail:	bird, quail
rat:	rat
rbt:	rabbit
RD:	rapidly degradable
RE:	repeated
REACH:	Registration, Evaluation, Authorisation and Restriction of Chemicals
REF:	item number, reference number
Reg.No.:	rRegistration number
Repr:	harmful to reproduction
Resp:	respiratory
RIP:	REACH Implementations Projects
scu:	sub cutan
SDS:	safety data sheet
Sens:	sensitisation
STEL:	short term exposure limit
STOT:	Specific Target Organ Toxicity
SVHC:	Substance of Very High Concern
t/a:	tons per year

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931008

VISOCOLOR ECO Ammonium 3

Page: 15/15

Printing date: 12.01.2023

Date of issue: 06.11.2022

Version: 2.2.2.2

TCCA: Toxic Chemicals Control Act (S. Korea)
 Tox: toxic
 TSCA: The Toxic Substances Control Act (US)
 TWA: time weighted average
 TRGS: technical regulations (DE)
 vPvB: very persistent, very bioaccumulating substance

16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.