CHEREY-NAGE



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931041	VISOCOLOR ECO Nitrate	Page: 1/10
Printing date: 12.01.2023	Date of issue: 25.11.2022	Version: 2.2.3.2

SECTION 1: Identification of the substance/mixture and of the company

1.1	Product identifier
	REF

Product name

931041 **VISOCOLOR ECO Nitrate**

REACH Registration number(s): see SECTION 3.1/3.2 or A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

1 x 30 mL NO ₃ -1	
1 x 5 g NO ₃ -2	UFI: D3EU-S3VC-320V-S3GJ

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0 The exposure scenario is integrated into sections 1-16. Uses advised against not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11, 52355 Düren, Germany Phone: +49 2421 969 0

E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 **Emergency telephone number**

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service. DE: Gemeinsames Giftinformationszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730, <https://www.ggiz-erfurt.de>

You find our current versions of SDS in Internet:

<http://www.mn-net.com/SDS>

SECTION 2: Hazard identification

2.0 Classification of the complete product according to Regulation (EC) 1272/2008

	GHS09
Signal word	NONE
Hazard identification	Hazard classes/categories
H411	Aquatic Chronic 2

2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

30 mL NO 3 -1

Do not need labelling as hazardous

No hazard class

Signal word

5 g NO 3 -2




MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

- DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
- US Tel.: +1 888 321 62 24 sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU



	GHS09
Signal word	NONE
Hazard identification	Hazard classes/categories
H411	Aquatic Chronic 2

11411

2.2

List of H phrases: see section 16.2

Label elements according regulation (EC) 1272/2008

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identificator(s) (EU 1272/2008 Annex I - 1.5.1.2). Harmful chemicals/mixtures with signal word: **WARNING** must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2).



Do not need labelling as hazardous Signal word: -

5 g NO 3 -2



Signal word: NONE

Label elements of the complete product



Signal word: NONE

2.3 Other hazards

Possible hazards from physicochemical properties

Information pertaining to particular risks to human and possible symptoms

Information pertaining to particular risks to the environment

Possible endocrine disrupting effects no data available

SECTION 3: Composition / information on ingredients

3.1 Substances or 3.2 Mixtures

5 g NO $_3$ -2



CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931041		VISOCOLOR ECO N	Nitrate		Page: 3/10
Printing date: 12.01.20	023	Date of issue: 25.11.	.2022		Version: 2.2.3.2
	Substance name: CAS No.:	zinc powder (stabilizied) 7440-66-6			
	Substance rating: Formula: REACH Reg. No.: EC No.: Concentration: acc. CLP (GHS):	H410, Aquatic Chronic 1 Zn 01-2119467174-37-xxxx 231-175-3 2,5 - <10 % H411, Aquatic Chronic 2	Indice No.:	030-002-01- 9	
30 mL	NO ₃ -1 Substance name: CAS No.:	citric acid 77-92-9			
	Substance rating: Formula: Pseudonym (de): REACH Reg. No.: EC No.: Concentration: acc. CLP (GHS):	H319, Eye Irrit. 2, H335, STOT SE C $_{6}$ H $_{8}$ O $_{7}$ Zitronensäure 01-2119457026-42-xxxx 201-069-1 1 - <10 % The criteria for classification are not fulfilled			

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.List of H and P phrases: see section 16.2.

SECTION 4: First aid measures

4.1 Description of first aid measures Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. 4.1.1 After SKIN Contact Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water. (If possible) use soap 4.1.2 After EYE Contact After contact with the eyes rinse thoroughly under running water with the eyelid wide open with eye washing bottle, eye douche or running water (protect intact eye). 4.1.3 After INHALATION of vapours After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. ---4.1.4 After ORAL Intake After oral intake lots of water should be drunk after it has been ingested. 4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed No additionally recommendations. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used. Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used. Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.1.2 Unsuitable extinguishing media

no data available



DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

MACHEREY-NAGEL



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

	Page: 4/10
Printing date: 12.01.2023 Date of issue: 25.11.2022	Version: 2.2.3.2

- 5.2 Special hazards arising from the substance or mixture Formation of hazardous and caustic vapour-air mixtures possible.
- 5.3 Advice for firefighters No, for listed product.Product package burns like paper or plastic.
- 5.4 Additional information

SECTION 6: Accidental release measures

- 6.1 **Personal precautions, protective equipment and emergency procedures** Do not breathe vapours. Regular staff training is necessary.
- 6.2 Environmental precautions not necessary, contains only small amounts of these substances
- 6.3 Methods and material for containment and cleaning up Bind any escaping liquid with inert absorbent. Collect small amounts of leaked liquid and flush with water into drains.
- 6.4 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

- 7.2 Conditions for safe storage, including any incompatibilities

 Safe storage is guaranteed in the original packaging. Storage class (German chemical industry): see chapter 12.1
 Storage class (VCI):
 Mater hazard class (DE):

 7.2.1 Requirements for stock rooms and containers
- Keep original product packages tightly closed during handling and storage.
- 7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls /personal protection

8.1 Control parameters

5 g NO 3 -2

Chemical: zinc powder (stabilizied) DNEL: 1 inh mg/m³ DNEL = Derived No-Effect Level (for workers) TRGS 900 (DE): 0.1A / 2E mg/m³ E/e respirable

CAS No.: 7440-66-6

CAS No.: 77-92-9

 30 mL NO 3 -1

 Chemical:
 citric acid

 PNEC (fresh water):
 440 mg/L

 PNEC = Predicted No Effected Concentration

 TRGS 900 (DE):
 2 E mg/m³

 E/e respirable

 Short-term exposure factor:
 2 (I) Y

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931041		VISOCOLOR ECO Nitrate	Page: 5/10
Printing) date: 12.01.2023	Date of issue: 25.11.2022	Version: 2.2.3.2
8.2.1	Respiratory protection No additional recommendations.		
8.2.2	Skin protection / Hand protection Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.		
8.2.3	Eye / Face Protection Yes, safety glasses according Et	Eye / Face Protection Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection.	
8.2.4	Skin protection Not necessary.		
8.2.5	with the skin, eyes and clothing.	snuff and storage of food in work areas and at outdoor work Rinse any clothing on which the substance has been spilled when stopping work and before eating, and then apply protect	, and soak it in water. Wash hands
8.2.6	Thermal hazards no data available		
8.3	Limitation and monitoring of environmental exposure Do not release product into environment.		
SECT	ION 9: Physical and chen	nical properties	
9.1	Information on basic physic	al and chemical properties	
	5 g NO ₃ -2 a) State of aggregation: b) Colour: c) Odor: d) Melting point: e) Boiling point:	powder (solid) slightly grey odorless no data available no data available	

e) Bolling point:		no data avaliable
f) Flammability:		no data available
g) Explosive limits (lo	wer / upper):	no data available
h) Flash point:	,	no data available
i) Flashing temperatu	re:	no data available
j) Decomposition tem	perature:	no data available
k) pH value:		6,5-7,5
 Kinematic viscosity: 	:	no data available
m) Solubility in water:	:	no data available
n) Dispersion coefficient	ent _(o/w) :	no data available
 o) Vapour pressure (2) 	20°C):	no data available
p) Specific gravity:		no data available
 q) Relative vapour de 	ensity _(air=1) :	no data available
r) Particle size:		no data available
30 mL NO ₃ -1		
a) State of aggregatic		liquid

•••••=•••••••••••••••••••••••••••••••••	
a) State of aggregation:	liquid
b) Colour:	rose
c) Odor:	odorless
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	2-3
I) Kinematic viscosity:	no data available
m) Solubility in water:	no data available
n) Dispersion coefficient (o/w):	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	no data available
q) Relative vapour density (air=1):	no data available
r) Particle size:	no data available



Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

MACHEREY-NAGEL GmbH & Co. KG DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

MACHEREY-NAGEL



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931041	VISOCOLOR ECO Nitrate	Page: 6/10
Printing date: 12.01.2023	Date of issue: 25.11.2022	Version: 2.2.3.2

9.2 Other information

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required. **Properties relevant to substance groups**

SECTION 10: Stability and reactivity

10.1 Reactivity

no further data available.

- **10.2** Chemical stability no known instability.
- **10.3 Possibility of hazardous reactions** No further data available.
- 10.4 Conditions to avoid
- 10.5 Incompatible materials

Avoid contact with concentrated acids and oxidizing agents.

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

5 g NO 3 -2	
Chemical:	zinc powder (stabilizied)
TSCA Inventory:	listed
Korea Exist.Chem.Inve	entory: KE-35518
LD50 orl rat :	> 2000 mg/kg
LC_Low ihl hmn :	0,124 mg/L/50M
LC50 ihl rat :	5,41 mg/L/4H

 30 mL NO 3 -1

 Chemical:
 citric acid

 TSCA Inventory:
 listed

 Korea Exist.Chem.Inventory:
 KE-20831

 LD50 orl rat :
 > 3000 mg/kg

 LD50 orl mus :
 5400 mg/kg

 LD50 ord mus :
 5500 mg/kg

11.2 Other hazards

Possible endocrine disrupting effects no data available

Other information no additional data available CAS No.: 7440-66-6

CAS No.: 77-92-9

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

MACHEREY-NAGEL





according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931041 Printing date: 12.01.2023		VISOCOLOR ECO Nitrate Date of issue: 25.11.2022	Page: 7/10 Version: 2.2.3.2
	FION 12: Ecological inform		
12.1	Toxicity Following information is valid for		
	5 g NO 3 -2 Chemical: <i>zinc powo</i> LC50 fish/96h : EC50 daphnia/48h : EC50 pseudokirchneriella subcapitata/ Water hazard class (DE): Storage class (VCI):	ler (stabilizied) 2.01 mg/L 0.131 mg/L _{72h} : IC50: 0.713 mg/L 2 WGK No.: 7325 13	CAS No.: 7440-66-6
	30 mL NO 3 -1 Chemical: <i>citric acid</i> PNEC (fresh water) : PNEC = Predicted No Effected Concent		CAS No.: 77-92-9
	LC50 leuciscus idus/96h : EC50 daphnia/48h : IC50 scenedesmus quadricauda/72h : EC10 pseudomonas putita/16h : Water hazard class (DE): Dispersion coefficient _(o/w) : Storage class (VCI):	440-760 mg/L 1535 _{24h} mg/L	
12.2	Persistence and degradability not necessary		
12.3	Bioaccumulative potential not necessary		
12.4	Mobility in soil not necessary		
12.5	Results of PBT and vPvB assessment This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher		
12.6	Endocrine disrupting prope no data available	erties	
12.7	Other adverse effects no additional data available		
SECI	ION 13: Disposal consid	erations	
	Please observe local regulations for colle nformation on laboratory waste disposal		contact waste disposal company, where you will obtain
13.1	Waste treatment methods Normally it is possible to empty smal	l amounts (diluted!) into drains.	
SECI	ION 14: Transport inform	nation	
1	4.1 - 14.4: No dangerous goods accordi	ng the transport regulations	
14.5	Environmental hazards none, contains only small quantities of	of hazardous substances, contains only sma	all amounts of these substances
14.6	Special precautions for use not necessary	r	

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable.



MACHEREY-NAGEL GmbH & Co. KG DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931041	VISOCOLOR ECO Nitrate	Page: 8/10
Printing date: 12.01.2023	Date of issue: 25.11.2022	Version: 2.2.3.2

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020 Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017 TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017

TRGS 220, National aspects when preparing safety data sheets, Jan 2017

TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017 BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan 2012

Wasserhaushaltsgesetz - WHG, Section 3 Handling substances hazardous to water, Jul 2009, status: Aug 2016 MN leaflet/instructions for use, also at www.mn-net.com If necessary, observe other country-specific regulations.

15.2 Chemical safety assessment

not necessary for these small amounts

SECTION 16: Other information

16.1 Changes compared to the last version

Between versions 2.2.3.2 and 2.2.2.2 following changes were applied: - 1 composition data corrected

16.2 List of H and P phrases

16.2.1 List of relevant H phrases

Toxic to aquatic life with long lasting effects. H411

16.2.2 List of relevant P phrases

16.3 Recommended restriction on use

Only for professional user.

An individual package of this product or test kit has a moderate hazardous potential.

16.4 Sources of key data

KÜHN, BIRETT, Leaflets on hazardous materials, 2021

Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres

SUVA .CH, limit values in the air at work 2009, revised on 01/2009 Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP) Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP) Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP) Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)

Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progressText (11th ATP) Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP) Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP) TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019 Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP) Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP)

Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP) Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP)

revisions/updates

Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary 2014-04 adjustment according Regulation 487/2013/EU 2016-03 adjustment according Regulation 1221/2015/EU

> 2017-11 adjustment according the ECHA registration dossier 2022-11 adjustment according Regulation 878/2020/EU

16.5 **Further information**

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931041	VISOCOLOR ECO Nitrate	Page: 9/10
Printing date: 12.01.2023	Date of issue: 25.11.2022	Version: 2.2.3.2

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.6 Legend / Abbreviations

0	Legend / Abbreviations	
	acc:	according
	ADR:	Convention concerning the International Carriage of Dangerous Goods by Road
	Act:	acute
	BAT:	biological workplace tolerance value
	CAO:	Cargo Aircraft Only
	Carc:	carcinogen
	CAS:	Chemical Abstracts Service
	CLP:	Classification, Labelling and Packaging regulation
	CMR:	carcinogen, mutagen, reproduction toxic
	Corr:	corrosive
	COD:	chemical oxigen demand
	CSCL:	Chemical Substance Control Law (Jp)
	Dam:	damage
	DNEL:	Derived No-Effect Level (for workers)
	derm:	dermal
	dog:	dog
	EC10:	Concentration causing a toxic effect in 10% of the test organisms
	EC:	European Community
	EC-Nr:	Substance number of the EC substance inventory
	EmS:	Guide to accident management measures on ships
		e .
	EU:	European Union
	fish:	fish (not spezified)
	GHS:	Global Harmonized System of Classification and Labeling of Chemicals
	gpg:	quinea pig
	ICAO:	International Civil Aviation Organization
	ihl:	inhaled
	IMDG:	International Maritime Dangerous Goods Code
	intrav:	intravenous
	ipt:	intraperitonaeal
	ISHL:	Industrial Safety and Health Law (Jp)
	LC50:	letale concentration 50%
	LD50:	letale dosis 50%
	leuciscus idus	
	MAK:	maximum workplace concentration
	Met:	Metall
	mus:	mouse
	Muta:	mutagen
	NIOSH:	National Institute for Occupational Safety and Health (US)
	NRD:	Non-rapidly degradable
onchorhynchus mykiss: fish, rainbow trout		
	orl:	oral
	OSHA:	Occupational Safety and Health Administration
	PAX:	transport on passenger planes allowed
	PBT:	persistent, bioaccumulating, toxic substance
	pH:	pH value
	pimephales pr	1
	PNEC:	Predicted No Effected Concentration
	PROC 15:	Process category 'for laboratory use'
	PRTR:	Law for PRTR and Promotion of Chemical Management (Jp)
	PVC:	polyvinyl chloride
	quail:	bird, quail
	rat:	rat
	rbt:	rabbit
	RD:	rapidly degradable
	RE:	repeated
	REACh:	Registration, Evaluation, Authorisation and Restriction of Chemicals
	REF:	item number, reference number
	Reg.No.:	rRegistration number
	Repr:	harmful to reproduction
	Resp:	respiratory
	RIP:	REACH Implementations Projects
	SCU:	sub cutan
	SDS:	safety data sheet



 MACHEREY-NAGEL GmbH & Co. KG
 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 *
 Valencienner Str. 11
 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

 52355 Düren · Germany
 FR
 Tel.: +33 388 68 22 68
 sales-fr@mn-net.com

 Www.mn-net.com
 US
 Tel.: +1 888 321 62 24
 sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931041	VISOCOLOR ECO Nitrate	Page: 10/10
Printing date: 12.01.2023	Date of issue: 25.11.2022	Version: 2.2.3.2

Sens:	sensitisation
STEL:	short term exposure limit
STOT:	Specific Target Organ Toxicity
SVHC:	Substance of Very High Concern
t/a:	tons per year
TCCA:	Toxic Chemicals Control Act (S. Korea)
TOX:	toxic
TSCA:	The Toxic Substances Control Act (US)
TWA:	time weighted average
TRGS:	technical regulations (DE)
vPvB:	very persistent, very bioaccumulating substance

16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com