

Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

VISOCOLOR ECO Sulfate Page: 1/12 Printing date: 12.01.2023 Date of issue: 12.01.2023 Version: 2.2.2.10

SECTION 1: Identification of the substance/mixture and of the company

1.1 **Product identifier**

> REF 931092

Product name VISOCOLOR ECO Sulfate

REACH Registration number(s): see SECTION 3.1/3.2 or
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or

the substance or its use is excluded from registration.

2 x 25 mL SO 4-1 UFI: 47TT-F310-R200-809C 1 x 25 g SO₄-2 UFI: E9TT-X3QE-120G-WAVE

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

Uses advised against

not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11, 52355 Düren, Germany

Phone: +49 2421 969 0 E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 **Emergency telephone number**

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service. DE: Gemeinsames Giftinformationszentrum (GGIZ)

99089 Erfurt tel. +49 361 730 730, < https://www.ggiz-erfurt.de>

You find our current versions of SDS in Internet:

http://www.mn-net.com/SDS

SECTION 2: Hazard identification

2.0 Classification of the complete product according to Regulation (EC) 1272/2008





GHS06

GHS07

DANGER Signal word

Hazard identification Hazard classes/categories H301 Acute Tox. 3 oral H319 Eye Irrit. 2 H332 Acute Tox. 4 inh.

2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

25 q SO 4 -2





GHS07

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

 REF: 931092
 VISOCOLOR ECO Sulfate
 Page: 2/12

 Printing date: 12.01.2023
 Date of issue: 12.01.2023
 Version: 2.2.2.10

Signal word DANGER

Hazard identification

Hazard classes/categories

H301

H319

Eye Irrit. 2

H332

Acute Tox. 4 inh.

25 mL SO 4 -1

Do not need labelling as hazardous

Signal word

No hazard class

List of H phrases: see section 16.2

2.2 Label elements according regulation (EC) 1272/2008

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identificator(s) (EU 1272/2008 Annex I - 1.5.1.2). Harmful chemicals/mixtures with signal word: **WARNING** must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2).

25 g SO 4 -2



GHS06

Signal word: DANGER

H301

Toxic if swallowed.

P280sh, P301+310, P405

Wear protective gloves/eye protection.IF SWALLOWED: Immediately call a POISON CENTER/ doctor.Store locked up.

25 mL SO 4 -1

Do not need labelling as hazardous

Signal word: -

Label elements of the complete product



GHS06

Signal word: DANGER

H301

Toxic if swallowed.

P280sh, P301+310, P405

Wear protective gloves/eye protection.IF SWALLOWED: Immediately call a POISON CENTER/ doctor.Store locked up.

2.3 Other hazards

Possible hazards from physicochemical properties

In the case of pH values are less than 5 or higher than 9 then it is irritant.

Information pertaining to particular risks to human and possible symptoms

Cause severe after oral intake, impairments of health or can lead to death even when only ingested in small quantities. Cause after impairments of health when ingested in small quantities.

Information pertaining to particular risks to the environment

Avoid contact of substance/mixture to environment.

PBT: not applicable

vPvB: not applicable



MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11 52355 Düren · Germany www.mn-net.com DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

 REF: 931092
 VISOCOLOR ECO Sulfate
 Page: 3/12

 Printing date: 12.01.2023
 Date of issue: 12.01.2023
 Version: 2.2.2.10

Possible endocrine disrupting effects

no data available

SECTION 3: Composition / information on ingredients

3.1 Substances or 3.2 Mixtures

25 mL SO 4 -1

Substance name: hydrochloric acid CAS No.: 7647-01-0

Substance rating: H314, Skin Corr. 1A, H335, STOT SE 3

Formula: HCI•H 2 O

Pseudonym (de): Chlorwasserstoffsäure REACH Reg. No.: 01-2119484862-27-xxxx

EC No.: 231-595-7 Indice No.: 017-002-01-X

Specific concentration limit: Eye Irrit. 2; H319: 10 % \leq C < 25 % - Skin Irrit. 2; H315: 10 % \leq C < 25 % - Skin Corr.

1B; H314: C ≥ 25 % - STOT SE 3; H335: C ≥ 10 %

Concentration: 1 - <10 %

acc. CLP (GHS): The criteria for classification are not fulfilled

25 g SO₄-2

Substance name: barium chloride
CAS No.: barium chloride
10361-37-2

Substance rating: H301, Acute Tox. 3 oral, H332, Acute Tox. 4 inh.

Formula: BaCl 2

Pseudonym (de): Bariumdichlorid, Chlorbarium REACH Reg. No.: 01-2119502547-42-xxxx

EC No.: 233-788-1 Indice No.: 056-004-00-8
Concentration: 40 - <60 % Correlation factor: x 0 66 (= %Ba)

acc. CLP (GHS): H301, Acute Tox. 3 oral, H332, Acute Tox. 4 inh.

Substance name: ammonium chloride

CAS No.: 12125-02-9

Substance rating: H302, Acute Tox. 4 oral, H319, Eye Irrit. 2

Formula: NH 4 Cl Pseudonym (de): Salmiak

REACH Reg. No.: 01-2119487950-27-xxxx

EC No.: 231-211-8 Indice No.: 017-014-00-8

Concentration: 40 - <70 %

acc. CLP (GHS): H302, Acute Tox. 4 oral, H319, Eye Irrit. 2

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.List of H and P phrases: see section 16.2.

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Remove contaminated clothing. Show product package, packing insert and this material safety data sheet to the doctor.

4.1.1 After SKIN Contact

Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water. (If possible) use soap.

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open with eye washing bottle, eye douche or running water (protect intact eye).



MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11 52355 Düren · Germany www.mn-net.com DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

 REF: 931092
 VISOCOLOR ECO Sulfate
 Page: 4/12

 Printing date: 12.01.2023
 Date of issue: 12.01.2023
 Version: 2.2.2.10

4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. If vomiting and if insensible place patient in recovery position and keep airways free. ---

4.1.4 After ORAL Intake

After oral intake lots of water with activated charcoal supplement should be drunk after it has been ingested.

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

TOXIFICATION: Treat symptomatically. Secure the breathing, heart and circulatory function. Remove the substance quickly from the body. Mechanically induce vomiting or ensure the patient eats medicinal charcoal compressed tablets or drinks aluminium oxide drug suspensions. In order to ensure rapid passage through the colon (administer 2 tablespoons of dissolved Glauber's salt). Alleviation of pain, if necessary sedation. Shock treatment. Administer a prophylaxis to counter pulmonary oedema. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.1.2 Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

Formation of hazardous and caustic vapour-air mixtures possible.

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic. Spray any vapours released with water. Retent fire water. Use only acid-resistant safety equipment.

For great amount - if necessary - protective breathing apparatus which is independent of the ambient air (isolated equipment), and sealed protective clothing is necessary in the event of a large-scale formation of toxic substances.

5.4 Additional information

Danger for environment only in the event of a large-scale leakage or formation of hazardous substances.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Wear suitable protective gloves (see 8.2.2). Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

6.2 Environmental precautions

Avoid contact of substance/mixture to environment. **PBT:**not applicable **vPvB:**not applicable

6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water.

Collect small amounts of leaked liquid and flush with water into drains.

6.4 Reference to other sections

see information in section 5.4,7,8 and 13



Software: M2 V 6.0.28.156

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

CHEREY-NAGEI



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931092 VISOCOLOR ECO Sulfate Page: 5/12 Printing date: 12.01.2023 Date of issue: 12.01.2023 Version: 2.2.2.10

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

7.2 Conditions for safe storage, including any incompatibilities

Safe storage is guaranteed in the original packaging . Products which are also classified as toxic must be kept under lock and key. Storage class (German chemical industry): see chapter 12.1

Storage class (VCI): 8B Water hazard class (DE):

7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage, so that they are not immediately accessible to outside parties. Use inbreakable container for transport of glass bottles.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls /personal protection

8.1 Control parameters

25 mL SO 4 -1

CAS No : 7647-01-0 Chemical: hydrochloric acid

DNEL: [inh] 8 mg/m³ DNEL = Derived No-Effect Level (for workers) $\begin{array}{c} \text{PNEC (fresh water):} & 36 \ \mu\text{g/L} \\ \text{PNEC = Predicted No Effected Concentration} \end{array}$

[TWA] 5 ppm / 8 mg/m³; [STEL] 10 ppm/ 15 mg/m³ EU value:

TRGS 900 (DE): 2 mL/m3 / 3 mg/m3 E/e respirable

Short-term exposure factor: 2 (I), Y

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 2 ppm / 3* mg/m³ NIOSH:

: [C] 5 ppm / 7 mg/m³ [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: List of highly hazardous chemicals, toxics and reactives Yes (TQ = 5000 lbs) n/a; TWA 5 ppm / 7

mg/m³

25 g SO 4 -2

barium chloride CAS No.: 10361-37-2 Chemical:

FU value: 0.5 Ba e mg/m3 TRGS 900 (DE): 0,5 Ba E mg/m3 E/e respirable

Short-term exposure factor: 1(1)

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 0.5 e ma/m³ NIOSH:

: TWA 0.5 _{Ba} mg/m³ [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: TWA 0.5 Ba mg/m³

Chemical: CAS No.: 12125-02-9 ammonium chloride

DNEL: 128.9 derm mg/kg DNEL = Derived No-Effect Level (for workers) PNEC (fresh water) U.20 mg/L PNEC = Predicted No Effected Concentration SUVA(CH) MAK value: 3 a mg/m³ NIOSH STEL: 20 mg/m³

8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

8.2.1 Respiratory protection

No additional recommendations.



Software: M2 V 6.0.28.156

MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

 REF: 931092
 VISOCOLOR ECO Sulfate
 Page: 6/12

 Printing date: 12.01.2023
 Date of issue: 12.01.2023
 Version: 2.2.2.10

8.2.2 Skin protection / Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

8.2.3 Eye / Face Protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection.

8.2.4 Skin protection

Recommended to avoid contamination with these hazards.

8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

1.04 a/cm³

no data available

no data available

no data available

8.2.6 Thermal hazards

no data available

8.3 Limitation and monitoring of environmental exposure

Do not release product into environment.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

25 mL SO 4 -1

a) State of aggregation: liauid b) Colour: colourless c) Odor: penetrative no data available d) Melting point: e) Boiling point: no data available f) Flammability: no data available g) Explosive limits (lower / upper): no data available h) Flash point: no data available i) Flashing temperature: no data available j) Decomposition temperature: no data available 0-1 k) pH value: I) Kinematic viscosity: no data available m) Solubility in water: 0-100 % n) Dispersion coefficient (o/w): no data available o) Vapour pressure (20°C): no data available

25 g SO 4 -2

r) Particle size:

p) Specific gravity:

r) Particle size:

q) Relative vapour density (air=1):

a) State of aggregation: powder (solid) b) Colour: colourless c) Odor: odorless d) Melting point: no data available e) Boiling point: no data available f) Flammability: no data available g) Explosive limits (lower / upper): h) Flash point: no data available no data available i) Flashing temperature: no data available j) Decomposition temperature: no data available k) pH value: 6-7 I) Kinematic viscosity: no data available m) Solubility in water: no data available n) Dispersion coefficient _(o/w): no data available no data available o) Vapour pressure (20°C): p) Specific gravity: no data available q) Relative vapour density (air=1): no data available



 MACHEREY-NAGEL GmbH & Co. KG
 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 Valencienner Str. 11
 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

 52355 Düren · Germany
 FR
 Tel.: +33 388 68 22 68
 sales-fr@mn-net.com

 www.mn-net.com
 US
 Tel.: +1 888 321 62 24
 sales-us@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

 REF: 931092
 VISOCOLOR ECO Sulfate
 Page: 7/12

 Printing date: 12.01.2023
 Date of issue: 12.01.2023
 Version: 2.2.2.10

9.2 Other information

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required. **Properties relevant to substance groups**

SECTION 10: Stability and reactivity

10.1 Reactivity

no further data available.

10.2 Chemical stability

no known instability.

10.3 Possibility of hazardous reactions

No further data available.

10.4 Conditions to avoid

No more required.

10.5 Incompatible materials

no additional data available

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

25 mL SO 4 -1

Chemical: hydrochloric acid CAS No.: 7647-01-0

TSCA Inventory: listed California Proposition 65 List: not listed Exposure Routes: listed inhalation, ingestion (solution), skin and/or eye contact

Target Organs: Eyes, skin, respiratory system

Symptoms: irritation nose, throat, larynx; cough, choking; dermatitis; solution; eye, skin burns; liquid; frostbite; in

animals: laryngeal spasm; pulmonary ede

Australia NICNAS: not listed Canada CEPA 1999: DSL Yes

Japan CSCL/PRTR: not listed, Japan PDSCL: Deleterious Substance Japan ISHL: not listed ≥0,2%/≥0,1%, Article 57-2 (SDS required)

South Korea TCCA: Accident Precaution Chemical Yes

Korea Exist.Chem.Inventory: KE-20189, >10% Toxic 97-1-203, Acc. Precaution Chem.

LD50 _{orl rat}: 900 mg/kg

25 g SO 4 -2

Chemical: barium chloride CAS No.: 10361-37-2

TSCA Inventory: listed

Exposure Routes: inhalation, ingestion, skin and/or eye contact

Target Organs: Eyes, skin, respiratory system, heart, central nervous system

Symptoms: irritation eyes, skin, upper respiratory system; skin burns; gastroenteritis; muscle spasm; slow pulse,

extrasystoles; hypokalemia

Japan CSCL/PRTR: not listed, Japan PDSCL: Deleterious substance

Japan ISHL: listed ≥1,0%/≥1,0% Korea Exist.Chem.Inventory: KE-02037

LD50 _{orl rat}: 118 mg/kg LC_Low _{orl hmn}: 11,4 mg/kg

Acute Effects: Cause severe after oral intake, impairments of health or can lead to death even when only ingested in small quantities. Acute Effects: Cause after skin contact, impairments of health when ingested in small quantities.

Chemical: ammonium chloride CAS No.: 12125-02-9

TSCA Inventory: listed

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed

Japan ISHL: listed ≥1,0%/≥1,0%,

Korea Exist.Chem.Inventory: KE-01645



MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

52355 Düren · Germany FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com www.mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com

CHEREY-NAGE



CAS No.: 7647-01-0

Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931092 VISOCOLOR ECO Sulfate Page: 8/12 Printing date: 12.01.2023 Date of issue: 12.01.2023 Version: 2.2.2.10

> LD50 orl rat : 1440 mg/kg LC_Low orl rbt: 1000 mg/kg LC50 ihl rat: 1000 ppm/4h 1300 mg/kg LD50 orl mus:

Acute Effects: Cause after oral intake, impairments of health when ingested in small quantities.

11.2 Other hazards

Possible endocrine disrupting effects

no data available

Other information

no additional data available

SECTION 12: Ecological information

12.1 Toxicity

Following information is valid for pure substances.

25 mL SO 4 -1

Chemical: hydrochloric acid

PNEC (fresh water):
PNEC = Predicted No Effected Concentration 36 µg/L

LC50 fish/96h: 24.6 mg/L EC50 daphnia/48h: 0.492 mg/L EC50 pseudokirchneriella subcapitata/72h: 0.78 mg/L

Water hazard class (DE): WGK No.: 0238

Storage class (VCI): 8 B

25 g SO₄-2

CAS No.: 10361-37-2 Chemical: barium chloride

870 mg/L LC50 leuciscus idus/96h: EC50 daphnia/48h: 21.9 mg/L

Water hazard class (DE): WGK No.: 0025

Storage class (VCI):

CAS No 12125-02-9 Chemical: ammonium chloride

PNEC (fresh water):
PNEC = Predicted No Effected Concentration 0.25 mg/L

LC50 fish/96h: 42.9 mg/L EC50 daphnia/48h: 136.6 mg/L

EC50/5d: 1300 mg/L EC50 chlorella vulgaris/5d WGK No.: 0213 Water hazard class (DE):

Dispersion coefficient (o/w): -4,37 Storage class (VCI): 12-13

12.2 Persistence and degradability

not necessary

12.3 Bioaccumulative potential

not necessary

12.4 Mobility in soil

not necessary

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

12.6 **Endocrine disrupting properties**

no data available

12.7 Other adverse effects

no additional data available



Software: M2 V 6.0.28.156

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

 REF: 931092
 VISOCOLOR ECO Sulfate
 Page: 9/12

 Printing date: 12.01.2023
 Date of issue: 12.01.2023
 Version: 2.2.2.10

SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06). Close container tightly.

Ε

13.1 Waste treatment methods

Normally it is possible to empty small amounts (diluted!) into drains.

Dispose of contents/container to regulated waste treatment.

SECTION 14: Transport information

14.1. UN number: 3316

14.2. UN proper shipping name: Chemical Kit 14.3. Class: 9 14.4. Packing group: I

Road transport ADR

Classification code: M11 Tunnel restriction code: E

Limited Quantity: acc. ADR 3.3.1/251: see LQ in Alternative declaration for transportation

Air transport ICAO

PAX: 960 max. weight PAX: 10 KG CAO: 960 max. weight CAO: 10 KG

Maritime transport IMDG

EmS: F-A, S-P Storage category: A

Or use Alternative declaration for transportation:

UN No.: (see below) class 6.1 III, Excepted Quantities (≤30 mL/∑≤1 L) = ADR/ IATA E1

or

14.1 UN number: 1564 14.2 UN proper shipping name: Barium compound, n.o.s.

14.3 Class: 6.1 14.4 Packing group: III

Road transport ADR

Classification code: T5
Limited Quantity: 5 Kg Tunnel restriction code:

Excepted Quantity: E 1 Special instructions: 513

Air transport ICAO
Limited Quantity:

Limited Quantity: LQ 9 Excepted Quantity: E 1

PAX: 670 max. weight PAX: 100 Kg

CAO: 677 max. weight CAO: 200 Kg

Maritime transport IMDG

EmS: F-A, S-A Storage category: A

14.5 Environmental hazards

none, contains only small quantities of hazardous substances

14.6 Special precautions for user

not necessary

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemicals Prohibition Ordinance - (DE: ChemVerbotsV), aktualisiert Jan 2017

Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020

Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017

TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017

TRGS 220, National aspects when preparing safety data sheets, Jan 2017

TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017

BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan 2012

TRGS 500, Protective measures, Mai 2008

TRGS 510, Storage of hazardous substances in portable containers from March 2013, status: Oct 2015

Chapter 4, Measures when storing hazardous substances up to 50 kg (small quantity regulation)

Wasserhaushaltsgesetz - WHG, Section 3 Handling substances hazardous to water, Jul 2009, status: Aug 2016

MN leaflet/instructions for use, also at www.mn-net.com

If necessary, observe other country-specific regulations.



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

 REF: 931092
 VISOCOLOR ECO Sulfate
 Page: 10/12

 Printing date: 12.01.2023
 Date of issue: 12.01.2023
 Version: 2.2.2.10

15.2 Chemical safety assessment

not necessary for these small amounts

SECTION 16: Other information

16.1 Changes compared to the last version

Between versions 2.2.2.10 and 2.2.2.2 following changes were applied: - 8 substance data corrected

16.2 List of H and P phrases

16.2.1 List of relevant H phrases

H301 Toxic if swallowed.
H302 Harmful if swallowed.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.

16.2.2 List of relevant P phrases

P280sh Wear protective gloves/eye protection.

P301+310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P405 Store locked up.

16.3 Recommended restriction on use

Only for professional user.

Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!

Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)! An individual package of this product or test kit has a moderate hazardous potential.

16.4 Sources of key data

KÜHN, BIRETT, Leaflets on hazardous materials, 2021

Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres

SUVA .CH, limit values in the air at work 2009, revised on 01/2009

Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)

Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG

Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP) Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP)

Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)

Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progressText (11th ATP)

Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP) Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP)

TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019

Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP)

Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG

Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP) Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP) Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP)

revisions/updates

Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary

2014-04 adjustment according Regulation 487/2013/EU 2016-03 adjustment according Regulation 1221/2015/EU

2017-11 adjustment according the ECHA registration dossier 2022-11 adjustment according Regulation 878/2020/EU

16.5 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

CHEREY-NAGEI



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931092 VISOCOLOR ECO Sulfate Page: 11/12 Printing date: 12.01.2023 Date of issue: 12.01.2023 Version: 2.2.2.10

16.6 Legend / Abbreviations

according acc:

ADR: Convention concerning the International Carriage of Dangerous Goods by Road

Act:

BAT: biological workplace tolerance value

CAO: Cargo Aircraft Only

Carc: carcinogen

CAS: Chemical Abstracts Service

Classification, Labelling and Packaging regulation CLP:

CMR: carcinogen, mutagen, reproduction toxic

Corr: corrosive

COD: chemical oxigen demand

CSCL: Chemical Substance Control Law (Jp)

Dam: damage

DNEL: Derived No-Effect Level (for workers)

derm:

dog: dog

EC10: Concentration causing a toxic effect in 10% of the test organisms

European Community EC:

EC-Nr: Substance number of the EC substance inventory EmS: Guide to accident management measures on ships

EU: **European Union** fish: fish (not spezified)

GHS: Global Harmonized System of Classification and Labeling of Chemicals

gpg: ICAO: guinea pig

International Civil Aviation Organization

ihl:

IMDG: International Maritime Dangerous Goods Code

intrav: intravenous intraperitonaeal ipt:

İSHL: Industrial Safety and Health Law (Jp)

LC50: letale concentration 50% LD50: letale dosis 50%

leuciscus idus: fisch, ide, orfe MAK: maximum workplace concentration

Met: Metall mus: mouse Muta:

NIOSH: National Institute for Occupational Safety and Health (US)

NRD: Non-rapidly degradable

fish, rainbow trout onchorhynchus mykiss:

orl: oral

Occupational Safety and Health Administration OSHA: PAX: transport on passenger planes allowed PBT: persistent, bioaccumulating, toxic substance

pH value pH:

pimephales promelas: fish, fathead minnow Predicted No Effected Concentration PNEC: PROC 15: Process category 'for laboratory use'

Law for PRTR and Promotion of Chemical Management (Jp) PRTR:

PVC: polyvinyl chloride bird, quail quail: rat: rat rbt: rabbit

RD: rapidly degradable

RE: repeated

REACh: Registration, Evaluation, Authorisation and Restriction of Chemicals

item number, reference number REF

Reg.No.: rRegistration number Repr: harmful to reproduction

Resp: respiratory

RIP: **REACH Implementations Projects**

sub cutan scu: SDS: safety data sheet Sens: sensitisation

short term exposure limit STEL: STOT: Specific Target Organ Toxicity Substance of Very High Concern SVHC:

t/a: tons per year



MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com

CHEREY-NAGE



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

VISOCOLOR ECO Sulfate REF: 931092 Page: 12/12 Printing date: 12.01.2023 Date of issue: 12.01.2023 Version: 2.2.2.10

TCCA: Toxic Chemicals Control Act (S. Korea)

Tox: TSCA: The Toxic Substances Control Act (US)

TWA: time weighted average TRGS: technical regulations (DE)

vPvB: very persistent, very bioaccumulating substance

16.7 **Training advice**

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.