MACHEREY-NAGEL



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 935066	VISOCOLOR alpha Nitrite	Page: 1/9
Printing date: 12.01.2023	Date of issue: 29.09.2022	Version: 2.2.2.2

SECTION 1: Identification of the substance/mixture and of the company

1.1	Product	identifier	

REF Product name 935066 VISOCOLOR alpha Nitrite

REACH Registration number(s): see SECTION 3.1/3.2 or A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

1 x 7 g NO ₂

UFI: AYQU-0380-A20S-VCGY

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0 The exposure scenario is integrated into sections 1-16. Uses advised against

not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11, 52355 Düren, Germany Phone: +49 2421 969 0

1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service. DE: Gemeinsames Giftinformationszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730, **<https://www.ggiz-erfurt.de>**

You find our current versions of SDS in Internet:

<http://www.mn-net.com/SDS>

E-mail: sds@mn-net.com (msds@mn-net.com)

SECTION 2: Hazard identification

2.0 Classification of the complete product according to Regulation (EC) 1272/2008

	GHS07
Signal word	WARNING
Hazard identification	Hazard classes/categories
H319 H335	Eye Irrit. 2 STOT SE 3

2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

7 g NO 2





- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
- US Tel.: +1 888 321 62 24 sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 935066		VISOCOLOR alpha Nitrite	Page: 2/9	
Printing date: 12.01.2023		Date of issue: 29.09.2022	Version: 2.2.2.2	
	Signal word	WARNING		
На	zard identification	Hazard classes/categories		
H3	19	Eye Irrit. 2		
H3	35	STOT SE 3		

List of H phrases: see section 16.2

2.2 Label elements according regulation (EC) 1272/2008

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identificator(s) (EU 1272/2008 Annex I - 1.5.1.2). Harmful chemicals/mixtures with signal word: **WARNING** must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2).

 $7 g NO_2$



Signal word: WARNING

Label elements of the complete product



Signal word: WARNING

2.3 Other hazards

Possible hazards from physicochemical properties

In the case of pH values are less than 5 or higher than 9 then it is irritant.

Information pertaining to particular risks to human and possible symptoms Cause after inhalation of vapours/dust, impairments of health when ingested in small quantities.

Information pertaining to particular risks to the environment

Possible endocrine disrupting effects no data available

SECTION 3: Composition / information on ingredients

3.1 Substances or 3.2 Mixtures

7 g NO 2

Substance name: CAS No.: *sulfanilamide* 63-74-1

Substance rating:No criteria for classification or naming of chemical not required.Formula:C $_{6}$ H $_{8}$ N $_{2}$ O $_{2}$ SPseudonym (de):4-AminobenzolsulfonamidEC No.:200-563-4Concentration:10 - <30 %</td>acc. CLP (GHS):The criteria for classification are not fulfilled.



FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 935066		VISOCOLOR alpha Nitrite	Page: 3/9	
Printing date: 12.01.2023		Date of issue: 29.09.2022	Version: 2.2.2.2	
	Substance name: CAS No.:	citric acid 77-92-9		
	Substance rating: Formula: Pseudonym (de):	H319, Eye Irrit. 2, H335, STOT SE 3 C ₆ H ₈ O ₇ Zitronensäure		

 Formula:
 C 6 H 8 0 7

 Pseudonym (de):
 Zitronensäure

 REACH Reg. No.:
 01-2119457026-42-xxxx

 EC No.:
 201-069-1

 Concentration:
 40 - <60 %</td>

 acc. CLP (GHS):
 H319, Eye Irrit. 2, H335, STOT SE 3

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.List of H and P phrases: see section 16.2.

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice.

4.1.1 After SKIN Contact

Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water. (If possible) use soap.

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open with eye washing bottle, eye douche or running water (protect intact eye).

4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. ---

4.1.4 After ORAL Intake

After oral intake lots of water should be drunk after it has been ingested.

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed No additionally recommendations. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used. Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used. Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.1.2 Unsuitable extinguishing media no data available

no data avallable

5.2 Special hazards arising from the substance or mixture

Formation of hazardous and caustic vapour-air mixtures possible.

5.3 Advice for firefighters

No, for listed product.Product package burns like paper or plastic.

5.4 Additional information



- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
- US Tel.: +1 888 321 62 24 sales-us@mn-net.com

MACHEREY-NAGEL



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 9			VISOCOLOR alpha Nitrite		Page: 4/9
Printin			Date of issue: 29.09.2022		Version: 2.2.2.2
SEC	FION 6: Accio	lental release n	neasures		
6.1	•	cautions, protecti apours. Regular staff tra	ve equipment and emergency proc ining is necessary.	cedures	
6.2	Environment not necessary	al precautions			
6.3	Bind any escapin	g liquid with inert absort	ainment and cleaning up pent. d flush with water into drains.		
6.4	Reference to	other sections			
SEC1 7.1	Precautions	ling and storag for safe handling rdance with the test instr	e uction, that comes with the product.		
7.2		uaranteed in the origina	cluding any incompatibilities packaging . Storage class (German chemica 12 3	l industry): see chapter 12.1	
7.2.1		nts for stock rooms an duct packages tightly clo	d containers osed during handling and storage.		
7.3	Specific end Product for analy	• •			
SEC	FION 8: Expo	sure controls /	personal protection		
8.1	Control para	meters			
	7 g NO ₂ Chemical:	sulfanilamide		CAS No.: 63-74-1	
				- · - · · - · · ·	

Chemical: <i>citric acid</i> PNEC _(fresh water) : PNEC = Predicted No Effe	440 mg/L cted Concentration	CAS No.: 77-92-9
TRGS 900 (DE):	2 E mg/m ³ E/e respirable	
Short-term exposure factor:	2 (I) X	

Short-term exposure factor: 2 (I) Y skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

8.2.1 Respiratory protection

No additional recommendations.

8.2.2 Skin protection / Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

8.2.3 Eye / Face Protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection.

8.2.4 Skin protection

Not necessary.

8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com

CHEREY-NAGEL



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 9	935066	VISOCOLOR alpha Nitrite	Page: 5/9	
Printin	ng date: 12.01.2023	Date of issue: 29.09.2022	Version: 2.2.2.2	
8.2.6	Thermal hazards no data available			
8.3	Limitation and monitoring of env Do not release product into environment.	ironmental exposure		
SEC	TION 9: Physical and chemica	l properties		
9.1	Information on basic physical an	d chemical properties		
	 7 g NO 2 a) State of aggregation: b) Colour: c) Odor: d) Melting point: e) Boiling point: f) Flammability: g) Explosive limits (lower / upper): h) Flash point: i) Flashing temperature: j) Decomposition temperature: k) pH value: l) Kinematic viscosity: m) Solubility in water: n) Dispersion coefficient (o/w): o) Vapour pressure (20°C): 	powder (solid) colourless odorless no data available no data available no data available no data available no data available no data available 2-3 no data available no data available no data available no data available no data available		

- o) Vapour pressure (20°C):
- p) Specific gravity:
- q) Relative vapour density (air=1):
- r) Particle size:

9.2 Other information

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required. Properties relevant to substance groups

no data available

no data available

no data available

SECTION 10: Stability and reactivity

- 10.1 Reactivity no further data available.
- 10.2 **Chemical stability** no known instability.
- 10.3 Possibility of hazardous reactions No further data available
- 10.4 Conditions to avoid
- 10.5 Incompatible materials

no additional data available

10.6 Hazardous decomposition products In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available. 7 g NO 2



DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

	35066	VISOCOLOR alpha Nitrite	Page: 6/9	
Printing	g date: 12.01.2023	Date of issue: 29.09.2022	Version:	2.2.2.2
	Chemical: <i>sulfanilamide</i> TSCA Inventory: listed Korea Exist.Chem.Inventory: KE-011 LD50 _{orl rat} : 3900 m		CAS No.: 63-74-1	
	Chemical:citric acidTSCA Inventory:listedKorea Exist.Chem.Inventory:KE-208LD50 orl rat :> 3000LC50 ihl rat :5,800 nLD50 orl mus :5400 mLD50 scu rat :5500 mAcute Effects:Cause after inhalation	mg/kg ng/L g/kg	CAS No.: 77-92-9 n ingested in small quantities.	
11.2	Other hazards			
	Possible endocrine disrupting effe no data available	cts		
	Other information no additional data available			
SECI	ION 12: Ecological informat	ion		
12.1	Toxicity			
	Following information is valid for pure	substances.		
		1 WGK No.: n.n. 12-13	CAS No.: 63-74-1	
	Chemical: <i>citric acid</i> PNEC (fresh water) : PNEC = Predicted No Effected Concentration	440 mg/L	CAS No.: 77-92-9	
	LC50 leuciscus idus/96h : EC50 daphnia/48h : IC50 scenedesmus quadricauda/72h : EC10 pseudomonas putita/16h : Water hazard class (DE): Dispersion coefficient _(o/w) :	440-760 mg/L 1535 _{24h} mg/L 7d: 425-640 mg/L EC0: >10 g/L 1 WGK No.: 0057 -1,72 12-13		
12.2	LC50 leuciscus idus/96h : EC50 daphnia/48h : IC50 scenedesmus quadricauda/72h : EC10 pseudomonas putita/16h : Water hazard class (DE): Dispersion coefficient _(o/w) :	1535 _{24h} mg/L 7d: 425-640 mg/L EC0: >10 g/L 1 WGK No.: 0057 -1,72		
	LC50 leuciscus idus/96h : EC50 daphnia/48h : IC50 scenedesmus quadricauda/72h : EC10 pseudomonas putita/16h : Water hazard class (DE): Dispersion coefficient _(o/w) : Storage class (VCI): Persistence and degradability	1535 _{24h} mg/L 7d: 425-640 mg/L EC0: >10 g/L 1 WGK No.: 0057 -1,72		
12.3	LC50 leuciscus idus/96h : EC50 daphnia/48h : IC50 scenedesmus quadricauda/72h : EC10 pseudomonas putita/16h : Water hazard class (DE): Dispersion coefficient (o/w) : Storage class (VCI): Persistence and degradability not necessary Bioaccumulative potential	1535 _{24h} mg/L 7d: 425-640 mg/L EC0: >10 g/L 1 WGK No.: 0057 -1,72		
12.3 12.4	LC50 leuciscus idus/96h : EC50 daphnia/48h : IC50 scenedesmus quadricauda/72h : EC10 pseudomonas putita/16h : Water hazard class (DE): Dispersion coefficient (o/w) : Storage class (VCI): Persistence and degradability not necessary Bioaccumulative potential not necessary Mobility in soil not necessary Results of PBT and vPvB asses	1535 _{24h} mg/L 7d: 425-640 mg/L EC0: >10 g/L 1 WGK No.: 0057 -1,72 12-13 Sesment onents considered to be either persistent, b	ioaccumulative and toxic (PBT) or very pe	rsistent
12.2 12.3 12.4 12.5 12.6	LC50 leuciscus idus/96h : EC50 daphnia/48h : IC50 scenedesmus quadricauda/72h : EC10 pseudomonas putita/16h : Water hazard class (DE): Dispersion coefficient (o/w) : Storage class (VCI): Persistence and degradability not necessary Bioaccumulative potential not necessary Mobility in soil not necessary Results of PBT and vPvB asses This substance/mixture contains no comp	1535 _{24h} mg/L 7d: 425-640 mg/L EC0: >10 g/L 1 WGK No.: 0057 -1,72 12-13 Ssment onents considered to be either persistent, b o of 0.1% or higher	ioaccumulative and toxic (PBT) or very pe	rsistent



FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 935066	VISOCOLOR alpha Nitrite	Page: 7/9
Printing date: 12.01.2023	Date of issue: 29.09.2022	Version: 2.2.2.2

SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods

Normally it is possible to empty small amounts (diluted!) into drains.

SECTION 14: Transport information

14.1 - 14.4: No dangerous goods according the transport regulations

14.5 Environmental hazards

none, contains only small quantities of hazardous substances

- 14.6 Special precautions for user not necessary
- **14.7** Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020 Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017 TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017 TRGS 220, National aspects when preparing safety data sheets, Jan 2017 TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017 BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan

2012

MN leaflet/instructions for use, also at www.mn-net.com If necessary, observe other country-specific regulations.

15.2 Chemical safety assessment

not necessary for these small amounts

SECTION 16: Other information

16.1 Changes compared to the last version in preparation

16.2 List of H and P phrases

16.2.1 List of relevant H phrases

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

16.2.2 List of relevant P phrases

16.3 Recommended restriction on use

Only for professional user.

An individual package of this product or test kit has a moderate hazardous potential.

16.4 Sources of key data

KÜHN, BIRETT, Leaflets on hazardous materials, 2021

Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres

SUVA CH, limit values in the air at work 2009, revised on 01/2009 Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP) Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP) Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP) Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)

Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progressText (11th ATP) Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP)



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com
 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

 FR
 Tel.: +33 388 68 22 68
 sales-fr@mn-net.com

 US
 Tel.: +1 888 321 62 24
 sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 935066	VISOCOLOR alpha Nitrite	Page: 8/9
Printing date: 12.01.2023	Date of issue: 29.09.2022	Version: 2.2.2.2

Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP) TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019 Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP) Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP) Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP) Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP)

revisions/updates

Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary 2014-04 adjustment according Regulation 487/2013/EU 2016-03 adjustment according Regulation 1221/2015/EU

2017-11 adjustment according the ECHA registration dossier 2022-11 adjustment according Regulation 878/2020/EU

16.5 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.6 Legend / Abbreviations

Legena / A	
acc:	according
ADR:	Convention concerning the International Carriage of Dangerous Goods by Road
Act:	acute
BAT:	biological workplace tolerance value
CAO:	Cargo Aircraft Only
Carc:	carcinogen
CAS:	Chemical Abstracts Service
CLP:	Classification, Labelling and Packaging regulation
CMR:	carcinogen, mutagen, reproduction toxic
Corr:	corrosive
COD:	chemical oxigen demand
CSCL:	Chemical Substance Control Law (Jp)
Dam:	damage
DNEL:	Derived No-Effect Level (for workers)
derm:	dermal
dog:	dog
EC10:	Concentration causing a toxic effect in 10% of the test organisms
EC:	European Community
EC-Nr:	Substance number of the EC substance inventory
EmS:	Guide to accident management measures on ships
EU:	European Union
fish:	fish (not spezified)
GHS:	Global Harmonized System of Classification and Labeling of Chemicals
gpg:	guinea pig
ICAO:	International Civil Aviation Organization
ihl:	inhaled
IMDG:	International Maritime Dangerous Goods Code
intrav:	intravenous
ipt:	intraperitonaeal
ISHL:	Industrial Safety and Health Law (Jp)
LC50:	letale concentration 50%
LD50:	letale dosis 50%
leuciscus idus	
MAK:	maximum workplace concentration
Met:	Metall
mus:	mouse
Muta:	mutagen
NIOSH:	National Institute for Occupational Safety and Health (US)
NRD:	Non-rapidly degradable
onchorhynchu	
orl:	oral



 MACHEREY-NAGEL GmbH & Co. KG
 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 Valencienner Str. 11
 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

 52355 Düren · Germany
 FR
 Tel.: +33 388 68 22 68
 sales-fr@mn-net.com

 www.mn-net.com
 US
 Tel.: +1 888 321 62 24
 sales-us@mn-net.com

MACHEREY-NAGEL



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

VISOCOLOR alpha Nitrite	Page: 9/9
Date of issue: 29.09.2022	Version: 2.2.2.2

OSHA: PAX: PBT: pH: pimephales pr PNEC: PRTC: PRTC: PVC: quail: rat: rbt: RD: REACh: REF: REACh: REF: REACh: REF: REACh: REF: REACh: REF: RESP: RESP: SDS: Sens: STEL: STOT: SVHC:	Predicted No Effected Concentration Process category 'for laboratory use' Law for PRTR and Promotion of Chemical Management (Jp) polyvinyl chloride bird, quail rat rabbit rapidly degradable repeated Registration, Evaluation, Authorisation and Restriction of Chemicals item number, reference number rRegistration number harmful to reproduction respiratory REACH Implementations Projects sub cutan safety data sheet sensitisation short term exposure limit Specific Target Organ Toxicity Substance of Very High Concern
SDS:	safety data sheet
SVHC: t/a:	Substance of Very High Concern tons per year
TCCA:	Toxic Chemicals Control Act (S. Korea)
Tox:	toxic
TSCA: TWA:	The Toxic Substances Control Act (US) time weighted average
TRGS:	technical regulations (DE)
vPvB:	very persistent, very bioaccumulating substance

16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
- US Tel.: +1 888 321 62 24 sales-us@mn-net.com