MACHEREY-NAGEL



according to Regulations REACh 1907/2006/EC

REF: 90606	Peroxtesmo KO	Page: 1/9
Printing date: 04.04.2023	Date of issue: 18.07.2022	Version: 2.2.2.2

SECTION 1: Identification of the substance/mixture and of the company

1.1	Product identifier		
	REF	90606 Peroxtesmo KO	
	Product name	Peroxtesmo KO	
	the substance or its use	r the substance(s) does not exist becau is excluded from registration.	I 3.1/3.2 or se the annual tonnage does not require registration or
	1 x 100 sheets PE	EROXTESMO KO	
1.2	Relevant identified uses	s of the substance or m	ixture and uses advised against
	Relevant identified uses		ixture and uses davised ugainst
	Product for analytical use.		
			P 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0
	The exposure scenario i Uses advised against	is integrated into sections 1-16.	
	not described		
1.3	Details of the supplier of	of the safety data sheet	
	Manufactured by:	-	
	MACHEREY-NAGEL Gmb		
	Valencienner Str. 11, 5235 Phone: +49 2421 969 0	5 Dûren, Germany	E-mail: sds@mn-net.com (msds@mn-net.com)
	1 1010. 140 2421 303 0		
1.4	Emergency telephone n	umber	
	Outside Germany (DE): Ca DE: Gemeinsames Giftinfo	all your regional Poisons Informa rmationszentrum (GGIZ)	ation Service or call local Life Saving Service.
	99089 Erfurt tel +4	9 361 730 730, <https: b="" www.ç<=""></https:>	ıgiz-erfurt.de>
	You find our current versions of S	DS in Internet:	<http: sds="" www.mn-net.com=""></http:>

SECTION 2: Hazard identification

Classification of the complete product according to Regulation (EC) 1272/2008 2.0

	GHS08	
Signal word	DANGER	
Hazard identification	Hazard classes/categories	
H350	Carc. 1A	

2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008 100 sheets PEROXTESMO KO

	GHS08
Signal word	DANGER
Hazard identification	Hazard classes/categories
H350	Carc. 1A



Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

MACHEREY-NAGEL GmbH & Co. KG DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com

MACHEREY-NAGEL



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 90606	Peroxtesmo KO	Page: 2/9
Printing date: 04.04.2023	Date of issue: 18.07.2022	Version: 2.2.2.2

List of H phrases: see section 16.2

2.2 Label elements according regulation (EC) 1272/2008

According CLP directive inner packages must be only labelled with GHS symbol(s) and product identificator(s) (EU 1272/2008 Annex I - 1.5.1.2).

100 sheets PEROXTESMO KO



Signal word: DANGER H350 May cause cancer. P201, P280sh, P308+313, P405 Obtain special instructions before use.Wear protective gloves/eye protection.IF exposed or concerned: Get medical advice/attention.Store locked up.

Label elements of the complete product



Signal word: DANGER H350 May cause cancer. P201, P280sh, P308+313, P405 Obtain special instructions before use.Wear protective gloves/eye protection.IF exposed or concerned: Get medical advice/attention.Store locked up.

2.3 Other hazards

Possible hazards from physicochemical properties

Information pertaining to particular risks to human and possible symptoms May cause cancer. May cause cancer if inhaled.

Information pertaining to particular risks to the environment PBT: not applicable vPvB: not applicable

Possible endocrine disrupting effects no data available

SECTION 3: Composition / information on ingredients

3.1 Substances or 3.2 Mixtures

100 sheets PEROXTESMO KO

Substance name: CAS No.:	o-tolidine hydrochloride 612-82-8		
		o	
Substance rating:	H302, Acute Tox. 4 oral, H350, 0	Carc. 1A, H411, Aqua	tic Chronic 2
Formula:	C ₁₄ H ₁₈ Cl ₂ N ₂		
Pseudonym (de):	Salze v.3,3'-Dimethylbenzidin		
EC No.:	210-322-5	Indice No.:	612-081-00-5
Concentration:	0,1 - <1 %		
acc. CLP (GHS):	H350, Carc. 1A		



CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com



according to Regulations REACh 1907/2006/EC

REF: 90606		Peroxtesmo KO	Page: 3/9	
Printing date: 04.04	.2023	Date of issue: 18.07.2022	Version: 2.2.2.2	
	Substance name: CAS No.:	<i>cellulose paper</i> 9004-34-6		
	Substance rating: Formula: REACH Reg. No.: EC No.: Concentration: acc. CLP (GHS):	No criteria for classification or naming of chemical not required. (C $_{6}$ H $_{10}$ O $_{5}$) $_{n}$ exempt, Annex IV 232-674-9 90 - <100 % The criteria for classification are not fulfilled.		

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.List of H and P phrases: see section 16.2.

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice.

4.1.1 After SKIN Contact

Remove dust with wetted tissue. Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water.

4.1.2 After EYE Contact

Rub dust with teardrops from eyes or: After contact with the eyes rinse thoroughly under running water with the eyelid wide open with eye washing bottle, eye douche or running water (protect intact eye).

4.1.3 After INHALATION of vapours

After inhalation of dust fresh air should be inhaled. ---

4.1.4 After ORAL Intake After oral intake lots of water should be drunk after it has been ingested.

4.2 Most important symptoms and effects, both acute and delayed

CMR Effekte: May cause cancer. May cause cancer if inhaled.

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

5.1.1 Suitable extinguishing media Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.1.2 Unsuitable extinguishing media no data available

5.2 Special hazards arising from the substance or mixture

5.3 Advice for firefighters

Product package burns like paper or plastic.

5.4 Additional information



DE Tel.: +49 24 21 969-0 info@mn-net.com

- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
- US Tel.: +1 888 321 62 24 sales-us@mn-net.com



according to Regulations REACh 1907/2006/EC

REF: 90606	Peroxtesmo KO	Page: 4/9
Printing date: 04.04.2023	Date of issue: 18.07.2022	Version: 2.2.2.2

SECTION 6: Accidental release measures

6.1	Personal precautions, protective equipment and emergency procedures
	Wear suitable protective gloves (see 8.2.2). Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.
6 2	Environmental procedutions

6.2 Environmental precautions PBT: not applicable vPvB: not applicable

6.3 Methods and material for containment and cleaning up And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water.

6.4 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

7.2 Conditions for safe storage, including any incompatibilities Safe storage is guaranteed in the original packaging . Products which are also classified as toxic must be kept under lock and key.

Storage class (Ğerman chemical industry): see chapter 12.1 Storage class (VCI): 6.1B Water hazard class (DE): 2

7.2.1 Requirements for stock rooms and containers Keep original product packages tightly closed during handling and storage, so that they are not immediately accessible to outside parties.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls /personal protection

8.1 Control parameters

100 sheets PEROXTESMO Chemical: o-tolidine hydi TRGS 900 (DE):		CAS No.: 612-82-8
Short-term exposure factor: skin resorptive (H), respire	4 atory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not	securely excluded / (Y) certainly excluded
SUVA(CH) MAK value:	0,003 ppm / 0,03 mg/m³	
Chemical: cellulose pape	er	CAS No.: 9004-34-6
TRGS 900 (DE):	Staub 1.25 A / 4 E mg/m³ E/e respirable	
	Staub 1.25 A / 4 E mg/m³	
TRGS 900 (DE): SUVA(CH) MAK value: NIOSH:	Staub 1.25 A / 4 E mg/m³ E/e respirable	e limit related to a 15-minute period
TRGS 900 (DE): SUVA(CH) MAK value: NIOSH:	Staub 1.25 A / 4 E mg/m ³ E/e respirable 3 a ppm TWA 10 (total) / 5 (resp) mg/m ³	e limit related to a 15-minute period

8.2 Exposure controls

The highest level of cleanliness must be maintained at the workplace.

8.2.1 Respiratory protection

No additional recommendations.

8.2.2 Skin protection / Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

8.2.3 Eye / Face Protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection.



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

- DE Tel.: +49 24 21 969-0 info@mn-net.com
- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 - US Tel.: +1 888 321 62 24 sales-us@mn-net.com

according to Regulations REACh 1907/2006/EC

REF: 9	90606	Peroxtesmo KO	Page: 5/9	
Printin	g date: 04.04.2023	Date of issue: 18.07.2022	Version: 2.2.2.2	
8.2.4	Skin protection Recommended to avoid contami	nation with these hazards.		
8.2.5	with the skin, eyes and clothing.	snuff and storage of food in work areas and at outdoor work Rinse any clothing on which the substance has been spilled, when stopping work and before eating, and then apply protec	and soak it in water. Wash hands	
8.2.6	Thermal hazards no data available			
8.3	Limitation and monitoring of Do not release product into environm	-		
SEC	ΓΙΟΝ 9: Physical and cher	nical properties		
9.1	Information on basic physical and chemical properties			
	 100 sheets PEROXTESMO KO a) State of aggregation: b) Colour: c) Odor: d) Melting point: e) Boiling point: f) Flammability: g) Explosive limits (lower / upper h) Flash point: i) Flashing temperature: j) Decomposition temperature: k) pH value: l) Kinematic viscosity: m) Solubility in water: n) Dispersion coefficient (o/w): o) Vapour pressure (20°C): p) Specific gravity: q) Relative vapour density (air=1) 	solid slightly grey penetrative no data available no data available		

9.2 Other information

Properties relevant to substance groups

SECTION 10: Stability and reactivity

10.1 Reactivity

no further data available.

- 10.2 Chemical stability no known instability.
- **10.3 Possibility of hazardous reactions** No further data available.
- 10.4 Conditions to avoid No more required.
- **10.5** Incompatible materials no additional data available

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.



MACHEREY-NAGEL GmbH & Co. KG DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



according to Regulations REACh 1907/2006/EC

REF: 90606	Peroxtesmo KO	Page: 6/9
Printing date: 04.04.2023	Date of issue: 18.07.2022	Version: 2.2.2.2

SECTION 11: Toxicological information

- 11.1 Information on the hazard classes according regulation (EC) 1272/2008
 - Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

100 sheets PER	OXTESMO KO
Chomical	a talidina hydrach

 Chemical:
 o-tolidine hydrochloride
 CAS No.: 612-82-8

 TSCA Inventory:
 listed
 California Proposition 65 List: listed cancer

 Japan ISHL:
 listed ≥1,0%/≥0,1%

Carcinogenic Effects: May cause cancer. May cause cancer if inhaled. TRGS 905 (DE): K2

Chemical: ce	ellulose paper	CAS No.: 9004-34-6
TSCA Inventory:	listed	California Proposition 65 List: not listed
Exposure Routes:	inhalation, skin an	d/or eye contact
Target Organs:	Eyes, skin, respira	
Symptoms:	irritation eyes, ski	n, mucous membrane
Australia NICNAS:	not listed	Canada CEPA 1999: DSL yes
Japan CSCL/PRTR:	not listed, Japan F	PDSCL: not listed
Japan ISHL:	not listed	
South Korea TCCA:	not listed	
Korea Exist.Chem.Invent	tory: KE-05339	
LD50 _{orl rat} :	> 5000 mg/kg	
LC50 ihl rat :	> 5,800 mg/L/4H	

11.2 Other hazards

Possible endocrine disrupting effects no data available Other information no additional data available

SECTION 12: Ecological information

12.1 Toxicity

	Following information is valid fo	r pure substances.	
	100 sheets PEROXTESMO K Chemical: o-tolidin Water hazard class (DE): Storage class (VCI):	O e hydrochloride 2 6.1 B	CAS No.: 612-82-8
	Chemical: <i>cellulos</i> Water hazard class (DE): Storage class (VCI):	e <i>paper</i> nwg 11	CAS No.: 9004-34-6
12.2	Persistence and degradat	ility	
12.3	Bioaccumulative potential not necessary		
12.4	Mobility in soil not necessary		

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

12.6 Endocrine disrupting properties no data available

no data available

12.7 Other adverse effects



- CH Iel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
- US Tel.: +1 888 321 62 24 sales-us@mn-net.com



according to Regulations REACh 1907/2006/EC

REF: 90606	Peroxtesmo KO	Page: 7/9
Printing date: 04.04.2023	Date of issue: 18.07.2022	Version: 2.2.2.2

no additional data available

SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06). Close container tightly.

13.1 Waste treatment methods

SECTION 14: Transport information

14.1 - 14.4: No dangerous goods according the transport regulations

- 14.5 Environmental hazards none
- 14.6 Special precautions for user not necessary
- **14.7** Carriage in bulk by sea in accordance with IMO instruments Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemicals Prohibition Ordinance - (DE: ChemVerbotsV), aktualisiert Jan 2017

Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020

Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017

TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017

TRGS 220, National aspects when preparing safety data sheets, Jan 2017

TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017

BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan 2012

Wasserhaushaltsgesetz - WHG, Section 3 Handling substances hazardous to water, Jul 2009, status: Aug 2016

TRGS 561, Activities involving carcinogenic metals and their compounds, Oct 2017

MN leaflet/instructions for use, also at www.mn-net.com

If necessary, observe other country-specific regulations.

15.2 Chemical safety assessment

not necessary for these small amounts

SECTION 16: Other information

- 16.1 Changes compared to the last version
 - in preparation

16.2 List of H and P phrases

16.2.1 List of relevant H phrases

H350 May cause cancer.

16.2.2	List of relevant	List of relevant P phrases	
	P201	Obtain special instructions before use.	
	P280sh	Wear protective gloves/eye protection.	
	P308+313	IF exposed or concerned: Get medical advice/attention.	
	P405	Store locked up	

16.3 Recommended restriction on use

Only for professional user.

Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)! Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)! An individual package of this product or test kit has a moderate hazardous potential.



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



according to Regulations REACh 1907/2006/EC

REF: 90606	Peroxtesmo KO	Page: 8/9
Printing date: 04.04.2023	Date of issue: 18.07.2022	Version: 2.2.2.2

16.4 Sources of key data

KÜHN, BIRETT, Leaflets on hazardous materials, 2021

Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres

Directive 2004/37/EC on the protection of workers from the risk of carcinogens or mutagens at workSUVA .CH, limit values in the air at work 2009, revised on 01/2009

Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)

Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG

Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP)

Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP)

Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)

TRGS 905, German rules of technology for carcinogenic and mutagenic substances, as of March 18, 2016

Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progressText (11th ATP)

Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP)

Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP)

TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019

Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP) Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG

Regulation 643/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP) Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP) Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP)

revisions/updates

Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary 2014-04 adjustment according Regulation 487/2013/EU 2016-03 adjustment according Regulation 1221/2015/EU

2017-11 adjustment according the ECHA registration dossier 2022-11 adjustment according Regulation 878/2020/EU

16.5 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.6 Legend / Abbreviations

according acc: ADR: Convention concerning the International Carriage of Dangerous Goods by Road acute Act. biological workplace tolerance value BAT: CAO: Cargo Aircraft Only Carc: carcinogen Chemical Abstracts Service CAS: CLP: Classification, Labelling and Packaging regulation CMR: carcinogen, mutagen, reproduction toxic Corr: corrosive COD: chemical oxigen demand CSCL: Chemical Substance Control Law (Jp) Dam: damage DNEL: Derived No-Effect Level (for workers) derm: dermal dog: dog EC10: Concentration causing a toxic effect in 10% of the test organisms European Community EC: EC-Nr: Substance number of the EC substance inventory FmS[.] Guide to accident management measures on ships EU: **European Union** fish: fish (not spezified) Global Harmonized System of Classification and Labeling of Chemicals GHS: quinea pig gpg: ICAO: International Civil Aviation Organization ihl: inhaled IMDG: International Maritime Dangerous Goods Code intrav: intravenous



 MACHEREY-NAGEL GmbH & Co. KG
 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 Valencienner Str. 11
 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

 52355 Düren · Germany
 FR
 Tel.: +33 388 68 22 68
 sales-fr@mn-net.com

 www.mn-net.com
 US
 Tel.: +1 888 321 62 24
 sales-us@mn-net.com



according to Regulations REACh 1907/2006/EC

REF: 90606 Printing date: 04.04.2023 Peroxtesmo KO Date of issue: 18.07.2022 Page: 9/9 Version: 2.2.2.2

ipt: ISHL: LC50: LD50: leuciscus idus MAK: Met: mus:	intraperitonaeal Industrial Safety and Health Law (Jp) letale concentration 50% letale dosis 50% : fisch, ide, orfe maximum workplace concentration Metall mouse
Muta:	mutagen
NIOSH:	National Institute for Occupational Safety and Health (US)
NRD:	Non-rapidly degradable
onchorhynchu	
orl:	oral
OSHA:	Occupational Safety and Health Administration
PAX:	transport on passenger planes allowed
PBT:	persistent, bioaccumulating, toxic substance
ны. На	pH value
pimephales pr	
PNEC:	Predicted No Effected Concentration
PROC 15:	Process category 'for laboratory use'
PRTR:	Law for PRTR and Promotion of Chemical Management (Jp)
PVC:	polyvinyl chloride
quail:	bird, quail
rat:	rat
rbt:	rabbit
RD:	rapidly degradable
RE:	repeated
REACh:	Registration, Evaluation, Authorisation and Restriction of Chemicals
REF:	item number, reference number
Reg.No.:	rRegistration number
Repr:	harmful to reproduction
Resp:	respiratory
RIP:	REACH Implementations Projects
SCU:	sub cutan
SDS:	safety data sheet
Sens:	sensitisation
STEL:	short term exposure limit
STOT:	Specific Target Organ Toxicity
SVHC:	Substance of Very High Concern
t/a:	tons per year
TCCA:	Toxic Chemicals Control Act (S. Korea)
Tox:	toxic
TSCA:	The Toxic Substances Control Act (US)
TWA:	time weighted average
TRGS:	technical regulations (DE)
vPvB:	very persistent, very bioaccumulating substance

16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com DE Tel.: +49 24 21 969-0 info@mn-net.com

- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
- US Tel.: +1 888 321 62 24 sales-us@mn-net.com