

## according to Regulations REACh 1907/2006/EC

REF: 90610	Wator	Page: 1/8
Printing date: 04.04.2023	Date of issue: 18.07.2022	Version: 2.2.2.2

# SECTION 1: Identification of the substance/mixture and of the company

1.1	Product identifier	90610	
	Product name	Wator	
	REACH Registration number(s): A registration number for the substa the substance or its use is excluded 50 x Sheets Test paper wit	from registration.	2 or nnual tonnage does not require registration or
1.2	Relevant identified uses of the Relevant identified uses Product for analytical use. Exposure Scenario Classification The exposure scenario is integrat Uses advised against not described	according REACh, RIP 3.2 C	e and uses advised against Codes: SU 0-2, PC 21, PROC 15, AC 0
1.3	Details of the supplier of the s Manufactured by: MACHEREY-NAGEL GmbH & Co. H Valencienner Str. 11, 52355 Düren, Phone: +49 2421 969 0	۲ ۲	E-mail: sds@mn-net.com (msds@mn-net.com)
1.4	Emergency telephone number Information not necessary.		
	You find our current versions of SDS in Interr	net:	<http: sds="" www.mn-net.com=""></http:>
SECTI	ON 2: Hazard identification	ı	
2.0	Classification of the complete	product according to	Regulation (EC) 1272/2008

2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

#### Sheets Test paper with color dye

Do not need labelling as hazardous
------------------------------------

No hazard class

List of H phrases: see section 16.2

Signal word

2.2 Label elements according regulation (EC) 1272/2008

Sheets Test paper with color dye Do not need labelling as hazardous Signal word: -

### Label elements of the complete product

#### 2.3 Other hazards

#### Possible hazards from physicochemical properties

According to our current status of knowledge and experience we state, that this product does not contain any substances, which in accordance with EC regulations 1272/2008/EC, 1907/2006/EC and German Regulations for Hazardous goods - have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit. An individual package has considerably less hazardous potential.



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

 FR
 Tel.: +33 388 68 22 68
 sales-fr@mn-net.com

 US
 Tel.: +1 888 321 62 24
 sales-us@mn-net.com



# Safety Data Sheet

# according to Regulations REACh 1907/2006/EC

REF: 90610	Wator	Page: 2/8
Printing date: 04.04.2023	Date of issue: 18.07.2022	Version: 2.2.2.2

Information pertaining to particular risks to human and possible symptoms

Information pertaining to particular risks to the environment

Possible endocrine disrupting effects no data available

## **SECTION 3: Composition / information on ingredients**

#### 3.1 Substances or 3.2 Mixtures

#### Sheets Test paper with color dye cellulose naner

Substance name:	cellulose paper
CAS No.:	9004-34-6
Substance rating: Formula: REACH Reg. No.: EC No.: Concentration: acc. CLP (GHS):	No criteria for classification or naming of chemical not required. (C $_{6}$ H $_{10}$ O $_{5}$ ) n exempt, Annex IV 232-674-9 90 - <100 % The criteria for classification are not fulfilled.
Substance name:	Duasyn Ink Blue SLK
CAS No.:	28983-56-4
Substance rating: Concentration: acc. CLP (GHS):	No criteria for classification or naming of chemical not required. $0,1$ - <100 % The criteria for classification are not fulfilled.

#### 3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.List of H and P phrases: see section 16.2.

## **SECTION 4: First aid measures**

4.1	<b>Description of first aid measures</b> Place insured person out of danger zone to fresh air immediately.
4.1.1	After SKIN Contact Remove dust with wetted tissue.
4.1.2	After EYE Contact Rub dust with teardrops from eyes
4.1.3	After INHALATION of vapours After inhalation of dust fresh air should be inhaled
4.1.4	After ORAL Intake

- 4.2 Most important symptoms and effects, both acute and delayed
- 4.3 Indication of any immediate medical attention and special treatment needed No additionally recommendations. ---

## SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

#### 5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used. Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.



- DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



# Safety Data Sheet

# according to Regulations REACh 1907/2006/EC

Printin	90610 g date: 04.04.2023	Wator Date of issue: 18.07.2022	Page: 3/8 Version: 2.2.2.
FILLUN	•		version. 2.2.2.
.1.2	Unsuitable extinguishing me no data available	dia	
5.2		om the substance or mixture	
	None.		
5.3	Advice for firefighters No, for listed product.Product packa	age hums like namer or plastic	
		age burns like paper of plastic.	
5.4	Additional information		
SEC	FION 6: Accidental releas	se measures	
6.1	Personal precautions, prot	ective equipment and emergency procedu	res
6.2	Environmental precautions	6	
	not necessary		
6.3	Methods and material for of Clean working area with water. Flus	containment and cleaning up	
6.4	Reference to other section		
SEC	FION 7: Handling and sto	orage	
7.1	Precautions for safe handl	ing	
	•	t instruction, that comes with the product.	
7.2	-	e, including any incompatibilities riginal packaging . Storage class (German chemical indus	tru): see chanter 12 1
	Storage class (VCI): Water hazard class (DE):	nwg	
7.2.1	Requirements for stock roon	ns and containers	
7 2		tly closed during handling and storage.	
7.3	Specific end use(s) Product for analytical use.		
SECI	ΓΙΟΝ 8: Exposure contro	ls /nersonal protection	
		is personal protection	
8.1	Control parameters		
	Sheets Test paper with color	•	CAS No.: 9004-34-6
	Chemical: <i>cellulose paper</i>	$t_{1} = 10 = 10$	
	TRGS 900 (DE): S	Staub 1.25 A / 4 E mg/m³ /e respirable	
	TRGS 900 (DE): S SUVA(CH) MAK value: 3	/e respirable	
	TRGS 900 (DE): E SUVA(CH) MAK value: 3 NIOSH: T [TWA] Time-weighted averag	/e respirable a ppm WA 10 (total) / 5 (resp) mg/m <sup>3</sup> e to a reference period of 8 hours, [STEL] Short-term exposure limit rela	ted to a 15-minute period
	TRGS 900 (DE): E SUVA(CH) MAK value: 3 NIOSH: T [TWA] Time-weighted averag OSHA: T	/e respirable a a ppm WA 10 (total) / 5 (resp) mg/m <sup>3</sup> e to a reference period of 8 hours, [STEL] Short-term exposure limit rela WA 15 (total) / 5 (resp) mg/m <sup>3</sup>	
	TRGS 900 (DE): E SUVA(CH) MAK value: 3 NIOSH: T [TWA] Time-weighted averag OSHA: T Chemical: Duasyn Ink Blue	/e respirable a a ppm WA 10 (total) / 5 (resp) mg/m <sup>3</sup> e to a reference period of 8 hours, [STEL] Short-term exposure limit rela WA 15 (total) / 5 (resp) mg/m <sup>3</sup>	nted to a 15-minute period CAS No.: 28983-56-4
8.2	TRGS 900 (DE): E SUVA(CH) MAK value: 3 NIOSH: T [TWA] Time-weighted averag OSHA: T	/e respirable a a ppm WA 10 (total) / 5 (resp) mg/m <sup>3</sup> e to a reference period of 8 hours, [STEL] Short-term exposure limit rela WA 15 (total) / 5 (resp) mg/m <sup>3</sup>	
	TRGS 900 (DE): E SUVA(CH) MAK value: 3 NIOSH: T [TWA] Time-weighted averag OSHA: T Chemical: Duasyn Ink Blue Exposure controls Not necessary. Respiratory protection	/e respirable a a ppm WA 10 (total) / 5 (resp) mg/m <sup>3</sup> e to a reference period of 8 hours, [STEL] Short-term exposure limit rela WA 15 (total) / 5 (resp) mg/m <sup>3</sup>	
<b>8.2</b> 8.2.1 8.2.2	TRGS 900 (DE): SUVA(CH) MAK value: 3 NIOSH: T [TWA] Time-weighted averag OSHA: T Chemical: Duasyn Ink Blue Exposure controls Not necessary.	/e respirable a ppm WA 10 (total) / 5 (resp) mg/m <sup>3</sup> e to a reference period of 8 hours, [STEL] Short-term exposure limit rela WA 15 (total) / 5 (resp) mg/m <sup>3</sup> e SLK	





# according to Regulations REACh 1907/2006/EC

REF: 90	610	Wator	Page: 4/8
Printing	date: 04.04.2023	Date of issue: 18.07.2022	Version: 2.2.2.2
	Not necessary.		
8.2.3	Eye / Face Protection Not necessary.		
8.2.4	Skin protection Not necessary.		
8.2.5	Personal hygiene Information not necessary.		
8.2.6	Thermal hazards no data available		
8.3	Limitation and monitoring o	f environmental exposure	
SECTI	ON 9: Physical and cher	nical properties	
9.1	Information on basic physic	al and chemical properties	
	Sheets Test paper with color d	ye	

Sneets lest paper with color dye	
a) State of aggregation:	solid
b) Colour:	blue
c) Odor:	odorless
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
<ol><li>j) Decomposition temperature:</li></ol>	no data available
k) pH value:	no data available
I) Kinematic viscosity:	no data available
m) Solubility in water:	no data available
n) Dispersion coefficient (o/w) :	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	no data available
q) Relative vapour density (air=1):	no data available
r) Particle size:	no data available

#### 9.2 Other information

Properties relevant to substance groups

# **SECTION 10: Stability and reactivity**

10.1	Reactivity None
10.2	Chemical stability no known instability.
10.3	Possibility of hazardous reactions None.
10.4	Conditions to avoid Not known.
10.5	Incompatible materials

10.6 Hazardous decomposition products



FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



## according to Regulations REACh 1907/2006/EC

REF: 90610	Wator	Page: 5/8
Printing date: 04.04.2023	Date of issue: 18.07.2022	Version: 2.2.2.2

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

## **SECTION 11: Toxicological information**

### 11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

Sheets Test paper with col	or dye		
Chemical: cellulo	se paper		CAS No.: 9004-34-6
TSCA Inventory:	listed	California Proposition 65 List: not lis	ted
Exposure Routes:	inhalation, skin and/o	or eye contact	
Target Organs:	Eyes, skin, respirator	ry system	
Symptoms:	irritation eyes, skin, r	nucous membrane	
Australia NICNAS:	not listed	Canada CEPA 1999: DSL y	es
Japan CSCL/PRTR:	not listed, Japan PDS	SCL: not listed	
Japan ISHL:	not listed		
South Korea TCCA:	not listed		
Korea Exist.Chem.Inventory:	KE-05339		
LD50 orl rat :	> 5000 mg/kg		
LC50 ihl rat :	> 5,800 mg/L/4H		

No.: 28983-56-4

Chemical:	Duasyn Ink Blue SLK	CAS
LD50 <sub>orl rat</sub> :	9957 mg/kg	
LD50 orl mus :	2000-4166 mg/kg	

#### 11.2 Other hazards

Possible endocrine disrupting effects no data available Other information

no additional data available

## **SECTION 12: Ecological information**

#### 12.1 Toxicity Following information is valid for pure substances. Sheets Test paper with color dye CAS No.: 9004-34-6 Chemical: cellulose paper Water hazard class (DE): nwg Storage class (VCI): 11 Chemical: Duasyn Ink Blue SLK CAS No.: 28983-56-4 Dispersion coefficient (o/w): -4,9 12.2 Persistence and degradability not necessary 12.3 **Bioaccumulative potential** not necessary

# 12.4 Mobility in soil

not necessary

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

# 12.6 Endocrine disrupting properties no data available

TÜVRheinland CERTIFIED



## according to Regulations REACh 1907/2006/EC

REF: 90610	Wator	Page: 6/8
Printing date: 04.04.2023	Date of issue: 18.07.2022	Version: 2.2.2.2

## 12.7 Other adverse effects

no additional data available

### SECTION 13: Disposal considerations

Not necessary.

#### 13.1 Waste treatment methods

GENERAL: Empty solids into municipal waste, empty liquids diluted into drains.

## **SECTION 14: Transport information**

14.1 - 14.4 Not necessary

- 14.5 Environmental hazards none
- 14.6 Special precautions for user not necessary
- **14.7** Carriage in bulk by sea in accordance with IMO instruments Not applicable.

## **SECTION 15: Regulatory information**

**15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020 Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017 MN leaflet/instructions for use, also at www.mn-net.com If necessary, observe other country-specific regulations.

### 15.2 Chemical safety assessment

## **SECTION 16: Other information**

- **16.1** Changes compared to the last version in preparation
- 16.2 List of H and P phrases
- 16.2.1 List of relevant H phrases
- 16.2.2 List of relevant P phrases
- 16.3 Recommended restriction on use

None

#### 16.4 Sources of key data

KÜHN, BIRETT, Leaflets on hazardous materials, 2021 Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres

SUVA .CH, limit values in the air at work 2009, revised on 01/2009

Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)

Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG

Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP)

Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP)

Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)

Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progressText (11th ATP) Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP) Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP) TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019 Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP) Regulation 1782/2020/EU, adaptation of Annex II of the REACH regulation 1272/2008/EC to technical and scientific progress (15th ATP) Regulation 643/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP) Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP)



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

- DE Tel.: +49 24 21 969-0 info@mn-net.com
- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
  - FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

# Safety Data Sheet

## according to Regulations REACh 1907/2006/EC

REF: 90610	Wator	Page: 7/8
Printing date: 04.04.2023	Date of issue: 18.07.2022	Version: 2.2.2.2

Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP)

#### revisions/updates

Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary 2014-04 adjustment according Regulation 487/2013/EU 2016-03 adjustment according Regulation 1221/2015/EU

2017-11 adjustment according the ECHA registration dossier 2022-11 adjustment according Regulation 878/2020/EU

#### 16.5 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

#### 16.6 Legend / Abbreviations

acc:	according
ADR:	Convention concerning the International Carriage of Dangerous Goods by Road
Act:	acute
BAT:	biological workplace tolerance value
CAO:	Cargo Aircraft Only
Carc:	carcinogen
CAS:	Chemical Abstracts Service
CLP:	Classification, Labelling and Packaging regulation
CMR:	carcinogen, mutagen, reproduction toxic
Corr:	corrosive
COD:	chemical oxigen demand
CSCL:	Chemical Substance Control Law (Jp)
Dam:	damage
DNEL:	Derived No-Effect Level (for workers)
derm:	dermal
dog:	dog
•	
EC10:	Concentration causing a toxic effect in 10% of the test organisms
EC:	European Community
EC-Nr:	Substance number of the EC substance inventory
EmS:	Guide to accident management measures on ships
EU:	European Union
fish:	fish (not spezified)
GHS:	Global Harmonized System of Classification and Labeling of Chemicals
	guinea pig
gpg:	
ICAO:	International Civil Aviation Organization
ihl:	inhaled
IMDG:	International Maritime Dangerous Goods Code
intrav:	intravenous
ipt:	intraperitonaeal
İSHL:	Industrial Safety and Health Law (Jp)
LC50:	letale concentration 50%
LD50:	letale dosis 50%
leuciscus idus	
MAK:	maximum workplace concentration
Met:	Metall
mus:	mouse
Muta:	mutagen
NIOSH:	National Institute for Occupational Safety and Health (US)
NRD:	
	Non-rapidly degradable
onchorhynchu	
orl:	oral
OSHA:	Occupational Safety and Health Administration
PAX:	transport on passenger planes allowed
PBT:	persistent, bioaccumulating, toxic substance
pH:	pH value
pimephales p	
PNEC:	Predicted No Effected Concentration
TINEO.	





# according to Regulations REACh 1907/2006/EC

REF: 90610	Wator	Page: 8/8
Printing date: 04.04.20	D23 Date of issue: 18.07.2022	Version: 2.2.2.2
PROC 15: PRTR:	Process category 'for laboratory use' Law for PRTR and Promotion of Chemical Management (Jp)	
PVC:	polyvinyl chloride	
quail:	bird, quail	
rat:	rat materia	
rbt:	rabbit	
RD:	rapidly degradable	
RE:	repeated	
REACh:	Registration, Evaluation, Authorisation and Restriction of Chemicals	

ND.	Tapidiy degradable
RE:	repeated
REACh:	Registration, Evaluation, Authorisation and Restriction of Che
REF:	item number, reference number
Reg.No.:	rRegistration number
Repr:	harmful to reproduction
Resp:	respiratory
RIP:	REACH Implementations Projects
scu:	sub cutan
SDS:	safety data sheet
Sens:	sensitisation
STEL:	short term exposure limit
STOT:	Specific Target Organ Toxicity
SVHC:	Substance of Very High Concern
t/a:	tons per year
TCCA:	Toxic Chemicals Control Act (S. Korea)
Tox:	toxic
TSCA:	The Toxic Substances Control Act (US)
TWA:	time weighted average
TRGS:	technical regulations (DE)
	a construction of the second construction of the second second second second second second second second second

### vPvB: very persistent, very bioaccumulating substance

### 16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
- US Tel.: +1 888 321 62 24 sales-us@mn-net.com