

# **Safety Data Sheet**

# according to Regulations REACh 1907/2006/EC

 REF: 90746
 Lead acetate paper, booklet
 Page: 1/10

 Printing date: 04.04.2023
 Date of issue: 25.07.2022
 Version: 2.2.4.2

# SECTION 1: Identification of the substance/mixture and of the company

1.1 Product identifier

REF 90746

Product name Lead acetate paper, booklet

REACH Registration number(s): see SECTION 3.1/3.2 or

A registration number for the substance(s) does not exist because the annual tonnage does not require registration or

the substance or its use is excluded from registration.

1 x booklet Lead acetate paper UFI: 2P4V-W3DR-P200-RVRH

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

Uses advised against

not described

### 1.3 Details of the supplier of the safety data sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11, 52355 Düren, Germany

Phone: +49 2421 969 0

E-mail: sds@mn-net.com (msds@mn-net.com)

### 1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.

DE: Gemeinsames Giftinformationszentrum (GGIZ)

99089 Erfurt tel. +49 361 730 730, <a href="https://www.ggiz-erfurt.de">https://www.ggiz-erfurt.de</a>

You find our current versions of SDS in Internet:

<a href="http://www.mn-net.com/SDS">http://www.mn-net.com/SDS></a>

### **SECTION 2: Hazard identification**

### 2.0 Classification of the complete product according to Regulation (EC) 1272/2008



GHS08

Signal word DANGER

Hazard identification Hazard classes/categories

H360D Repr. 1B H373 STOT RE 2 H412 Aquatic Chronic 3

### 2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

booklet Lead acetate paper





Software: M2 V 6.1.1.5

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



# **Safety Data Sheet**

# according to Regulations REACh 1907/2006/EC

REF: 90746 Lead acetate paper, booklet Page: 2/10
Printing date: 04.04.2023 Date of issue: 25.07.2022 Version: 2.2.4.2

Signal word DANGER

Hazard identification Hazard classes/categories

 H360D
 Repr. 1B

 H373
 STOT RE 2

 H412
 Aquatic Chronic 3

List of H phrases: see section 16.2

### 2.2 Label elements according regulation (EC) 1272/2008

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identificator(s) (EU 1272/2008 Annex I - 1.5.1.2).

#### booklet Lead acetate paper



Signal word: DANGER

H360D

May damage the unborn child. P201, P280sh, P308+313, P405

Obtain special instructions before use. Wear protective gloves/eye protection. IF exposed or concerned: Get medical advice/attention. Store locked up.

### Label elements of the complete product



Signal word: DANGER

H360D

May damage the unborn child. P201, P280sh, P308+313, P405

Obtain special instructions before use. Wear protective gloves/eye protection. IF exposed or concerned: Get medical advice/attention. Store locked up.

## 2.3 Other hazards

Possible hazards from physicochemical properties

Information pertaining to particular risks to human and possible symptoms

May damage the unborn child. Can accumulate within the body.

Information pertaining to particular risks to the environment

PBT: not applicable vPvB: not applicable Possible endocrine disrupting effects

no data available

# **SECTION 3: Composition / information on ingredients**

### 3.1 Substances or 3.2 Mixtures

booklet Lead acetate paper



Software: M2 V 6.1.1.5

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



# **Safety Data Sheet**

# according to Regulations REACh 1907/2006/EC

 REF: 90746
 Lead acetate paper, booklet
 Page: 3/10

 Printing date: 04.04.2023
 Date of issue: 25.07.2022
 Version: 2.2.4.2

Substance name: *cellulose paper* CAS No.: *cellulose paper* 9004-34-6

Substance rating: No criteria for classification or naming of chemical not required.

Formula:  $(C_6 H_{10} O_5)_n$ REACH Reg. No.: exempt, Annex IV EC No.: 232-674-9 Concentration: 90 - <100 %

acc. CLP (GHS): The criteria for classification are not fulfilled

Substance name: lead(II) acetate (trihydrate)

CAS No.: 6080-56-4

Substance rating: H302, Acute Tox. 4 oral, H332, Acute Tox. 4 inh., H360Df, Repr. 1B, H373, STOT RE 2, H400,

Aquatic Acute 1, H410, Aquatic Chronic 1
Formula: C 4 H 6 O 4 Pb .3H 2 O
Pseudonym (de): Bleidi(acetat), Bleizucker
REACH Reg. No.: 01-2119532202-56-xxxx

 SVHC listed:
 listed (16/12/2013) Cand. Lst. REACH Art59(10)+Annex XVII No. 63

 EC No.:
 206-104-4
 Indice No.:
 082-005-00-8

 Concentration:
 0,47 - <1,56 %</td>
 Correlation factor: x 0,64 (= %Pb)

The classification refers to the weight percentage of the metal (according to CLP regulation 2008/1272/EG Annex VI, 1.1.3.2 Note 1)

acc. CLP (GHS): H360D, Repr. 1B, H373, STOT RE 2, H412, Aquatic Chronic 3

#### 3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.List of H and P phrases: see section 16.2.

### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice.

## 4.1.1 After SKIN Contact

Remove dust with wetted tissue. Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water.

### 4.1.2 After EYE Contact

Rub dust with teardrops from eyes or: After contact with the eyes rinse thoroughly under running water with the eyelid wide open with eye washing bottle, eye douche or running water (protect intact eye).

#### 4.1.3 After INHALATION of vapours

After inhalation of dust fresh air should be inhaled. ---

#### 4.1.4 After ORAL Intake

After oral intake lots of water should be drunk after it has been ingested.

#### 4.2 Most important symptoms and effects, both acute and delayed

CMR Effekte: May damage the unborn child. Can accumulate in the body.

## 4.3 Indication of any immediate medical attention and special treatment needed

---

# **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

#### 5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

### 5.1.2 Unsuitable extinguishing media

no data available



Software: M2 V 6.1.1.5

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



# **Safety Data Sheet**

# according to Regulations REACh 1907/2006/EC

REF: 90746 Lead acetate paper, booklet Page: 4/10 Printing date: 04.04.2023 Date of issue: 25.07.2022 Version: 2.2.4.2

#### 5.2 Special hazards arising from the substance or mixture

#### 5.3 Advice for firefighters

Product package burns like paper or plastic.

#### Additional information 5.4

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear suitable protective gloves (see 8.2.2). Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

#### 6.2 **Environmental precautions**

not applicable vPvB: not applicable

#### 6.3 Methods and material for containment and cleaning up

And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water.

#### 6.4 Reference to other sections

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

#### 7.2 Conditions for safe storage, including any incompatibilities

Safe storage is guaranteed in the original packaging . Products which are also classified as toxic must be kept under lock and key. Storage class (German chemical industry): see chapter 12.1

Storage class (VCI): 6.1D Water hazard class (DE):

#### 7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage, so that they are not immediately accessible to outside parties.

#### 7.3 Specific end use(s)

Product for analytical use.

# **SECTION 8: Exposure controls /personal protection**

#### 8.1 Control parameters

### booklet Lead acetate paper

Chemical: cellulose paper CAS No.: 9004-34-6

TRGS 900 (DE): Staub 1.25 A / 4 E mg/m<sup>3</sup> E/e respirable

SUVA(CH) MAK value: 3 a ppm NIOSH:

l: TWA 10 (total) / 5 (resp) mg/m³ [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: TWA 15 (total) / 5 (resp) mg/m<sup>3</sup>

lead(II) acetate (trihydrate) CAS No.: 6080-56-4 Chemical:

[Pb, TWA] 0.15 mg/m<sup>3</sup> FU value: TRGS 900 (DE): [Pb, 8h] 0,15 mg/m<sup>3</sup> E/e respirable

Short-term exposure factor: (4)

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: [Pb] 0,1 e mg/m<sup>3</sup>

[Pb] B/a 400 (m) / 100 (w) µg/L SUVA(CH) BAT value: TRGS 903 (DE):

Pb B/a 400(m)/ 300(w) µg/L B blood, U urine, a no limitation, b end of exposition or shift



MACHEREY-NAGEL GmbH & Co. KG

DE Tel.: +49 24 21 969-0 info@mn-net.com Valencienner Str. 11 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com 52355 Düren · Germany FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com www.mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com



# **Safety Data Sheet**

# according to Regulations REACh 1907/2006/EC

 REF: 90746
 Lead acetate paper, booklet
 Page: 5/10

 Printing date: 04.04.2023
 Date of issue: 25.07.2022
 Version: 2.2.4.2

NIOSH: NTP Report on Carcinogens (RoC) List Yes (Lead compound - Reasonably anticipated to be a

human carcinogen)

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

### 8.2 Exposure controls

The highest level of cleanliness must be maintained at the workplace.

8.2.1 Respiratory protection

No additional recommendations.

8.2.2 Skin protection / Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

8.2.3 Eye / Face Protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection.

8.2.4 Skin protection

Recommended to avoid contamination with these hazards.

8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

solid

8.2.6 Thermal hazards

no data available

#### 8.3 Limitation and monitoring of environmental exposure

Do not release product into environment.

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

# **booklet Lead acetate paper** a) State of aggregation:

b) Colour: white c) Odor: acetic d) Melting point: no data available e) Boiling point: no data available f) Flammability: no data available g) Explosive limits (lower / upper): no data available h) Flash point: no data available i) Flashing temperature: no data available j) Decomposition temperature: no data available k) pH value: 5-7 I) Kinematic viscosity: no data available no data available m) Solubility in water: n) Dispersion coefficient (o/w): no data available o) Vapour pressure (20°C): no data available p) Specific gravity: no data available q) Relative vapour density (air=1): no data available r) Particle size: no data available

#### 9.2 Other information

Properties relevant to substance groups



Software: M2 V 6.1.1.5

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



# **Safety Data Sheet**

# according to Regulations REACh 1907/2006/EC

 REF: 90746
 Lead acetate paper, booklet
 Page: 6/10

 Printing date: 04.04.2023
 Date of issue: 25.07.2022
 Version: 2.2.4.2

# SECTION 10: Stability and reactivity

10.1 Reactivity

no further data available.

10.2 Chemical stability

no known instability.

10.3 Possibility of hazardous reactions

No further data available.

10.4 Conditions to avoid

No more required.

10.5 Incompatible materials

no additional data available

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

## **SECTION 11: Toxicological information**

### 11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

booklet Lead acetate paper

Chemical: cellulose paper CAS No.: 9004-34-6

TSCA Inventory: listed California Proposition 65 List: not listed

Exposure Routes: inhalation, skin and/or eye contact
Target Organs: Eyes, skin, respiratory system
Symptoms: irritation eyes, skin, mucous membrane

Australia NICNAS: not listed Canada CEPA 1999: DSL yes

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed

Japan ISHL: not listed
South Korea TCCA: not listed
Korea Exist.Chem.Inventory: KE-05339
LD50 orl rat: > 5000 mg/kg
LC50 ihl rat: > 5,800 mg/L/4H

Chemical: lead(II) acetate (trihydrate) CAS No.: 6080-56-4

TSCA Inventory: not listed California Proposition 65 List: listed cancer

Target Organs: affect the reproductive capabilities incl.chromomal damage (mutations) and effects on fetuses(tera.)

Symptoms: birth defects; sterility

Australia NICNAS: not listed Canada CEPA 1999: not listed

Japan CSCL/PRTR: not listed, Japan PDSCL: Deleterious Substance, PRTR: >0,1% Pb specific class I

Japan ISHL: listed ≥0,3%/≥0,1%, Article 57-1+2 (Labelling&SDS required)

Korea Exist.Chem.Inventory: Toxic 97-1-9 LD50 orl rat: 4665 mg/kg LC Low orl hmn: 714 mg/kg

Chronic Effects: May cause damage to organs through prolonged or repeated exposure.

Carcinogenic Effects: May damage the unborn child.

EU carcinogen: R  $_{D}$  1A, R  $_{F}$  2 TRGS 905 (DE): R  $_{E}$  1, R  $_{F}$  3A(4/5)

#### 11.2 Other hazards

Possible endocrine disrupting effects

no data available

Other information

no additional data available



Software: M2 V 6.1.1.5

MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11 52355 Düren · Germany www.mn-net.com DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com

WWW.IIIII Hot.com



# **Safety Data Sheet**

# according to Regulations REACh 1907/2006/EC

 REF: 90746
 Lead acetate paper, booklet
 Page: 7/10

 Printing date: 04.04.2023
 Date of issue: 25.07.2022
 Version: 2.2.4.2

## **SECTION 12: Ecological information**

### 12.1 Toxicity

Following information is valid for pure substances.

booklet Lead acetate paper

Chemical: cellulose paper CAS No.: 9004-34-6

Water hazard class (DE): nwg Storage class (VCI): 11

Chemical: lead(II) acetate (trihydrate) CAS No.: 6080-56-4

Harmful to aquatic life with long lasting effects. Avoid contact of substance/mixture to environment. Environmental hazards must not be labelled with P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2).

Water hazard class (DE): 3 WGK No.: 0036

Immision limit: 100 mg/m³ Storage class (VCI): 6.1 D

# 12.2 Persistence and degradability

not necessary

#### 12.3 Bioaccumulative potential

not necessary

### 12.4 Mobility in soil

not necessary

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

### 12.6 Endocrine disrupting properties

no data available

#### 12.7 Other adverse effects

no additional data available

#### **SECTION 13: Disposal considerations**

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06). Close container tightly.

#### 13.1 Waste treatment methods

# **SECTION 14: Transport information**

14.1 - 14.4: No dangerous goods according the transport regulations

### 14.5 Environmental hazards

none, contains only small amounts of these substances

### 14.6 Special precautions for user

not necessary

# 14.7 Carriage in bulk by sea in accordance with IMO instruments

Not applicable.

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemicals Prohibition Ordinance - (DE: ChemVerbotsV), aktualisiert Jan 2017

Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020

Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017

TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017

TRGS 220, National aspects when preparing safety data sheets, Jan 2017

TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017

BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan 2012



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com



# Safety Data Sheet

# according to Regulations REACh 1907/2006/EC

REF: 90746 Lead acetate paper, booklet Page: 8/10 Printing date: 04.04.2023 Date of issue: 25.07.2022 Version: 2.2.4.2

Wasserhaushaltsgesetz - WHG, Section 3 Handling substances hazardous to water, Jul 2009, status: Aug 2016 MN leaflet/instructions for use, also at www.mn-net.com If necessary, observe other country-specific regulations.

#### 15.2 Chemical safety assessment

not necessary for these small amounts

#### **SECTION 16: Other information**

#### 16.1 Changes compared to the last version

Between versions 2.2.4.2 and 2.2.2.2 following changes were applied: - 2 composition data corrected

#### 16.2 List of H and P phrases

#### 16.2.1 List of relevant H phrases

May damage the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

Harmful to aquatic life with long lasting effects. H412

#### 16.2.2 List of relevant P phrases

P201 Obtain special instructions before use. Wear protective gloves/eye protection. P280sh

P308+313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

#### 16.3 Recommended restriction on use

Only for professional user.

Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!

Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)!

An individual package of this product or test kit has a moderate hazardous potential.

#### 16.4 Sources of key data

KÜHN, BIRETT, Leaflets on hazardous materials, 2021

Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive

Directive 2004/37/EC on the protection of workers from the risk of carcinogens or mutagens at workSUVA .CH, limit values in the air at work 2009, revised on 01/2009

Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)

Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG

Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP)

Regulation 1221/2015/EÚ, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP)

Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)

TRGS 905, German rules of technology for carcinogenic and mutagenic substances, as of March 18, 2016

Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progressText (11th ATP)

Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP)

Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP)

TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019
Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP)

Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG

Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP) Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP) Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP)

### revisions/updates

Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary

2014-04 adjustment according Regulation 487/2013/EU 2016-03 adjustment according Regulation 1221/2015/EU

2017-11 adjustment according the ECHA registration dossier 2022-11 adjustment according Regulation 878/2020/EU

#### 16.5 **Further information**

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.



MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



# **Safety Data Sheet**

# according to Regulations REACh 1907/2006/EC

REF: 90746 Page: 9/10 Lead acetate paper, booklet Date of issue: 25.07.2022 Printing date: 04.04.2023 Version: 2.2.4.2

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

#### 16.6 Legend / Abbreviations

according acc:

ADR: Convention concerning the International Carriage of Dangerous Goods by Road

Act: acute

BAT: biological workplace tolerance value

CAO: Cargo Aircraft Only

Carc: carcinogen

CAS: Chemical Abstracts Service

Classification, Labelling and Packaging regulation CLP:

CMR: carcinogen, mutagen, reproduction toxic

Corr:

COD: chemical oxigen demand

CSCL: Chemical Substance Control Law (Jp)

Dam: damage

Derived No-Effect Level (for workers) DNEL:

derm: dermal dog: dog

EC10: Concentration causing a toxic effect in 10% of the test organisms

European Community EC:

Substance number of the EC substance inventory EC-Nr: EmS: Guide to accident management measures on ships

EU: **European Union** fish (not spezified) fish:

GHS: Global Harmonized System of Classification and Labeling of Chemicals

quinea pig

gpg: ICAO: International Civil Aviation Organization

ihl: inhaled

IMDG: International Maritime Dangerous Goods Code

intrav: intravenous ipt: intraperitonaeal

ISHL: Industrial Safety and Health Law (Jp)

LC50: letale concentration 50% LD50: letale dosis 50%

leuciscus idus: fisch, ide, orfe MAK: maximum workplace concentration

Metall Met: mus: mouse Muta: mutagen

NIOSH: National Institute for Occupational Safety and Health (US)

NRD: Non-rapidly degradable

onchorhynchus mykiss: fish, rainbow trout

orl: oral

OSHA: Occupational Safety and Health Administration PAX: transport on passenger planes allowed PBT: persistent, bioaccumulating, toxic substance

рН: pH value

pimephales promelas: fish, fathead minnow Predicted No Effected Concentration PNEC: PROC 15: Process category 'for laboratory use'

PRTR: Law for PRTR and Promotion of Chemical Management (Jp)

PVC: polyvinyl chloride bird, quail quail: rat: rat rbt: rabbit

RD: rapidly degradable

RE: repeated

REACh: Registration, Evaluation, Authorisation and Restriction of Chemicals

item number, reference number REF

Reg.No.: rRegistration number Repr: harmful to reproduction

Resp: respiratory

RIP: **REACH Implementations Projects** 

SCU. sub cutan SDS: safety data sheet



MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com



# **Safety Data Sheet**

# according to Regulations REACh 1907/2006/EC

 REF: 90746
 Lead acetate paper, booklet
 Page: 10/10

 Printing date: 04.04.2023
 Date of issue: 25.07.2022
 Version: 2.2.4.2

Sens: sensitisation

STEL: short term exposure limit
STOT: Specific Target Organ Toxicity
SVHC: Substance of Very High Concern

t/a: tons per year

TCCA: Toxic Chemicals Control Act (S. Korea)

Tox: toxic

TSCA: The Toxic Substances Control Act (US)

TWA: time weighted average TRGS: technical regulations (DE)

vPvB: very persistent, very bioaccumulating substance

# 16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



www.mn-net.com