MACHEREY-NAGEL



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 985822	NANOCOLOR BOD5 (Winkler)	Page: 1/13
Printing date: 04.04.2023	Date of issue: 26.01.2023	Version: 2.2.4.17

SECTION 1: Identification of the substance/mixture and of the company

1.1 Product identifier

REF Product name 985822 NANOCOLOR BOD5 (Winkler)

REACH Registration number(s): see SECTION 3.1/3.2 or A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

the substance of its use is ex	C
1 x 15 mL BOD 5 (R1))
1 x 15 mL BOD 5 (R2)
1 x 30 mL BOD 5 (R3))

UFI: DY7U-E3FH-R205-3MHP UFI: Y18U-X34X-120N-RY3R UFI: DWQT-S3D9-F20M-DSJM

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0 The exposure scenario is integrated into sections 1-16.

Uses advised against not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11, 52355 Düren, Germany Phone: +49 2421 969 0

E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service. DE: Gemeinsames Giftinformationszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730, <https://www.ggiz-erfurt.de>

You find our current versions of SDS in Internet:

<http://www.mn-net.com/SDS>

SECTION 2: Hazard identification

2.0 Classification of the complete product according to Regulation (EC) 1272/2008



Signal word	DANGER
Hazard identification	Hazard classes/categories
H302 H314 H411	Acute Tox. 4 oral Skin Corr. 1B Aquatic Chronic 2

2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

15 mL BOD $_5$ (R2)





MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

MACHEREY-NAGEL



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 985822	NANOCOLOR BOD5 (Winkler)	Page: 2/13
Printing date: 04.04.2023	Date of issue: 26.01.2023	Version: 2.2.4.1
Signal word	DANGER	
Hazard identification	Hazard classes/categories	
H314	Skin Corr. 1B	
30 mL BOD 5 (R3)		
Signal word	GHS05	
Signal word	DANGER	
Hazard identification	Hazard classes/categories	
H314	Skin Corr. 1B	
15 mL BOD 5 (R1)		
	\wedge	
	GHS07 GHS09	
Signal word	WARNING	
Hazard identification	Hazard classes/categories	
H302 H411	Acute Tox. 4 oral Aquatic Chronic 2	

List of H phrases: see section 16.2

2.2 Label elements according regulation (EC) 1272/2008

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identificator(s) (EU 1272/2008 Annex I - 1.5.1.2). Inner packages up to 10 mL need max. 2 symbols (Annex I - 1.5.2.4.1 / 2). Harmful chemicals/mixtures with signal word: **WARNING** must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2).

15 mL BOD 5 (R2)



Signal word: DANGER H314 Causes severe skin burns and eye damage. P260sh, P280sh, P303+361+353, P305+351+338, P310 Do not breathe dust/vapours.Wear protective gloves/eye protection.IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.Immediately call a POISON CENTER/doctor.

30 mL BOD 5 (R3)



Signal word: DANGER



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com DE Tel.: +49 24 21 969-0 info@mn-net.com

- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 - FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
- US Tel.: +1 888 321 62 24 sales-us@mn-net.com

CHEREY-NAGEL



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 985822	NANOCOLOR BOD5 (Winkler)	Page: 3/13
Printing date: 04.04.2023	Date of issue: 26.01.2023	Version: 2.2.4.17

H314

Causes severe skin burns and eye damage.

P260sh, P280sh, P303+361+353, P305+351+338, P310 Do not breathe dust/vapours.Wear protective gloves/eye protection.IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.Immediately call a POISON CENTER/doctor.

15 mL BOD 5 (R1)



Signal word: WARNING

Label elements of the complete product



Signal word: DANGER

H314

Causes severe skin burns and eye damage.

P260sh, P280sh, P303+361+353, P305+351+338, P310

Do not breathe dust/vapours.Wear protective gloves/eye protection.IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.Immediately call a POISON CENTER/doctor.

2.3 Other hazards

PBT:

vPvB

15 m

Possible hazards from physicochemical properties

Generally in the case of pH values are less than 2 or higher than 11.5 then it is corrosive.

Information pertaining to particular risks to human and possible symptoms

Causes varying degrees of acid burns on the skin, to the eyes and to the mucous membranes and wounds which do not heal quickly depending on the concentration, temperature and the exposure time. Vapours especially which steam from hot liquids and mist can have a severe irritant effect upon the eyes and the respiratory organs. Cause after oral intake, impairments of health when ingested in small quantities.

Information pertaining to particular risks to the environment

Avoid contact of substance/mixture to environment. not applicable not applicable

Possible endocrine disrupting effects no data available

SECTION 3: Composition / information on ingredients

3.1 Substances or 3.2 Mixtures

nL BOD ₅ (R2) Substance name: CAS No.:	sodium hydroxide solution 1310-73-2		
Substance rating: Formula: Pseudonym (de): REACH Reg. No.: EC No.: Concentration: acc. CLP (GHS):	H314, Skin Corr. 1B NaOH•H ₂ O Natronlauge 01-2119457892-27-xxxx 215-185-5 20 - <35 % H314, Skin Corr. 1B	Indice No.:	011-002-00-6



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com



REF: 985822	NANOCOLOR BOD5 (Winkler)	Page: 4/13
Printing date: 04.04.2023	Date of issue: 26.01.2023	Version: 2.2.4.1
Substance name:	potassium iodide	
CAS No.:	7681-11-0	
Substance rating:	H319, Eye Irrit. 2	
Formula:	KI	
Pseudonym (de):	lodkalium	
REACH Reg. No.:	YES, confidential	
EC No.: Concentration:	231-659-4 10 - <20 %	
acc. CLP (GHS):	H319, Eye Irrit. 2	
15 mL BOD 5 (R1)		
Substance name: CAS No.:	manganese chloride 7773-01-5	
OAO NO	1110-01-0	
Substance rating:	H301, Acute Tox. 3 oral, H411, Aquatic Chronic 2	
Formula:	MnCl 2	
Pseudonym (de):	Mangandichlorid 01-2119934899-15-xxxx	
REACH Reg. No.: EC No.:	231-869-6	
Concentration:	25 - <50 % Correlation factor: x 0.44 (= 1	%Mn)
	o the weight percentage of the metal (according to CLP regulation 2008/1272/EG An	nex VI, 1.1.3.2 Note 1)
acc. CLP (GHS):	H302, Acute Tox. 4 oral, H411, Aquatic Chronic 2	
30 mL BOD ₅ (R3) Substance name:	sulfuric acid	
CAS No.:	7664-93-9	
Substance rating:	H314, Skin Corr. 1B	
Formula:	H 2 SO 4 (•H 2 O) 01 2110458828 20 yvyy	
REACH Reg. No.: EC No.:	01-2119458838-20-xxxx 231-639-5 Indice No.: 016-0	20-00-8
Specific concentration		
1A: H314 c ≥ 15%	$z_{1} = z_{2} = z_{2} = z_{1} = z_{1} = z_{2} = z_{1} = z_{1$	
,	51 - <65 %	
Concentration:	01 - 300 70	

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.List of H and P phrases: see section 16.2.

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Remove contaminated clothing. Show product package, packing insert and this material safety data sheet to the doctor.

4.1.1 After SKIN Contact

Remove contaminated clothing immediately. Rinse the affected skin or mucous membrane thoroughly for min. 15 minutes under running water. (If possible) use soap. Avoid neutralisation. Then apply a loose bandage.

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open for min. 10 minutes with eye washing bottle, eye douche or running water (protect intact eye). Before (if possible) apply eye drops Proxymetacaine 0.5%, if the opening the eyelid convulsion is painful. Further treatment to be carried out by an eye specialist.

4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. If vomiting and if insensible place patient in recovery position and keep airways free. ---

4.1.4 After ORAL Intake

After oral intake lots of water with activated charcoal supplement should be drunk after it has been ingested. Do not induce vomiting under any circumstances. Do not make any efforts to neutralise it. Contact medical advice for possible consequences.



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



according to Regulations REACh 1907/2006/EC

REF: 985822	NANOCOLOR BOD5 (Winkler)	Page: 5/13
Printing date: 04.04.2023	Date of issue: 26.01.2023	Version: 2.2.4.17

4.2 Most important symptoms and effects, both acute and delayed

Rapid penetration and destruction of the skin. Especially in the heated form. Causes severe skin burns and eye damage.

4.3 Indication of any immediate medical attention and special treatment needed

CORROSIVE DAMAGE: After SKIN CONTACT rinse with water for a long time. Efforts to neutralise the substance can frequently make matters worse. Apply glucocorticosteroides following inflammatory reactions. After EYE CONTACT rinse immediately with plenty of water for a long time. Eyelid convulsion measures. Name the corrosive chemical. Further treatment must to be carried out by an eye specialist. After INTAKE administer aluminium oxide drug suspensions. Administer a prophylaxis to counter pulmonary oedema following the INGESTION of corrosive aerosols. In the event of RESPIRATORY DISTREES ensure that the patient inhales oxygen. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.1.2 Unsuitable extinguishing media no data available

5.2 Special hazards arising from the substance or mixture

Formation of hazardous and caustic vapour-air mixtures possible.

5.3 Advice for firefighters

No, for listed product.Product package burns like paper or plastic. Spray any vapours released with water. Retent fire water. Use only acid-resistant safety equipment.

For great amount - if necessary - protective breathing apparatus which is independent of the ambient air (isolated equipment), and sealed protective clothing is necessary in the event of a large-scale formation of toxic substances.

5.4 Additional information

Danger for environment only in the event of a large-scale leakage or formation of hazardous substances.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Wear suitable protective gloves (see 8.2.2). Wear eye protection, respectively face protection. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

6.2 Environmental precautions

Avoid contact of substance/mixture to environment. **PBT:** not applicable **vPvB:** not applicable

6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water. Collect small amounts of leaked liquid and flush with water into drains.

6.4 Reference to other sections

see information in section 5.4,7,8 and 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product. Use a safety bottle when shaking test tubes.

7.2 Conditions for safe storage, including any incompatibilities Safe storage is guaranteed in the original packaging . Storage class (German chemical industry): see chapter 12.1 Storage class (VCI): 8B Water hazard class (DE): 1



FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



according to Regulations REACh 1907/2006/EC

	985822	NANOCOLOR BOD5 (Winkler)	Page: 6/13
Printin	g date: 04.04.2023	Date of issue: 26.01.2023	Version: 2.2.4.1
7.2.1		k rooms and containers ges tightly closed during handling and storage. Use inbreakable container for	transport of glass bottles.
7.3	Specific end use(s) Product for analytical use.		
SECT	TION 8: Exposure co	ntrols /personal protection	
8.1	Control parameters		
	DNEL:	ydroxide solution CAS No.: 1 [inh] 1 mg/m ³ Effect Level (for workers) 2 mg/m ³ E/e respirable	310-73-2
	SUVA(CH) MAK value: NIOSH:	stor: (=1=, Y) respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) of 2 e mg/m ³ 2 mg/m ³ d average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-mir	
	OSHA:	[TWA] 2 mg/m ³	
	Chemical: potassiur	n iodide CAS No.: 7	681-11-0
	15 mL BOD 5 (R1) Chemical: mangane EU value: TRGS 900 (DE):	ese chloride CAS No.: 7 [TWA] 0.2E _{Mn} / 0.05A _{Mn} mg/m ³ 0.02 _{Mn} A; 0.2 _{Mn} E mg/m ³ E/e respirable	773-01-5
	Short-term exposure fac skin resorptive (H),		ertainly excluded
	SUVA(CH) MAK value: TRGS 903 (DE):	0,5 e mg/m³ nicht mehr gelistet B blood, U urine, a no limitation, b end of exposition or shift	
	NIOSH: [TWA] Time-weighte	[TWA] 1/ [STEL] 3 mg/m ³ d average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-mir	nute period
	OSHA:	5 mg/m³	
		[inh] 50 µg/m³ Effect Level (for workers)	7664-93-9
	PNEC (fresh water) : PNEC = Predicted N	2.5 μg/L o Effected Concentration	
	EU value: TRGS 900 (DE):	0.1 e mg/m³ 0.1 E mg/m³ E/e respirable	
	Short-term exposure fac skin resorptive (H),	xtor: 1 (I), Y respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) o	ertainly excluded
	SUVA(CH) MAK value: NIOSH: [TWA] Time-weighte	0,1 e mg/m³ NTP Report on Carcinogens (RoC) List Yes (Known to be a human ca d average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-mir	
	OSHA:	[TWA] 1 mg/m³	

8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

8.2.1 Respiratory protection

No additional recommendations.

8.2.2 Skin protection / Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.



DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com

according to Regulations REACh 1907/2006/EC

REF: 98		NANOCOLOR BOD5 (Winkler)	Page: 7/13		
Printing	date: 04.04.2023	Date of issue: 26.01.2023	Version: 2.2.4.17		
8.2.3	Eye / Face Protection				
	Yes, safety glasses according EN 16	36 with integrated side shields or wrap-around protection or face	protection.		
8.2.4	Skin protection Recommended to avoid clothing dar	nage, and to avoid contamination with these hazards.			
3.2.5	Personal hygiene				
	with the skin, eyes and clothing. Rin	Iff and storage of food in work areas and at outdoor workplaces se any clothing on which the substance has been spilled, and so n stopping work and before eating, and then apply protective ski	oak it in water. Wash hands		
8.2.6	Thermal hazards no data available				
8.3	Limitation and monitoring of environmental exposure				
	Do not release product into environment.				
SECT	ION 9: Physical and chemic	cal properties			
9.1	Information on basic physical	and chemical properties			
	15 mL BOD $_5$ (R2)	liquid			
	a) State of aggregation: b) Colour:	liquid colourless			
	c) Odor:	odorless			
	d) Melting point:	no data available			
	e) Boiling point:	no data available			
	f) Flammability:	no data available			
	g) Explosive limits (lower / upper):	no data available			
	h) Flash point:	no data available			
	Flashing temperature:	no data available			
	j) Decomposition temperature:	no data available			
	k) pH value:	13-14			
	 Kinematic viscosity: 	no data available			
	m) Solubility in water:	0-100 %			
	n) Dispersion coefficient (o/w):	no data available			
	o) Vapour pressure (20°C):	no data available			
	p) Specific gravity:	no data available			
	q) Relative vapour density _(air=1) :	no data available			
	r) Particle size:	no data available			
	15 mL BOD 5 (R1)				
	a) State of aggregation:	liquid			
	b) Colour:	rose			
	c) Odor: d) Molting point:	odorless			
	d) Melting point:	no data available no data available			
	e) Boiling point: f) Flammability:	no data available			
	g) Explosive limits (lower / upper):	no data available			
	h) Flash point:	no data available			
	i) Flashing temperature:	no data available			
	j) Decomposition temperature:	no data available			
	k) pH value:	5-7			
	I) Kinematic viscosity:	no data available			
	m) Solubility in water:	0-100 %			
	n) Dispersion coefficient (o/w):	no data available			
	o) Vapour pressure (20°C):	no data available			
	p) Specific gravity	no data available			
	q) Relative vapour density (air=1):	no data available			
	r) Particle size:	no data available			
	30 mL BOD 5 (R3)				
	 a) State of aggregation: 	liquid			

a) State of aggregation:b) Colour: c) Odor: d) Melting point: e) Boiling point:f) Flammability:



Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

liquid colourless odorless no data available no data available no data available

MACHEREY-NAGEL GmbH & Co. KG DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Software: M2 V 6.1.1.5



according to Regulations REACh 1907/2006/EC

NANOCOLOR BOD5 (Winkler)	Page: 8/13	
Date of issue: 26.01.2023	Version: 2.2.4.17	
no data available		
	Date of issue: 26.01.2023	

g) Explosive limits (lower / upper):
h) Flash point:
i) Flashing temperature:
j) Decomposition temperature:
k) pH value:
l) Kinematic viscosity:
m) Solubility in water:
n) Dispersion coefficient (o/w):
o) Vapour pressure (20°C):
p) Specific gravity:
q) Relative vapour density (air=1):
r) Particle size:

no data available no data available no data available 0-1 no data available 0-100 % no data available no data available 1,77 g/cm³ no data available no data available

9.2 Other information

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required. **Properties relevant to substance groups** Substances are highly corrosive.

SECTION 10: Stability and reactivity

10.1 Reactivity

Strong CORROSIVE, no further data available.

- 10.2 Chemical stability no known instability.
- **10.3 Possibility of hazardous reactions** Can react violently with organic material. No further data available.
- **10.4** Conditions to avoid Observe the storage temperature printed on it. No more required.
- **10.5** Incompatible materials no additional data available
- 10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

15 mL BOD ₅ (R2)		
Chemical: so	odium hydroxide solution	CAS No.: 1310-73-2
TSCA Inventory:	listed	California Proposition 65 List: not listed
Exposure Routes:	inhalation, ingestion,	skin and/or eye contact
Target Organs:	Eyes, skin, respirator	/ system
Symptoms:	irritation eyes, skin, m	ucous membrane; pneumonitis; eye, skin burns; temporary loss of hair
Australia NICNAS:	not listed	Canada CEPA 1999: DSL Yes
Japan CSCL/PRTR:	not listed, Japan PDS	CL: not listed
Japan ISHL:	listed ≥1,0%/≥1,0%, A	rticle 57-2 (SDS required)
South Korea TCCA:	not listed	
Korea Exist.Chem.Inven	itory: KE-31487	
LD50 _{orl rat} :	[40%] 1250 / [<25%] 3	>2000 mg/kg
LD50 orl mus :	40 mg/kg	

Chemical: potassium iodide TSCA Inventory: listed Korea Exist.Chem.Inventory: not listed LD50 _{orl rat}: 2779 mg/kg CAS No.: 7681-11-0



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

- DE Tel.: +49 24 21 969-0 info@mn-net.com
- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 - US Tel.: +1 888 321 62 24 sales-us@mn-net.com



according to Regulations REACh 1907/2006/EC

REF: 985822	NANOCOLOR BOD5 (Winkler)	Page: 9/13
Printing date: 04.04.2023	Date of issue: 26.01.2023	Version: 2.2.4.17

15 mL BOD 5 (R1) CAS No.: 7773-01-5 Chemical: manganese chloride TSCA Inventory: listed Exposure Routes: inhalation, ingestion respiratory system, central nervous system, blood, kidneys Target Organs: Manganism, asthenia, insomnia, mental confusion, metal fume fever: dry throat, cough, chest Symptoms: tightness, dyspnea (breathing difficulty), rales, flu-like Japan CSCL/PRTR: PRTR: ≥1,0% Mn class PRTR: ≥1,0% Mn class I, Japan PDSCL: not listed listed ≥1,0%/≥0,1% Japan ISHL: Korea Exist.Chem.Inventory: KE-23012 250 mg/kg LD50 orl rat : Acute Effects: Cause after oral intake, impairments of health when ingested in small quantities.

30 mL BOD ₅ (R3)		
Chemical: s	ulfuric acid	CAS No.: 7664-93-9
TSCA Inventory:	listed	California Proposition 65 List: not listed
ACGIH:	1 ppm	
Exposure Routes:		gestion, skin and/or eye contact
Target Organs:	Eyes, skin, re	espiratory system, teeth
Symptoms:	irritation eyes	s, skin, nose, throat; pulmonary edema, bronchitis; emphysema; conjunctivitis; stomatis;
dental erosion; eye, ski	n burns; dermatitis	
Australia NICNAS:	not listed	Canada CEPA 1999: DSL Yes
Japan CSCL/PRTR:	not listed, Ja	pan PDSCL: Deleterious Substance
Japan ISHL:		l≥1,0%, Article 57-2 (SDS required)
South Korea TCCA:	Accident Pre	caution Chemical Yes
		10% Toxic 97-1-405, Acc. Precaution Chem.
LD50 _{orl rat} :	2140 mg/kg	
LC50 _{ihl mus} :	0,85 mg/L/4H	1
TRGS 905 (DE):	Kat 4	

TRGS 905 (DE):

11.2 Other hazards

Possible endocrine disrupting effects no data available

Other information no additional data available

SECTION 12: Ecological information

12.1 Toxicity

Following information is valid for pure substances.

15 mL BOD 5 (R2)		
Chemical: sodium hydro	oxide solution	CAS No.: 1310-73-2
Avoid contact of substance/mixture	to environment.	
LC50 leuciscus idus/96h :	35-189 mg/L	
LC50 fish/96h :	45.4 mg/L	
EC50 daphnia/48h	>100 mg/L	
Water hazard class (DE):	1 WGK No.: 142	
Storage class (VCI):	8 B	
Chemical: potassium io	dide	CAS No.: 7681-11-0
LC50 fish/96h :	2190 mg/L	
Water hazard class (DE):	1	
Dispersion coefficient (o/w):	0,04	
Storage class (VCI):	12-13	
15 mL BOD 5 (R1)		
Chemical: manganese	chloride	CAS No.: 7773-01-5

Toxic to aquatic life with long lasting effects. Avoid contact of substance/mixture to environment. Environmental hazards must not be labelled with H and P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2). WGK No.: 0494 Water hazard class (DE): 1 Storage class (VCI): 12



MACHEREY-NAGEL GmbH & Co. KG DE Tel.: +49 24 21 969-0 info@mn-net.com Valencienner Str. 11 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com 52355 Düren · Germany FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com www.mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com



Printing	85822	NANOCOLOR BOD5 (Winkler)	Page: 10/13
	g date: 04.04.2023	Date of issue: 26.01.2023	Version: 2.2.4.17
	30 mL BOD 5 (R3) Chemical: sulfur Avoid contact of substance/ PNEC (fresh water) : PNEC = Predicted No Effected Cor LC50 fish/96h : EC50 daphnia/48h : EC10 pseudomonas putita/16h : Water hazard class (DE): Storage class (VCI):	mixture to environment. 2.5 µg/L ncentration [NOEC, 65d] 25 µg/L 100 mg/L	u: 7664-93-9
12.2	Persistence and degrada	ability	
12.3	Bioaccumulative potenti not necessary	al	
12.4	Mobility in soil not necessary		
12.5	Results of PBT and vPvE This substance/mixture contains and very bioaccumulative (vPvB)	no components considered to be either persistent, bioaccumulative a	nd toxic (PBT) or very persistent
12.6	Endocrine disrupting pro		
12.7	Other adverse effects no additional data available		
0001	CON 42: Dispession	iderationa	
	FION 13: Disposal cons	collection and disposal of hazardous waste and contact waste disposa	al company, where you will obtain
	nformation on laboratory waste dispo		a company, where you will obtain
13.1	Waste treatment method Not necessary, see above.	ls	
SECT	ION 14: Transport info	ormation	
14 14 14 C Li A P C M	FION 14: Transport info 4.1. UN number: 3316 4.2. UN proper shipping name: C 4.3. Class: 9 14.4. F Coad transport ADR Classification code: M11 imited Quantity: acc. ADR 3.3.1 in transport ICAO AX: 960 AX: 960 AC: 960 faritime transport IMDG	Chemical Kit Packing group: II Tunnel restriction code: E /251: see LQ in Alternative declaration for transportation max. weight PAX: 10 KG max. weight CAO: 10 KG	
14 14 14 R C Li A P C M E O	FION 14: Transport info 4.1. UN number: 3316 4.2. UN proper shipping name: C 4.3. Class: 9 14.4. F Construct ADR Classification code: M11 imited Quantity: acc. ADR 3.3.1 <i>int transport ICAO</i> AX: 960 AX: 960 AX: 960 Ax: 960 Aritime transport IMDG imS: F-A, S-P Or use Alternative declaration for the	Chemical Kit Packing group: II Tunnel restriction code: E /251: see LQ in Alternative declaration for transportation max. weight PAX: 10 KG max. weight CAO: 10 KG Storage category: A ransportation: Contract of the second sec	
14 14 RCLLAPCME OU0114 R	FION 14: Transport info 4.1. UN number: 3316 4.2. UN proper shipping name: C 4.3. Class: 9 14.4. F Classification code: M11 imited Quantity: acc. ADR 3.3.1 imited Quantity: acc. ADR 3.3.1 ir transport ICAO AX: 960 Gassification code: M11 ir transport ICAO AX: 960 To use Alternative declaration for tr IN No.: (see below) class 8 II, Except r 4.1 UN number: 3264 4.3 Class: 8 14.4 P Road transport ADR	Chemical Kit Packing group: II Tunnel restriction code: E /251: see LQ in Alternative declaration for transportation max. weight PAX: 10 KG max. weight CAO: 10 KG Storage category: A	s. (sulfuric acid solution)
1. 1. 1. 1. 1. RCLIAPCMEOU01. 1. RCLIEA	FION 14: Transport info 4.1. UN number: 3316 4.2. UN proper shipping name: C 4.3. Class: 9 14.4. F boad transport ADR classification code: M11 imited Quantity: acc. ADR 3.3.1 ir transport ICAO AX: 960 AAC: 960 AAC: 960 Maritime transport IMDG imS: F-A, S-P Or use Alternative declaration for tr VN No.: (see below) class 8 II, Except r 4.1 UN number: 3264 14.2 U 4.3 Class: 8 14.4 P	Chemical Kit Packing group: II Tunnel restriction code: E //251: see LQ in Alternative declaration for transportation max. weight PAX: 10 KG max. weight CAO: 10 KG Storage category: A ransportation: Deted Quantities (≤30 mL/∑<500 mL) = ADR/ IATA E2	s. (sulfuric acid solution)
14 14 14 14 14 14 14 14 14 14 14 14 14 1	FION 14: Transport info 4.1. UN number: 3316 4.2. UN proper shipping name: C 4.3. Class: 9 14.4. F Road transport ADR 14.4. F Classification code: M11 imited Quantity: acc. ADR 3.3.1 ir transport ICAO AX: 960 AX: 960 Maritime transport IMDG ims: F-A, S-P Maritime transport IMDG im S: F-A, S-P Maritime transport ADR Or use Alternative declaration for trained transport ADR Maritime transport ADR Classification code: C1 imited Quantity: 1 L Classification code: C1 imited Quantity: 1 L Excepted Quantity: E 2 ir transport ICAO Market Classification code:	Chemical Kit Packing group: II Tunnel restriction code: E /251: see LQ in Alternative declaration for transportation max. weight PAX: 10 KG max. weight CAO: 10 KG Storage category: A ransportation: December 2500 mL) = ADR/ IATA E2 IN proper shipping name: Corrosive liquid, acidic, inorganic, n.o. Packing group: II	s. (sulfuric acid solution)



 MACHEREY-NAGEL GmbH & Co. KG
 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 Valencienner Str. 11
 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

 52355 Düren · Germany
 FR
 Tel.: +33 388 68 22 68
 sales-fr@mn-net.com

 www.mn-net.com
 US
 Tel.: +1 888 321 62 24
 sales-us@mn-net.com

MACHEREY-NAGEL



according to Regulations REACh 1907/2006/EC

REF: 985822	NANOCOLOR BOD5 (Winkler)	Page: 11/13
Printing date: 04.04.2023	Date of issue: 26.01.2023	Version: 2.2.4.17

14.5 Environmental hazards

none, contains only small quantities of hazardous substances, contains only small amounts of these substances

14.6 Special precautions for user

not necessary

14.7 Carriage in bulk by sea in accordance with IMO instruments Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020

- Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung GefStoffV), Nov 2010, Stand: Mrz 2017
- TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017

TRGS 220, National aspects when preparing safety data sheets, Jan 2017

TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017

TRGS 401, Skin contact hazard - identification, assessment, action, Jun 2008, status: Feb 2011

BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan 2012

TRGS 500, Protective measures, Mai 2008

TRGS 510, Storage of hazardous substances in portable containers from March 2013, status: Oct 2015

Chapter 4, Measures when storing hazardous substances up to 50 kg (small quantity regulation) Wasserhaushaltsgesetz - WHG, Section 3 Handling substances hazardous to water, Jul 2009, status: Aug 2016 MN leaflet/instructions for use, also at www.mn-net.com If necessary, observe other country-specific regulations.

15.2 Chemical safety assessment

not necessary for these small amounts

SECTION 16: Other information

16.1 Changes compared to the last version

Between versions 2.2.4.17 and 2.2.2.2 following changes were applied: - 2 composition data corrected - 15 substance data corrected

16.2 List of H and P phrases

16.2.1 List of relevant H phrases

H302Harmful if swallowed.H314Causes severe skin burns and eye damage.H319Causes serious eye irritation.H411Toxic to aquatic life with long lasting effects.

16.2.2 List of relevant P phrases

List of relevant P phrases P260sh Do not breathe dust/vapours. P280sh Wear protective gloves/eye protection. P303+361+353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor.

16.3 Recommended restriction on use

Only for professional user.

Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)! Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)! An individual package of this product or test kit has a moderate hazardous potential.

16.4 Sources of key data

KÜHN, BIRETT, Leaflets on hazardous materials, 2021

Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres

SUVA .CH, limit values in the air at work 2009, revised on 01/2009

Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP) Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG



MACHEREY-NAGEL GmbH & Co. KGDEValencienner Str. 11CH52355 Düren · GermanyFRwww.mn-net.comUS

- DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 - US Tel.: +1 888 321 62 24 sales-us@mn-net.com



REF: 985822	NANOCOLOR BOD5 (Winkler)	Page: 12/13
Printing date: 04.04.2023	Date of issue: 26.01.2023	Version: 2.2.4.17

Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP) Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP) Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)

Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progressText (11th ATP) Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP) Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP) TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019 Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP) Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP) Regulation 643/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP) Regulation 849/201/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP) Regulation 849/201/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP)

revisions/updates

Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary 2014-04 adjustment according Regulation 487/2013/EU 2016-03 adjustment according Regulation 1221/2015/EU

2017-11 adjustment according the ECHA registration dossier 2022-11 adjustment according Regulation 878/2020/EU

16.5 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.6 Legend / Abbreviations

acc:	according
ADR:	Convention concerning the International Carriage of Dangerous Goods by Road
Act:	acute
BAT:	biological workplace tolerance value
CAO:	Cargo Aircraft Only
Carc:	carcinogen
CAS:	Chemical Abstracts Service
CLP:	Classification, Labelling and Packaging regulation
CMR:	carcinogen, mutagen, reproduction toxic
Corr:	corrosive
COD:	chemical oxigen demand
CSCL:	Chemical Substance Control Law (Jp)
Dam:	damage
DNEL:	Derived No-Effect Level (for workers)
derm:	dermal
dog:	dog
EC10:	Concentration causing a toxic effect in 10% of the test organisms
EC:	European Community
EC-Nr:	Substance number of the EC substance inventory
EmS:	Guide to accident management measures on ships
EU:	European Union
fish:	fish (not spezified)
GHS:	Global Harmonized System of Classification and Labeling of Chemicals
gpg:	guinea pig
ICÃO:	International Civil Aviation Organization
ihl:	inhaled
IMDG:	International Maritime Dangerous Goods Code
intrav:	intravenous
ipt:	intraperitonaeal
ISHL:	Industrial Safety and Health Law (Jp)
LC50:	letale concentration 50%
LD50:	letale dosis 50%
leuciscus idus	: fisch, ide, orfe
MAK:	maximum workplace concentration
Met:	Metall



 MACHEREY-NAGEL GmbH & Co. KG
 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 Valencienner Str. 11
 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

 52355 Düren · Germany
 FR
 Tel.: +33 388 68 22 68
 sales-fr@mn-net.com

 www.mn-net.com
 US
 Tel.: +1 888 321 62 24
 sales-us@mn-net.com



REF: 985822	NANOCOLOR BOD5 (Winkler)	Page: 13/13
Printing date: 04.04.2023	Date of issue: 26.01.2023	Version: 2.2.4.17
U		

mus:	mouse
Muta:	mutagen
NIOSH:	National Institute for Occupational Safety and Health (US)
NRD:	Non-rapidly degradable
onchorhynch	
orl:	oral
OSHA:	Occupational Safety and Health Administration
PAX:	transport on passenger planes allowed
PBT:	persistent, bioaccumulating, toxic substance
:Ha	pH value
, pimephales p	romelas: fish, fathead minnow
PNEC:	Predicted No Effected Concentration
PROC 15:	Process category 'for laboratory use'
PRTR:	Law for PRTR and Promotion of Chemical Management (Jp)
PVC:	polyvinyl chloride
quail:	bird, quail
rat:	rat
rbt:	rabbit
RD:	rapidly degradable
RE:	repeated
REACh:	Registration, Evaluation, Authorisation and Restriction of Chemicals
REF:	item number, reference number
Reg.No.:	rRegistration number
Repr:	harmful to reproduction
Resp:	respiratory
RIP:	REACH Implementations Projects
SCU:	sub cutan
SDS:	safety data sheet
Sens:	sensitisation
STEL:	short term exposure limit
STOT: SVHC:	Specific Target Organ Toxicity
t/a:	Substance of Very High Concern
TCCA:	tons per year Toxic Chemicals Control Act (S. Korea)
Tox:	toxic
TSCA:	The Toxic Substances Control Act (US)
TWA:	time weighted average
TRGS:	technical regulations (DE)
vPvB:	very persistent, very bioaccumulating substance
	is presented by broadbarnarating babbarnoo

16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
- US Tel.: +1 888 321 62 24 sales-us@mn-net.com