

according to Regulations REACh 1907/2006/EC

REF: 985825	NANOCOLOR BOD5-TT	Page: 1/15
Printing date: 04.04.2023	Date of issue: 26.01.2023	Version: 2.2.4.17

SECTION 1: Identification of the substance/mixture and of the company

1.1 Product identifier

REF Product name 985825 NANOCOLOR BOD5-TT

REACH Registration number(s): see SECTION 3.1/3.2 or A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

1 x 6 mL BOD 5 -TT (R3) 1 x 3 mL BOD 5 -TT (R1) 1 x 3 mL BOD 5 -TT (R1) 22 x 1.2 mg BOD 5 -TT (R2)

UFI: DWQT-S3D9-F20M-DSJM UFI: DY7U-E3FH-R205-3MHP UFI: Y18U-X34X-120N-RY3R

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0 The exposure scenario is integrated into sections 1-16. Uses advised against not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11, 52355 Düren, Germany Phone: +49 2421 969 0

E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service. DE: Gemeinsames Giftinformationszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730, <https://www.ggiz-erfurt.de>

You find our current versions of SDS in Internet:


<http://www.mn-net.com/SDS>

SECTION 2: Hazard identification

2.0 Classification of the complete product according to Regulation (EC) 1272/2008



DANGER



2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

3 mL BOD 5 -TT (R2)

Signal word



CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



according to Regulations REACh 1907/2006/EC

REF: 985825	NANOCOLOR BOD5-TT	Page: 2/15
Printing date: 04.04.2023	Date of issue: 26.01.2023	Version: 2.2.4.1
	^	
	E B	
	GHS05	
Signal word	DANGER	
Hazard identification		
H314	Hazard classes/categories Skin Corr. 1B	
1.2 mg BOD $_5$ -TT (R0)		
Signal word	Do not need labelling as hazardous -	
No hazard class		
6 mL BOD 5 -TT (R3)		
	$\mathbf{\nabla}$	
	GHS05	
Signal word	DANGER	
Hazard identification	Hazard classes/categories	
H314	Skin Corr. 1B	
3 mL BOD 5 -TT (R1)		
	$\bigwedge \bigwedge$	
	GHS07 GHS09	
Signal word	WARNING	
Hazard identification	Hazard classes/categories	

List of H phrases: see section 16.2

2.2 Label elements according regulation (EC) 1272/2008

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identificator(s) (EU 1272/2008 Annex I - 1.5.1.2). Inner packages up to 10 mL need max. 2 symbols (Annex I - 1.5.2.4.1 / 2). Harmful chemicals/mixtures with signal word: **WARNING** must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2).

3 mL BOD 5 -TT (R2)



Signal word: DANGER H314 Causes severe skin burns and eye damage.



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com
 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

 FR
 Tel.: +33 388 68 22 68
 sales-fr@mn-net.com

 US
 Tel.: +1 888 321 62 24
 sales-us@mn-net.com



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 985825	NANOCOLOR BOD5-TT	Page: 3/15
Printing date: 04.04.2023	Date of issue: 26.01.2023	Version: 2.2.4.17

P260sh, P280sh, P303+361+353, P305+351+338, P310

Do not breathe dust/vapours.Wear protective gloves/rever protection.IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.Immediately call a POISON CENTER/doctor.

1.2 mg BOD 5 -TT (R0)

Do not need labelling as hazardous Signal word: -

6 mL BOD 5 -TT (R3)



Signal word: DANGER H314

Causes severe skin burns and eye damage.

P260sh, P280sh, P303+361+353, P305+351+338, P310

Do not breathe dust/vapours.Wear protective gloves/eye protection.IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.Immediately call a POISON CENTER/doctor.

3 mL BOD 5 -TT (R1)



Signal word: WARNING

Label elements of the complete product



Signal word: DANGER H314

Causes severe skin burns and eye damage.

P260sh, P280sh, P303+361+353, P305+351+338, P310

Do not breathe dust/vapours.Wear protective gloves/eye protection.IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.Immediately call a POISON CENTER/doctor.

2.3 Other hazards

Possible hazards from physicochemical properties

Generally in the case of pH values are less than 2 or higher than 11.5 then it is corrosive.

Information pertaining to particular risks to human and possible symptoms

Causes varying degrees of acid burns on the skin, to the eyes and to the mucous membranes and wounds which do not heal quickly depending on the concentration, temperature and the exposure time. Vapours especially which steam from hot liquids and mist can have a severe irritant effect upon the eyes and the respiratory organs. Cause after oral intake, impairments of health when ingested in small quantities.

Information pertaining to particular risks to the environment

Avoid contact of substance/mixture to environment. **PBT:** not applicable

vPvB: not applicable

Possible endocrine disrupting effects no data available



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 985825	NANOCOLOR BOD5-TT	Page: 4/15
Printing date: 04.04.2023	Date of issue: 26.01.2023	Version: 2.2.4.17

SECTION 3: Composition / information on ingredients

3.1 Substances or 3.2 Mixtures

		•		
3 mL B	OD ₅ -TT (R2) Substance name: CAS No.:	sodium hydroxide solution 1310-73-2		
	Substance rating: Formula: Pseudonym (de): REACH Reg. No.: EC No.: Concentration: acc. CLP (GHS):	H314, Skin Corr. 1B NaOH•H ₂ O Natronlauge 01-2119457892-27-xxxx 215-185-5 20 - <35 % H314, Skin Corr. 1B	Indice No.:	011-002-00-6
	Substance name: CAS No.:	<i>potassium iodide</i> 7681-11-0		
	Substance rating: Formula: Pseudonym (de): REACH Reg. No.: EC No.: Concentration: acc. CLP (GHS):	H319, Eye Irrit. 2 KI lodkalium YES, confidential 231-659-4 10 - <20 % H319, Eye Irrit. 2		
3 mL B	OD 5 -TT (R1) Substance name: CAS No.:	manganese chloride 7773-01-5		
	Substance rating: Formula: Pseudonym (de): REACH Reg. No.: EC No.: Concentration: The classification refers to acc. CLP (GHS):	H301, Acute Tox. 3 oral, H411 MnCl ₂ Mangandichlorid 01-2119934899-15-xxxx 231-869-6 25 - <50 % the weight percentage of the metal (ac H302, Acute Tox. 4 oral, H411	Correlation factor:	x 0.44 (= %Mn) I272/EG Annex VI, 1.1.3.2 Note 1)
1.2 mg	BOD ₅ -TT (R0) Substance name: CAS No.:	magnesium sulfate 7487-88-9		
	Substance rating: Formula: REACH Reg. No.: EC No.: Concentration: acc. CLP. (GHS):	No criteria for classification or naming MgSO 4 01-2119486789-11-xxxx 231-298-2 10 - <30 %	of chemical not required.	

acc. CLP (GHS):	The criteria for classification are not fulfilled.
-----------------	--

Substance name: CAS No.:	phosphates (buffer salts) -
Substance rating: Formula: Concentration:	No criteria for classification or naming of chemical not required. K/Na $_{1\text{-}3}$ H $_{2\text{-}0}$ PO $_4$ 50 - <75 %
acc. CLP (GHS):	The criteria for classification are not fulfilled.

6 mL BOD 5 -TT (R3)



MACHEREY-NAGEL GmbH & Co. KGDETel.: +49 24 21 969-0info@mn-net.comValencienner Str. 11CHTel.: +41 62 388 55 00sales-ch@mn-net.com

- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
- US Tel.: +1 888 321 62 24 sales-us@mn-net.com



REF: 985825			NANOCOLOR B	OD5-TT		Page: 5/15
Printing date: 04.04.2	2023		Date of issue: 26	.01.2023		Version: 2.2.4.17
	Substance name:	sulfuric acid				
	CAS No.:	7664-93-9				
	Substance rating:	H314, Skin C	orr. 1B			
	Formula:	H 2 SO 4 (•H 2	2 O)			
	REACH Reg. No.:	01-21194588	38-20-xxxx			
	EC No.:	231-639-5		Indice No.:	016-020-00-8	
	Specific concentration	on limit:	Eye Irrit. 2; H31	9: 5 % ≤ C < 15 % - SI	kin Irrit. 2; H315: 5 % ≤ C	< 15 % - Skin Corr
	1Å; H314 c ≥ 15%					
	Concentration:	51 - <65 %				
	acc. CLP (GHS):	H314, Skin C	orr. 1B			

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.List of H and P phrases: see section 16.2.

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Remove contaminated clothing. Show product package, packing insert and this material safety data sheet to the doctor.

4.1.1 After SKIN Contact

Remove contaminated clothing immediately. Rinse the affected skin or mucous membrane thoroughly for min. 15 minutes under running water. (If possible) use soap. Avoid neutralisation. Then apply a loose bandage.

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open for min. 10 minutes with eye washing bottle, eye douche or running water (protect intact eye). Before (if possible) apply eye drops Proxymetacaine 0.5%, if the opening the eyelid convulsion is painful. Further treatment to be carried out by an eye specialist.

4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. If vomiting and if insensible place patient in recovery position and keep airways free. ---

4.1.4 After ORAL Intake

After oral intake lots of water with activated charcoal supplement should be drunk after it has been ingested. Do not induce vomiting under any circumstances. Do not make any efforts to neutralise it. Contact medical advice for possible consequences.

4.2 Most important symptoms and effects, both acute and delayed

Rapid penetration and destruction of the skin. Especially in the heated form. Causes severe skin burns and eye damage.

4.3 Indication of any immediate medical attention and special treatment needed

CORROSIVE DAMAGE: After SKIN CONTACT rinse with water for a long time. Efforts to neutralise the substance can frequently make matters worse. Apply glucocorticosteroides following inflammatory reactions. After EYE CONTACT rinse immediately with plenty of water for a long time. Eyelid convulsion measures. Name the corrosive chemical. Further treatment must to be carried out by an eye specialist. After INTAKE administer aluminium oxide drug suspensions. Administer a prophylaxis to counter pulmonary oedema following the INGESTION of corrosive aerosols. In the event of RESPIRATORY DISTREES ensure that the patient inhales oxygen. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.1.2 Unsuitable extinguishing media no data available

5.2 Special hazards arising from the substance or mixture

Formation of hazardous and caustic vapour-air mixtures possible.

5.3 Advice for firefighters



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com DE Tel.: +49 24 21 969-0 info@mn-net.com

- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 - US Tel.: +1 888 321 62 24 sales-us@mn-net.com



according to Regulations REACh 1907/2006/EC

REF: 985825	NANOCOLOR BOD5-TT	Page: 6/15
Printing date: 04.04.2023	Date of issue: 26.01.2023	Version: 2.2.4.17

No, for listed product.Product package burns like paper or plastic. Spray any vapours released with water. Retent fire water. Use only acid-resistant safety equipment.

For great amount - if necessary - protective breathing apparatus which is independent of the ambient air (isolated equipment), and sealed protective clothing is necessary in the event of a large-scale formation of toxic substances.

5.4 Additional information

Danger for environment only in the event of a large-scale leakage or formation of hazardous substances.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Wear suitable protective gloves (see 8.2.2). Wear eye protection, respectively face protection. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

6.2 Environmental precautions

Avoid contact of substance/mixture to environment. **PBT:** not applicable **vPvB:** not applicable

6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water. Collect small amounts of leaked liquid and flush with water into drains.

6.4 Reference to other sections

see information in section 5.4,7,8 and 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product. Use a safety bottle when shaking test tubes.

7.2 Conditions for safe storage, including any incompatibilities Safe storage is guaranteed in the original packaging . Storage class (German chemical industry): see chapter 12.1 Storage class (VCI): 8B Water hazard class (DE): 7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage. Use inbreakable container for transport of glass bottles.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls /personal protection

8.1 Control parameters

3 mL BOD 5 -TT (R2) Chemical: sodium hydro DNEL: DNEL = Derived No-Effect	[inh] 1 mg/m³	CAS No.: 1310-73-2
TRGS 900 (DE):	2 mg/m³ E/e respirable	
Short-term exposure factor: skin resorptive (H), respi	(=1=, Y) ratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not se	ecurely excluded / (Y) certainly excluded
SUVA(CH) MAK value: NIOSH: [TWA] Time-weighted ave	2 e mg/m ³ 2 mg/m ³ erage to a reference period of 8 hours, [STEL] Short-term exposure I	limit related to a 15-minute period
OSHA:	[TWA] 2 mg/m³	
Chemical: potassium io	dide	CAS No.: 7681-11-0



- DE Tel.: +49 24 21 969-0 info@mn-net.com
- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 - US Tel.: +1 888 321 62 24 sales-us@mn-net.com



REF: 985825	NANOCOLOR BOD5-TT	Page: 7/15
Printing date: 04.04.2023	Date of issue: 26.01.2023	Version: 2.2.4.17
3 mL BOD ₅ -TT (R1) Chemical: <i>mangar</i> EU value: TRGS 900 (DE):	ese chloride [TWA] 0.2E _{Mn} / 0.05A _{Mn} mg/m³ 0.02 _{Mn} A; 0.2 _{Mn} E mg/m³ E/e respirable	CAS No.: 7773-01-5
Short-term exposure fa skin resorptive (H), SUVA(CH) MAK value TRGS 903 (DE):	respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z)	
NIOSH: [TWA] Time-weight	[TWA] 1/ [STEL] 3 mg/m ³ ed average to a reference period of 8 hours, [STEL] Short-term exp	osure limit related to a 15-minute period
OSHA:	5 mg/m³	
DNEL:) i <i>um sulfate</i> [inh] 37.6 mg/m³ p-Effect Level (for workers)	CAS No.: 7487-88-9
PNEC (fresh water) : PNEC = Predicted	0.68 mg/L No Effected Concentration	
Chemical: phospha	ates (buffer salts)	CAS No.: -
6 mL BOD ₅ -TT (R3) Chemical: <i>sulfuric</i> DNEL: DNEL = Derived No	acid [inh] 50 μg/m³ -Effect Level (for workers)	CAS No.: 7664-93-9
PNEC _{(fresh water}): PNEC = Predicted	2.5 μg/L No Effected Concentration	
EU value: TRGS 900 (DE):	0.1 e mg/m³ 0.1 E mg/m³ E/e respirable	
Short-term exposure fa skin resorptive (H),	ctor: 1 (I), Y respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z)	not securely excluded / (Y) certainly excluded
SUVA(CH) MAK value NIOSH: [TWA] Time-weight		nown to be a human carcinogen); [TWA] 1 mg/m³ osure limit related to a 15-minute period
OSHA:	[TWA] 1 mg/m³	
	tion system in the room, floor resistant to chemicals w maintained at the workplace.	th floor drainage and washing facilities. The highest
.2.1 Respiratory protectio No additional recomme		
.2.2 Skin protection / Han Yes, gloves according	d protection EN 374 (permeation time >30 min - level 2), consist of	PVC, natural latex, Neopren, or Nitril (f.ex. from Ans

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

8.2.3 Eye / Face Protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection or face protection.

8.2.4 Skin protection

Recommended to avoid clothing damage, and to avoid contamination with these hazards.

8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

8.2.6 Thermal hazards

no data available

8.3 Limitation and monitoring of environmental exposure

Do not release product into environment.



DE Tel.: +49 24 21 969-0 info@mn-net.com

- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 - FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com





according to Regulations REACh 1907/2006/EC

REF: 985825	NANOCOLOR BOD5-TT	Page: 8/15
Printing date: 04.04.2023	Date of issue: 26.01.2023	Version: 2.2.4.17

liquid

colourless

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

3 mL BOD 5 -TT (R2)

a) State of aggregation: b) Colour: c) Odor: d) Melting point: e) Boiling point: f) Flammability: g) Explosive limits (lower / upper): h) Flash point: i) Flashing temperature: j) Decomposition temperature: k) pH value: I) Kinematic viscosity: m) Solubility in water: n) Dispersion coefficient (o/w): o) Vapour pressure (20°C): p) Specific gravity: q) Relative vapour density (air=1): r) Particle size:

3 mL BOD 5 -TT (R1) a) State of aggregation: b) Colour: c) Odor: d) Melting point: e) Boiling point: f) Flammability: g) Explosive limits (lower / upper): h) Flash point: i) Flashing temperature: j) Decomposition temperature: k) pH value: I) Kinematic viscosity: m) Solubility in water: n) Dispersion coefficient (o/w): o) Vapour pressure (20°C): p) Specific gravity: q) Relative vapour density (air=1): r) Particle size:

1.2 mg BOD 5 -TT (R0) a) State of aggregation: b) Colour: c) Odor: d) Melting point: e) Boiling point: f) Flammability: g) Explosive limits (lower / upper): h) Flash point: i) Flashing temperature: j) Decomposition temperature: k) pH value: I) Kinematic viscosity: m) Solubility in water: n) Dispersion coefficient (o/w) : o) Vapour pressure (20°C): p) Specific gravity:

- q) Relative vapour density (air=1):
- r) Particle size:

odorless no data available 13-14 no data available 0-100 % no data available liquid

rose odorless no data available 5-7 no data available 0-100 % no data available no data available no data available no data available no data available

solid (lyophilized) colourless odorless no data available 6-8 no data available 0-100 % no data available no data available no data available no data available no data available



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
- US Tel.: +1 888 321 62 24 sales-us@mn-net.com



REF: 985825	NANOCOLOR BOD5-TT	Page: 9/15	
Printing date: 04.04.2023	Date of issue: 26.01.2023	Version: 2.2.4.17	
6 mL BOD 5 -TT (R3)			
a) State of aggregation:	liguid		
b) Colour:	colourless		
c) Odor:	odorless		
d) Melting point:	no data available		
e) Boiling point:	no data available		
f) Flammability:	no data available		
g) Explosive limits (lower / upper):	no data available		
h) Flash point:	no data available		
i) Flashing temperature:	no data available		
j) Decomposition temperature:	no data available		
k) pH value:	0-1		
 Kinematic viscosity: 	no data available		
m) Solubility in water:	0-100 %		
n) Dispersion coefficient (o/w):	no data available		
o) Vapour pressure (20°C):	no data available		
p) Specific gravity:	1,77 g/cm³		
q) Relative vapour density (air=1):	no data available		
r) Particle size:	no data available		

9.2 Other information

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required. **Properties relevant to substance groups** Substances are highly corrosive.

SECTION 10: Stability and reactivity

10.1 Reactivity

Strong CORROSIVE, no further data available.

10.2 Chemical stability no known instability.

10.3 Possibility of hazardous reactions

Can react violently with organic material. No further data available.

10.4 Conditions to avoid

Observe the storage temperature printed on it. No more required.

10.5 Incompatible materials

no additional data available

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

3 mL BOD 5 -TT (R2)		
Chemical: soc	lium hydroxide solution	CAS No.: 1310-73-2
TSCA Inventory:	listed	California Proposition 65 List: not listed
Exposure Routes:	inhalation, ingestion, s	kin and/or eye contact
Target Organs:	Eyes, skin, respiratory	system
Symptoms:	irritation eyes, skin, mu	ucous membrane; pneumonitis; eye, skin burns; temporary loss of hair
Australia NICNAS:	not listed	Canada CEPA 1999: DSL Yes
Japan CSCL/PRTR:	not listed, Japan PDS0	CL: not listed
Japan ISHL:	listed ≥1,0%/≥1,0%, A	rticle 57-2 (SDS required)
South Korea TCCA:	not listed	
Korea Exist.Chem.Invento	ory: KE-31487	
LD50 _{orl rat} :	[40%] 1250 / [<25%] >	2000 mg/kg
LD50 _{orl mus} :	40 mg/kg	



MACHEREY-NAGEL GmbH & Co. KGDETeValencienner Str. 11CHTe52355 Düren · GermanyFRTewww.mn-net.comUSTe

 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

 FR
 Tel.: +33 388 68 22 68
 sales-fr@mn-net.com



REF: 985825			NOCOLOR BOD5-TT	Page: 10	
Printing date: 04.	04.2023	Date	e of issue: 26.01.2023	Version:	2.2.4.1
TS Ko	SCA Inventory: prea Exist.Chem.Inventory:	<i>ium iodide</i> listed not listed 2779 mg/kg		CAS No.: 7681-11-0	
Cł TS	SCA Inventory:	<i>nese chloride</i> listed inhalation, ingestior	n	CAS No.: 7773-01-5	
Sy tig Ja Ja Ko LD	/mptoms: htness, dyspnea (breathing pan CSCL/PRTR: pan ISHL: brea Exist.Chem.Inventory: D50 orl rat :	Manganism; asther difficulty), rales, flu PRTR: ≥1,0% Mn c listed ≥1,0%/≥0,1% KE-23012 250 mg/kg	ı-like lass I, Japan PDSCL: not lis	ion; metal fume fever: dry throat, cough, ches	t
Cł TS	•	<i>sium sulfate</i> listed KE-22752		CAS No.: 7487-88-9	
TS Ko	SCA Inventory: prea Exist.Chem.Inventory:	aates (buffer salts) all listed listed > 2000 mg/kg		CAS No.: -	
Cr TS AC E> Ta Sy de Au Ja Ja So KC LL	CGIH: (posure Routes: arget Organs: /mptoms: ental erosion; eye, skin burn ustralia NICNAS: Ipan ISCL/PRTR: Ipan ISHL: puth Korea TCCA: orea Exist.Chem.Inventory: D50 orl rat :	listed 1 ppm inhalation, ingestion Eyes, skin, respirat irritation eyes, skin, s; dermatitis not listed not listed, Japan PI listed ≥1,0%/≥1,0% Accident Precaution	, nose, throat; pulmonary ed Canada CEPA 19 DSCL: Deleterious Substanc , Article 57-2 (SDS required	ema, bronchitis; emphysema; conjunctivitis; st 999: DSL Yes ;e)	omatis
TF	RGS 905 (DE):	Kat 4			
1.2 Othe	r hazards				
nc	ossible endocrine disrupt data available ther information	ing effects			
	additional data available				
SECTION 12	2: Ecological info	ormation			
	Sity ring information is valid fo mL BOD ₅ -TT (R2)	or pure substances	5.		



Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

MACHEREY-NAGEL GmbH & Co. KG DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



REF: 985825	5	NANOCOLOR BOD5-TT		Page: 11/15
Printing date	: 04.04.2023	Date of issue: 26.01.2023		Version: 2.2.4.1
	Chemical: sodium hydro Avoid contact of substance/mixture LC50 leuciscus idus/96h : LC50 fish/96h : EC50 daphnia/48h : Water hazard class (DE): Storage class (VCI): Chemical: potassium iod LC50 fish/96h : Water hazard class (DE): Dispersion coefficient (o/w) : Storage class (VCI):	to environment. 35-189 mg/L 45.4 mg/L >100 mg/L 1 WGK No.: 142 8 B	CAS No.: 1310-73-2 CAS No.: 7681-11-0	
	3 mL BOD 5 -TT (R1) Chemical: manganese c Toxic to aquatic life with long lasting			
	1.2 mg BOD 5 -TT (R0) Chemical: magnesium s PNEC (fresh water): PNEC = Predicted No Effected Concentration LC50 pimephales promelas/96h: LC50 dish/96h: EC50 daphnia/48h: EC50 chlorella vulgaris/5d: Water hazard class (DE): Storage class (VCI):		CAS No.: 7487-88-9	
	Chemical: phosphates (i Water hazard class (DE): Storage class (VCI):	<i>buffer salts)</i> 1 13	CAS No.: -	
	6 mL BOD 5 -TT (R3) Chemical: sulfuric acid Avoid contact of substance/mixture PNEC (fresh water) : PNEC = Predicted No Effected Concentration LC50 fish/96h : EC50 daphnia/48h : EC10 pseudomonas putita/16h : Water hazard class (DE): Storage class (VCI):		CAS No.: 7664-93-9	
	ersistence and degradability t necessary			
2.3 Bi	oaccumulative potential t necessary			
	obility in soil t necessary			
Th	esults of PBT and vPvB asse is substance/mixture contains no com d very bioaccumulative (vPvB) at leve	ponents considered to be either persistent, bioaccun	nulative and toxic (PBT)	or very persisten
	ndocrine disrupting propertion	es		
2.7 Of	ther adverse effects			



Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

MACHEREY-NAGEL GmbH & Co. KG DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



according to Regulations REACh 1907/2006/EC

REF: 985825	NANOCOLOR BOD5-TT	Page: 12/15
Printing date: 04.04.2023	Date of issue: 26.01.2023	Version: 2.2.4.17

SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods

Not necessary, see above.

SECTION 14: Transport information

14.1. UN number: 14.2. UN proper shi 14.3. Class: Road transport ADR	3316 ipping 9		Chemical Kit Packing group: II
Classification code: Limited Quantity: Air transport ICAO	M11 acc. A	DR 3.3	Tunnel restriction code: E .1/251: see LQ in Alternative declaration for transportation
PAX: CAO: Maritime transport IN	960 960 1DG		max. weight PAX: 10 KG max. weight CAO: 10 KG
EmS:	F-A, S	6-P	Storage category: A
Or use Alternative d UN No.: (see below) or			transportation: epted Quantities (≤30 mL/∑≤500 mL) = ADR/ IATA E2
14.1 UN number: 14.3 Class:	3264 8		UN proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s. (sulfuric acid solution) Packing group: II
Road transport ADR		14.4	racking group. In
Classification code: Limited Quantity:	C1 1 L		Tunnel restriction code: E
Excepted Quantity:	E2		
Air transport ICAO			
Limited Quantity: Excepted Quantity:		LQ 22 E 2	
PAX:		851	max. weight PAX: 1 L
CAO:	100	855	max. weight CAO: 30 L
Maritime transport IN EmS:	<i>IDG</i> F-A, S	S-B	Storage category: B
	, -		
14.1 UN number: 14.3 Class: Road transport ADR	3266 8		UN proper shipping name: Corrosive liquid, basic, inorganic, n.o.s. (sodium hydroxide solution) Packing group: II
Classification code:	C5		
Limited Quantity: Excepted Quantity: <i>Air transport ICAO</i>	1 L E 2		Tunnel restriction code: E
Limited Quantity:		LQ22	
Excepted Quantity: PAX:		E 2 851	max. weight PAX: 1 L
CAO:		855	max. weight PAX: 1 L max. weight CAO: 30 L
Maritime transport IN			·
EmS:	F-A, S	6-В	Storage category: B

14.5 Environmental hazards

none, contains only small quantities of hazardous substances, contains only small amounts of these substances

14.6 Special precautions for user

not necessary

14.7 Carriage in bulk by sea in accordance with IMO instruments Not applicable.



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

MACHEREY-NAGEL GmbH & Co. KG DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

according to Regulations REACh 1907/2006/EC

REF: 985825	NANOCOLOR BOD5-TT	Page: 13/15
Printing date: 04.04.2023	Date of issue: 26.01.2023	Version: 2.2.4.17

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020

Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017 TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017

TRGS 220, National aspects when preparing safety data sheets, Jan 2017

TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017

TRGS 401, Skin contact hazard - identification, assessment, action, Jun 2008, status: Feb 2011

BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan 2012

TRGS 500, Protective measures, Mai 2008

TRGS 510, Storage of hazardous substances in portable containers from March 2013, status: Oct 2015

Chapter 4, Measures when storing hazardous substances up to 50 kg (small quantity regulation)

Wasserhaushaltsgesetz - WHG, Section 3 Handling substances hazardous to water, Jul 2009, status: Aug 2016 MN leaflet/instructions for use, also at www.mn-net.com

If necessary, observe other country-specific regulations.

15.2 Chemical safety assessment

not necessary for these small amounts

SECTION 16: Other information

16.1 Changes compared to the last version

Between versions 2.2.4.17 and 2.2.2.2 following changes were applied: - 2 composition data corrected - 15 substance data corrected

16.2 List of H and P phrases

16.2.1	List of relevant H	List of relevant H phrases			
	H302	Harmful if swallowed.			
	H314	Causes severe skin burns and eye damage.			
	H319	Causes serious eye irritation.			
	H411	Toxic to aquatic life with long lasting effects.			
16.2.2	List of relevant P phrases				
	P260sh	Do not breathe dust/vapours.			
	P280sh	Wear protective gloves/eve protection.			
	P303+361+353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].			
	P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to			

16.3 **Recommended restriction on use**

Only for professional user.

Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)! Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)! An individual package of this product or test kit has a moderate hazardous potential.

16.4 Sources of key data

P310

KÜHN, BIRETT, Leaflets on hazardous materials, 2021

Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres

SUVA .CH, limit values in the air at work 2009, revised on 01/2009

Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)

Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG

do. Continue rinsing.

Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP)

Immediately call a POISON CENTER/doctor.

Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP)

Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)

Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progressText (11th ATP) Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP) Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP) TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019 Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP) Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG

Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP) Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP)

Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP)



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

- DE Tel.: +49 24 21 969-0 info@mn-net.com
- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 - FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

according to Regulations REACh 1907/2006/EC

REF: 985825	NANOCOLOR BOD5-TT	Page: 14/15
Printing date: 04.04.2023	Date of issue: 26.01.2023	Version: 2.2.4.17

revisions/updates

Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary 2014-04 adjustment according Regulation 487/2013/EU 2016-03 adjustment according Regulation 1221/2015/EU

2017-11 adjustment according the ECHA registration dossier 2022-11 adjustment according Regulation 878/2020/EU

16.5 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.6 Legend / Abbreviations

Legena / F	Addreviations
acc:	according
ADR:	Convention concerning the International Carriage of Dangerous Goods by Road
Act:	acute
BAT:	biological workplace tolerance value
CAO:	Cargo Aircraft Only
Carc:	carcinogen
CAS:	Chemical Abstracts Service
CLP:	Classification, Labelling and Packaging regulation
CMR:	carcinogen, mutagen, reproduction toxic
Corr:	corrosive
COD:	chemical oxigen demand
CSCL:	Chemical Substance Control Law (Jp)
Dam:	damage
DNEL:	Derived No-Effect Level (for workers)
derm:	dermal
dog:	dog
EC10:	Concentration causing a toxic effect in 10% of the test organisms
EC:	European Community
EC-Nr:	Substance number of the EC substance inventory
EmS:	Guide to accident management measures on ships
EU:	European Union
fish:	fish (not spezified)
GHS:	Global Harmonized System of Classification and Labeling of Chemicals
gpg:	guinea pig
ICAO:	International Civil Aviation Organization
ihl:	inhaled
IMDG:	International Maritime Dangerous Goods Code
intrav:	intravenous
ipt:	intraperitonaeal
ISHL:	Industrial Safety and Health Law (Jp)
LC50:	letale concentration 50%
LD50:	letale dosis 50%
leuciscus idus	
MAK:	maximum workplace concentration
Met:	Metall
mus:	mouse
Muta:	mutagen
NIOSH:	National Institute for Occupational Safety and Health (US)
NRD:	Non-rapidly degradable
onchorhynchu	
orl:	oral
OSHA:	Occupational Safety and Health Administration
PAX:	transport on passenger planes allowed
PBT:	persistent, bioaccumulating, toxic substance
pH:	pH value
pimephales p	romelas: fish, fathead minnow Predicted No Effected Concentration
PNEC: PROC 15:	
FRUC 15.	Process category 'for laboratory use'



 MACHEREY-NAGEL GmbH & Co. KG
 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 Valencienner Str. 11
 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

 52355 Düren · Germany
 FR
 Tel.: +33 388 68 22 68
 sales-fr@mn-net.com

 www.mn-net.com
 US
 Tel.: +1 888 321 62 24
 sales-us@mn-net.com



according to Regulations REACh 1907/2006/EC

REF: 985825	NANOCOLOR BOD5-TT	Page: 15/15
Printing date: 04.04.2023	Date of issue: 26.01.2023	Version: 2.2.4.17

16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
- US Tel.: +1 888 321 62 24 sales-us@mn-net.com