## CHEREY-NAGE



## according to Regulations REACh 1907/2006/EC

REF: 90724	Chromium test paper	Page: 1/8
Printing date: 04.04.2023	Date of issue: 24.10.2022	Version: 2.2.2.4

## SECTION 1: Identification of the substance/mixture and of the company

1.1	Product identifier	
	REF Product name	90724 Chromium test paper
	REACH Registration number(s A registration number for the the substance or its use is ex 1 x 200 strips test pap	substance(s) does not exist because the annual tonnage does not require registration or cluded from registration.
1.2	Relevant identified uses Product for analytical use.	the substance or mixture and uses advised against ation according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0 egrated into sections 1-16.
1.3	Details of the supplier of th Manufactured by: MACHEREY-NAGEL GmbH & Valencienner Str. 11, 52355 Di Phone: +49 2421 969 0	Co. KG
1.4	Emergency telephone num Information not necessary.	ber
		Internet:

## **SECTION 2: Hazard identification**

2.0 Classification of the complete product according to Regulation (EC) 1272/2008

#### 2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

200 strips test paper

Signal word

Do not need labelling as hazardous

No hazard class

List of H phrases: see section 16.2

2.2 Label elements according regulation (EC) 1272/2008

200 strips test paper

Do not need labelling as hazardous

Signal word: -

#### Label elements of the complete product

#### 2.3 Other hazards

#### Possible hazards from physicochemical properties

According to our current status of knowledge and experience we state, that this product does not contain any substances, which - in accordance with EC regulations 1272/2008/EC, 1907/2006/EC and German Regulations for Hazardous goods - have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit. An individual package has considerably less hazardous potential.



DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com

## **MACHEREY-NAGEL**



# Safety Data Sheet

## according to Regulations REACh 1907/2006/EC

REF: 90724	Chromium test paper	Page: 2/8
Printing date: 04.04.2023	Date of issue: 24.10.2022	Version: 2.2.2.4

Information pertaining to particular risks to human and possible symptoms

Information pertaining to particular risks to the environment

Possible endocrine disrupting effects no data available

## **SECTION 3: Composition / information on ingredients**

#### 3.1 Substances or 3.2 Mixtures

#### 200 strips test paper

Substance name: CAS No.:	<i>cellulose paper</i> 9004-34-6
Substance rating: Formula: REACH Reg. No.: EC No.: Concentration: acc. CLP (GHS):	No criteria for classification or naming of chemical not required. (C $_{6}$ H $_{10}$ O $_{5}$ ) n exempt, Annex IV 232-674-9 90 - <100 % The criteria for classification are not fulfilled.
Substance name: CAS No.:	chemicals/mixture until 1% -
Substance rating: Concentration: acc. CLP (GHS):	No criteria for classification or naming of chemical not required. $0,1$ - <1 % The criteria for classification are not fulfilled.

#### 3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.List of H and P phrases: see section 16.2.

### **SECTION 4: First aid measures**

4.1	<b>Description of first aid measures</b> Place insured person out of danger zone to fresh air immediately.
4.1.1	After SKIN Contact Remove dust with wetted tissue.
4.1.2	After EYE Contact Rub dust with teardrops from eyes
4.1.3	After INHALATION of vapours After inhalation of dust fresh air should be inhaled
4.1.4	After ORAL Intake
4.2	Most important symptoms and effects, both acute and delayed

**4.3** Indication of any immediate medical attention and special treatment needed No additionally recommendations. ---

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### 5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used. Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used. Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.



DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

```
US Tel.: +1 888 321 62 24 sales-us@mn-net.com
```



# Safety Data Sheet

## according to Regulations REACh 1907/2006/EC

	90724 Tridata: 04.04.0022	Chromium test paper	Page: 3/8
Printin	g date: 04.04.2023	Date of issue: 24.10.2022	Version: 2.2.2.
.1.2	<b>Unsuitable extinguishing m</b> no data available	redia	
5.2	Special hazards arising fi None.	rom the substance or mixture	
5.3	Advice for firefighters No, for listed product.Product pac	kage burns like paper or plastic.	
5.4	Additional information		
SEC	TION 6: Accidental relea	ase measures	
6.1	Personal precautions, pro	otective equipment and emergency procedures	
6.2	Environmental precaution not necessary	ns	
6.3	Methods and material for Clean working area with water. Flu	r <b>containment and cleaning up</b> ush used water into drains.	
6.4	Reference to other sectio	ns	
SEC	TION 7: Handling and st	orage	
7.1	Precautions for safe hand Handling in accordance with the te	dling est instruction, that comes with the product.	
7.2		ge, including any incompatibilities original packaging . Storage class (German chemical industry): see chapter 12.1 11 1	1
7.2.1	<b>Requirements for stock roc</b> Keep original product packages tig	oms and containers ghtly closed during handling and storage.	
7 0	Specific end use(s)		
1.3	Product for analytical use.		
	·	ols /personal protection	
7.3 SEC <sup>-</sup> 8.1	·	ols /personal protection	
SEC	TION 8: Exposure control Control parameters 200 strips test paper Chemical: cellulose pape TRGS 900 (DE): SUVA(CH) MAK value:	er CAS No.: 9004-34-6 Staub 1.25 A / 4 E mg/m³ E/e respirable 3 a ppm	5
SEC	TION 8: Exposure control Control parameters 200 strips test paper Chemical: cellulose pape TRGS 900 (DE): SUVA(CH) MAK value: NIOSH:	er CAS No.: 9004-34-6 Staub 1.25 A / 4 E mg/m³ E/e respirable	3
SEC <sup>-</sup>	TION 8: Exposure control Control parameters 200 strips test paper Chemical: cellulose pape TRGS 900 (DE): SUVA(CH) MAK value: NIOSH: [TWA] Time-weighted avera	er CAS No.: 9004-34-6 Staub 1.25 A / 4 E mg/m <sup>3</sup> E/e respirable 3 a ppm TWA 10 (total) / 5 (resp) mg/m <sup>3</sup> age to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period TWA 15 (total) / 5 (resp) mg/m <sup>3</sup>	5
SEC <sup>-</sup> 8.1	TION 8: Exposure control Control parameters 200 strips test paper Chemical: cellulose paper TRGS 900 (DE): SUVA(CH) MAK value: NIOSH: [TWA] Time-weighted avera OSHA:	er CAS No.: 9004-34-6 Staub 1.25 A / 4 E mg/m <sup>3</sup> E/e respirable 3 a ppm TWA 10 (total) / 5 (resp) mg/m <sup>3</sup> age to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period TWA 15 (total) / 5 (resp) mg/m <sup>3</sup>	3
SEC	TION 8: Exposure control Control parameters 200 strips test paper Chemical: cellulose pape TRGS 900 (DE): SUVA(CH) MAK value: NIOSH: [TWA] Time-weighted avera OSHA: Chemical: chemicals/mix Exposure controls	er CAS No.: 9004-34-6 Staub 1.25 A / 4 E mg/m <sup>3</sup> E/e respirable 3 a ppm TWA 10 (total) / 5 (resp) mg/m <sup>3</sup> age to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period TWA 15 (total) / 5 (resp) mg/m <sup>3</sup>	5



US Tel.: +1 888 321 62 24 sales-us@mn-net.com



# according to Regulations REACh 1907/2006/EC

REF: 90724		Chromium test paper	Page: 4/8	
Printing	date: 04.04.2023	Date of issue: 24.10.2022	Version: 2.2.2.4	
	Not necessary.			
8.2.3	Eye / Face Protection Not necessary.			
8.2.4	Skin protection Not necessary.			
8.2.5	Personal hygiene Information not necessary.			
8.2.6	Thermal hazards no data available			
8.3	Limitation and monitoring o Information not necessary.	f environmental exposure		
SECTI	ON 9: Physical and cher	nical properties		
9.1	Information on basic physic	al and chemical properties		
	200 strins test paper			

200 strips test paper	
a) State of aggregation:	solid
b) Colour:	colored
c) Odor:	odorless
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
<li>j) Decomposition temperature:</li>	no data available
k) pH value:	no data available
<ol> <li>Kinematic viscosity:</li> </ol>	no data available
m) Solubility in water:	no data available
n) Dispersion coefficient (o/w):	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	no data available
q) Relative vapour density (air=1):	no data available
r) Particle size:	no data available

#### 9.2 Other information

Properties relevant to substance groups

## **SECTION 10: Stability and reactivity**

10.1	Reactivity None
10.2	Chemical stability no known instability.
10.3	Possibility of hazardous reactions None.
10.4	Conditions to avoid Not known.
10.5	Incompatible materials Not known.

10.6 Hazardous decomposition products



US Tel.: +1 888 321 62 24 sales-us@mn-net.com



## according to Regulations REACh 1907/2006/EC

REF: 90724	Chromium test paper	Page: 5/8
Printing date: 04.04.2023	Date of issue: 24.10.2022	Version: 2.2.2.4

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

## **SECTION 11: Toxicological information**

### 11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

200 strips test paper			
Chemical:	cellulose paper	CAS	No.: 9004-34-6
TSCA Inventory:	listed	California Proposition 65 List: not listed	
Exposure Routes:	inhalation, skin an	id/or eye contact	
Target Organs:	Eyes, skin, respira	atory system	
Symptoms:	irritation eyes, skir	n, mucous membrane	
Australia NICNAS:	not listed	Canada CEPA 1999: DSL yes	
Japan CSCL/PRTR:	not listed, Japan F	PDSCL: not listed	
Japan ISHL:	not listed		
South Korea TCCA:	not listed		
Korea Exist.Chem.Inve	entory: KE-05339		
LD50 orl rat :	> 5000 mg/kg		
LC50 ihl rat :	> 5,800 mg/L/4H		

Chemical:	chemicals/mixture until 1%	CAS No.: -
TSCA Inventory:	all listed, <1%	
Korea Exist.Chem.	nventory: listed	

### 11.2 Other hazards

Possible endocrine disrupting effects no data available

Other information no additional data available

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Following information is valid for pure substances.

200 strips test pape	er	
Chemical:	cellulose pap	ber
Water hazard class	(DE):	nwg
Storage class (VCI):		11
<b>.</b>		
Chemical <sup>.</sup>	chemicals/m	ixture until 1%

onemical.	chemicals/mixture and	11 1 / 6
Water hazard class (D	DE): 1	
Storage class (VCI):	12-13	

- 12.2 Persistence and degradability not necessary
- 12.3 Bioaccumulative potential not necessary

## 12.4 Mobility in soil

not necessary

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher


## 12.6 Endocrine disrupting properties

no data available



CAS No.: 9004-34-6

CAS No .: -



FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com

## **MACHEREY-NAGEL**



## according to Regulations REACh 1907/2006/EC

REF: 90724	Chromium test paper	Page: 6/8
Printing date: 04.04.2023	Date of issue: 24.10.2022	Version: 2.2.2.4

### 12.7 Other adverse effects

no additional data available

### SECTION 13: Disposal considerations

Not necessary.

#### 13.1 Waste treatment methods

GENERAL: Empty solids into municipal waste, empty liquids diluted into drains.

### **SECTION 14: Transport information**

14.1 - 14.4 Not necessary

- 14.5 Environmental hazards none
- 14.6 Special precautions for user not necessary
- **14.7** Carriage in bulk by sea in accordance with IMO instruments Not applicable.

### **SECTION 15: Regulatory information**

**15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020 Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017 MN leaflet/instructions for use, also at www.mn-net.com If necessary, observe other country-specific regulations.

#### 15.2 Chemical safety assessment

## **SECTION 16: Other information**

16.1 Changes compared to the last version

Between versions 2.2.2.4 and 2.2.2.2 following changes were applied: - 2 substance data corrected

### 16.2 List of H and P phrases

- 16.2.1 List of relevant H phrases
- 16.2.2 List of relevant P phrases

### 16.3 Recommended restriction on use

None

#### 16.4 Sources of key data

KÜHN, BIRETT, Leaflets on hazardous materials, 2021 Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres

SUVA .CH, limit values in the air at work 2009, revised on 01/2009 Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)

Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG

Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP)

Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP)

Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)

Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progressText (11th ATP) Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP) Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP) TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019 Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP) Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP) Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP)



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

- DE Tel.: +49 24 21 969-0 info@mn-net.com
- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
  - FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com



## according to Regulations REACh 1907/2006/EC

REF: 90724	Chromium test paper	Page: 7/8
Printing date: 04.04.2023	Date of issue: 24.10.2022	Version: 2.2.2.4

Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP)

#### revisions/updates

Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary 2014-04 adjustment according Regulation 487/2013/EU 2016-03 adjustment according Regulation 1221/2015/EU

2017-11 adjustment according the ECHA registration dossier 2022-11 adjustment according Regulation 878/2020/EU

#### 16.5 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

#### 16.6 Legend / Abbreviations

Logona / /	
acc:	according
ADR:	Convention concerning the International Carriage of Dangerous Goods by Road
Act:	acute
BAT:	biological workplace tolerance value
CAO:	Cargo Aircraft Only
Carc:	carcinogen
	6
CAS:	Chemical Abstracts Service
CLP:	Classification, Labelling and Packaging regulation
CMR:	carcinogen, mutagen, reproduction toxic
Corr:	corrosive
COD:	chemical oxigen demand
CSCL:	Chemical Substance Control Law (Jp)
Dam:	damage
DNEL:	Derived No-Effect Level (for workers)
derm:	dermal
dog:	dog
EC10:	Concentration causing a toxic effect in 10% of the test organisms
EC:	European Community
EC-Nr:	Substance number of the EC substance inventory
EmS:	Guide to accident management measures on ships
EU:	European Union
fish:	fish (not spezified)
GHS:	Global Harmonized System of Classification and Labeling of Chemicals
gpg:	guinea pig
ICAO:	International Civil Aviation Organization
ihl:	inhaled
IMDG:	International Maritime Dangerous Goods Code
intrav:	intravenous
ipt:	intraperitonaeal
ISHL:	Industrial Safety and Health Law (Jp)
LC50:	letale concentration 50%
LD50:	letale dosis 50%
leuciscus idu	s: fisch, ide, orfe
MAK:	maximum workplace concentration
Met:	Metall
mus:	mouse
Muta:	mutagen
NIOSH:	National Institute for Occupational Safety and Health (US)
NRD:	Non-rapidly degradable
onchorhynch	
orl:	oral
OSHA:	Occupational Safety and Health Administration
PAX:	transport on passenger planes allowed
PBT:	persistent, bioaccumulating, toxic substance
Ha	pH value
pimephales p	
PNEC:	Predicted No Effected Concentration



 MACHEREY-NAGEL GmbH & Co. KG
 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 Valencienner Str. 11
 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

 52355 Düren · Germany
 FR
 Tel.: +33 388 68 22 68
 sales-fr@mn-net.com

 www.mn-net.com
 US
 Tel.: +1 888 321 62 24
 sales-us@mn-net.com

#### CHEREY-NAGEI Μ



# **Safety Data Sheet**

## according to Regulations REACh 1907/2006/EC

REF: 90724	Chromium test paper	Page: 8/8
Printing date: 04.04.20	D23 Date of issue: 24.10.2022	Version: 2.2.2.4
PROC 15: PRTR:	Process category 'for laboratory use' Law for PRTR and Promotion of Chemical Management (Jp)	
PVC: quail:	polyvinyl chloride bird, quail	
rat:	rat	
rbt:	rabbit	
RD:	rapidly degradable	

rbt:	raddit
RD:	rapidly degradable
RE:	repeated
REACh:	Registration, Evaluation, Authorisation and Restriction of Chemicals
REF:	item number, reference number
Reg.No.:	rRegistration number
Repr:	harmful to reproduction
Resp:	respiratory
RIP:	REACH Implementations Projects
SCU:	sub cutan
SDS:	safety data sheet
Sens:	sensitisation
STEL:	short term exposure limit
STOT:	Specific Target Organ Toxicity
SVHC:	Substance of Very High Concern
t/a:	tons per year
TCCA:	Toxic Chemicals Control Act (S. Korea)
Tox:	toxic
TSCA:	The Toxic Substances Control Act (US)
TWA:	time weighted average
TRGS:	technical regulations (DE)
vPvB:	very persistent, very bioaccumulating substance

#### 16.7 **Training advice**

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
- US Tel.: +1 888 321 62 24 sales-us@mn-net.com